

Public Health Statistics

Public Health Statistics

DEPARTMENT OF PUBLIC HEALTH AND WELFARE

MISSOURI DIVISION OF HEALTH

JEFFERSON CITY, MISSOURI

MISSOURI DIVISION OF HEALTH

STANDARD CERTIFICATE OF LIVE BIRTH

Registration District No. _____ Primary Registration District No. _____

124

BIRTH NUMBER

Registrar's No. _____

2. **USUAL RESIDENCE OF MOTHER** (Where does mother live?)

a. STATE _____ b. COUNTY _____

c. CITY OR TOWN _____ d. STREET ADDRESS _____

3. **USUAL RESIDENCE OF DECEASED** (Where deceased lived. If institution: Residence before admission)

a. STATE _____ b. COUNTY _____ c. CITY OR TOWN _____ d. STREET ADDRESS _____

4. **DATE OF DEATH** (If outside, give location)

Month _____ Day _____ Year _____

5. **INTERVAL BETWEEN ONSET AND DEATH**

Hours _____ Minutes _____

6. **CAUSE OF DEATH**

7. **PHILIS?** _____

8. **DECEASED IN BABY'S EYES?** _____

9. **OR DEFECTS OF CHILD:** _____

10. **DATE SIGNED** _____

11. **SYPHILIS TEST** _____

12. **REGISTRAR'S SIGNATURE** _____

13. **DATE SIGNED** _____

MISSOURI DIVISION OF HEALTH

STANDARD CERTIFICATE OF FETAL DEATH

Registration District No. _____ Primary Registration District No. _____

1. **USUAL RESIDENCE OF MOTHER** (Where does mother live?)

a. STATE _____ b. COUNTY _____ c. CITY OR TOWN _____ d. STREET ADDRESS _____

2. **USUAL RESIDENCE OF DECEASED** (Where deceased lived. If institution: Residence before admission)

a. STATE _____ b. COUNTY _____ c. CITY OR TOWN _____ d. STREET ADDRESS _____

3. **DATE OF DEATH** (If outside, give location)

Month _____ Day _____ Year _____

4. **INTERVAL BETWEEN ONSET AND DEATH**

Hours _____ Minutes _____

5. **CAUSE OF DEATH**

6. **PHILIS?** _____

7. **DECEASED IN BABY'S EYES?** _____

8. **OR DEFECTS OF CHILD:** _____

9. **DATE SIGNED** _____

10. **SYPHILIS TEST** _____

11. **REGISTRAR'S SIGNATURE** _____

12. **DATE SIGNED** _____

MISSOURI DIVISION OF HEALTH

STANDARD CERTIFICATE OF FETAL DEATH

Registration District No. _____ Primary Registration District No. _____

1. **USUAL RESIDENCE OF MOTHER** (Where does mother live?)

a. STATE _____ b. COUNTY _____ c. CITY OR TOWN _____ d. STREET ADDRESS _____

2. **USUAL RESIDENCE OF DECEASED** (Where deceased lived. If institution: Residence before admission)

a. STATE _____ b. COUNTY _____ c. CITY OR TOWN _____ d. STREET ADDRESS _____

3. **DATE OF DEATH** (If outside, give location)

Month _____ Day _____ Year _____

4. **INTERVAL BETWEEN ONSET AND DEATH**

Hours _____ Minutes _____

5. **CAUSE OF DEATH**

6. **PHILIS?** _____

7. **DECEASED IN BABY'S EYES?** _____

8. **OR DEFECTS OF CHILD:** _____

9. **DATE SIGNED** _____

10. **SYPHILIS TEST** _____

11. **REGISTRAR'S SIGNATURE** _____

12. **DATE SIGNED** _____

DEPARTMENT OF PUBLIC HEALTH AND WELFARE

MISSOURI DIVISION OF HEALTH

JEFFERSON CITY, MISSOURI

The Department of Public Health and Welfare of Missouri

D I V I S I O N O F H E A L T H

This report is the final tabulation of statistical data for the year 1960. The annual report of the Bureau of Vital Statistics is compiled for use in the study of birth, death, marriage, and divorce statistics. This report contains a number of graphic presentations with descriptive material relating to each graph.

If further statistical information is desired, such as more detailed breakdowns of the information contained in the report or copies of the enclosed charts or graphs, one may obtain such information by contacting the Missouri Division of Health.

September, 1961

INTRODUCTION

TABLE OF CONTENTS

CHARTS

FIGURE		PAGES
1	Recorded and Resident Live Birth and Death Rates: 1911-1960	1
2	Missouri Population Change by Age and Sex: 1950-1960	2
3	Population Per Cent Change by Age Groups: 1890-1960	3
4	Trends in Maternal Death Rates by Color: 1932-1960	4
5	Trends in Infant Death Rates by Color: 1932-1960	5
6	Trends in Stillbirth Rates by Color: 1932-1960	6
7	Death Rates by Age Groups: 1911-1960	7
8	Recorded Deaths and Rates from Accidents by Age, Including Motor Vehicle Accidents: 1930-1960	8
9	Death Rates From Major Causes: 1911-1960	9
10	Deaths From Selected Communicable Diseases: 1930-1960	10
10	Tuberculosis Deaths: 1930-1960	10
11	Reported Tuberculosis Cases: 1930-1960	11
12	Venereal Disease Deaths: 1930-1960	12
13	Reported Venereal Disease Cases: 1934-1960	13
14	Poliomyelitis Deaths: 1930-1960	14
15	Marriage and Divorce Rates: 1949-1960	15

POPULATION, NATALITY, AND MORTALITY

TABLE		PAGES
A	Total Population, Recorded Births and Deaths With Rates and Excess Births Over Deaths: 1911-1944	16
A	Total Population, Recorded and Resident Births and Deaths With Rates and Excess Births Over Deaths: 1945-1960	17
B	Resident and Recorded Live Births, Deaths, Infant Deaths, and Stillbirths by Counties and Cities Over 2,500 Population: 1960	18-22

TABLE OF CONTENTS (Continued)

TABLE		PAGES
	<u>POPULATION, NATALITY, AND MORTALITY (Continued)</u>	
C	Resident and Recorded Live Births, Deaths, Infant Deaths, and Stillbirths by Counties and Cities Over 10,000 Population with Rates: 1960	23-25
Summary	Resident Births by Attendant and Deaths From Important Causes by Color With Rates, State Total and Population Groups: 1960	61-63
Summary	Population, Resident Births by Attendant and Deaths From Important Causes by Color, County Areas Including Cities: 1960	63-82
Summary	Population, Resident Births by Attendant and Deaths From Important Causes by Color, Cities of 10,000 Population and Over: 1960	82-88
	<u>NATALITY</u>	
D	Resident Live Births by Place, Attendant, and Color by Counties and Cities Over 10,000 Population: 1960	26-28
E	Resident Live Births by Place and Attendant by Counties and Cities Over 10,000 Population: 1960	29-32
G	Resident Live Births, Urban and Rural, by Age of Mother, Sex and Color of Child: 1960	33
H	Selected Resident Live Birth Statistics with Percentages, Three Missouri Areas by Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence: 1960	34-36
	<u>MORTALITY</u>	
F	Stillbirths by Weight: 1960	33
I	Resident Infant Deaths by Age, Cause, and Color, with Rates by Cause and Color: 1960	37
J	Resident Maternal Deaths by Cause and Color with Rates: 1960	38
K	Ten Leading Causes of Death by Color with Rates: 1960	38
L	Recorded Accidental Deaths by Type, Age, and Sex: 1960	39
M	Accidental Deaths by Type and County or City of Occurrence: 1960 ..	40-43
N	Resident Deaths by Age Groups, Sex, Color, and Important Causes for the State: 1960	44
O	Recorded Deaths From Communicable Diseases by Cause and County or City: 1960	45-47


TABLE OF CONTENTS (Continued)

TABLE		PAGES
	<u>MARRIAGES AND DIVORCES</u>	
AA	Recorded Marriages by Age: Groom Versus Bride: 1960	48
BB	Recorded First Marriages by Age: Groom Versus Bride: 1960	49
CC	First Marriages by Age of Groom by Age of Bride, Groom Urban Residence: 1960	50
DD	First Marriages by Age of Groom by Age of Bride, Groom Rural Residence: 1960	51
EE	Marriages by Marital Status and Selected Age Groups: Grooms and Brides: 1960	52-53
FF	Recorded Marriages by Marital Status: Groom Versus Bride: 1960 ...	54
GG	Resident Marriages by Marital Status: Groom Urban: 1960	54
HH	Resident Marriages by Marital Status: Groom Rural: 1960	54
II	Marriages by Color of Groom: 1960	55
JJ	Divorces and Annulments by Number of Children Affected: 1960	55
KK	Divorces and Annulments: Complainant Versus to Whom Decree Granted: 1960	56
LL	Divorces and Annulments: Complainant Versus Disposition of Children: 1960	56
MM	Divorces and Annulments: Number of Cases Contested: 1960	57
NN	Divorces and Annulments: Alimony and Settlement: 1960	57
OO	Divorces and Annulments: Cause or Grounds Alleged: 1960	57
PP	Divorces and Annulments: Sex and Color: Husband Versus Wife: 1960	58
QQ	Divorces and Annulments: Number of Previous Marriages: Husband Versus Wife: 1960	58
RR	Divorces by Age of Husband and of Wife and by Number of Times Married: 1960	59
SS	Divorces and Annulments by Duration of Marriage in Years: 1960	60
TT	Divorces and Annulments by Party to Whom Granted: 1960	60

FIGURE 1

LIVE BIRTH AND DEATH RATES; MISSOURI

The graph below shows the trend in the birth and death rates from 1910 to date. During this period, the death rate has declined from approximately 13 per 1,000 population to the present rate of 11.0 per 1,000 population. During the same period, the birth rate went through a cycle; and although it hasn't reached the level at which it was estimated to be before 1900, it is above the 1910 level. The decline in the births that occurred from 1910 to 1935 has a direct influence on the number of mothers of childbearing age who have been having children during the last five years. This fact is of interest in the problems relating to population expansion. Expansion may take place more rapidly during the next 20 years since the number of mothers who were born since 1935 has been continually increasing. This fact assumes that the birth rate will remain the same.



Live Birth and Death Rates

Year ^{1/}	Birth Rate	Death Rate	Year ^{1/}	Birth Rate	Death Rate
1911	22.3	13.1	1936	14.7	12.8
1912	22.6	12.6	1937	15.1	11.9
1913	22.1	12.4	1938	15.7	11.3
1914	21.3	12.0	1939	15.8	11.3
1915	20.5	11.7	1940	16.5	11.6
1916	20.8	12.7	1941	17.4	11.4
1917	19.3	13.1	1942	19.0	11.0
1918	19.2	15.6	1943	20.2	12.0
1919	18.2	11.7	1944	19.7	11.9
1920	19.2	12.5	1945	18.7	12.1
1921	19.5	10.6	1946	21.5	11.3
1922	18.7	11.2	1947	23.4	11.6
1923	19.3	12.1	1948	22.1	11.1
1924	19.7	11.5	1949	21.5	11.1
1925	19.4	11.7	1950	21.6	11.0
1926	18.7	10.0	1951	22.5	11.0
1927	18.6	11.4	1952	22.4	11.2
1928	17.6	12.6	1953	22.5	11.1
1929	16.8	12.2	1954	22.8	10.7
1930	17.0	11.8	1955	22.7	10.4
1931	16.2	11.9	1956	23.1	10.7
1932	16.0	11.7	1957	23.1	11.3
1933	15.3	11.5	1958	22.8	11.0
1934	15.9	12.3	1959	23.3	11.0
1935	15.1	11.4	1960	22.6	11.2

Source: Missouri State Board of Health, Vital Statistics Reports, 1911-34 and 1937-48; Missouri Division of Health, Vital Statistics Reports, 1949-60; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Population estimates 1911-50 taken from the U.S. Bureau of the Census release Series P-25, No. 139, June 27, 1956; 1951-59 as computed by the Missouri Division of Health; 1960 taken from Census of Population Advanced Final Population Count, PC (A-1)-27, December 2, 1960.

^{1/} Recorded 1911-44; Resident 1945-60.

FIGURE 2

MISSOURI POPULATION CHANGE FROM 1950-1960 BY AGE GROUPS AND SEX





FIGURE 3

POPULATION BY AGE GROUPS: MISSOURI

This graph is of interest as it relates to our present day problems concerning the age distribution of the population. From it, one may observe that the percent of persons over 65 years of age has risen from 3 percent in 1890 to 12 percent in 1960. During the same period, the percent of persons 45 through 64 years of age has increased at about the same rate, while the number of persons under 20 has decreased from 48 percent in 1890 to 36 percent in 1960. However, during the last ten years, the age group under 20 experienced a sharp rise in the percent of the total due to the increased birth rate.



Population of Missouri by Age Groups

Year	Population					Percentage Distribution			
	All Ages	Under 20	20-44	45-64	65+	Under 20	20-44	45-64	65+
1890	2,679,185	1,295,671	969,556	325,314	88,644	48.4	36.2	12.1	3.3
1900	3,106,665	1,406,444	1,166,263	412,870	121,088	45.3	37.5	13.3	3.9
1910	3,293,335	1,356,999	1,280,136	498,450	157,750	41.2	38.9	15.1	4.8
1920	3,404,055	1,308,568	1,302,890	602,884	189,713	38.4	38.3	17.7	5.6
1930	3,629,367	1,296,612	1,381,872	703,569	247,314	35.7	38.1	19.4	6.8
1940	3,784,664	1,220,803	1,430,769	807,347	325,745	32.3	37.8	21.3	8.6
1950	3,954,653	1,258,543	1,412,916	875,806	407,388	31.8	35.7	22.1	10.3
1960 ^{1/}	4,319,813	1,573,290	1,307,403	935,709	503,411	36.4	30.3	21.7	11.7


Source: United States Department of Commerce, Bureau of the Census, 1950 Population Census Report (Missouri), Series P-B25, page 51.

^{1/} United States Bureau of the Census, 1960 Census of Population, Advanced Final Population Count, PC (A-1)-27, December 2, 1960.

FIGURE 4

TRENDS IN MATERNAL DEATH RATES BY COLOR: MISSOURI

The maternal death rate depicts the decline in the risks relating to childbirth. By separating the white and nonwhite rates, one can observe the peaking in the nonwhite rate which could be due to random fluctuation or to possible sporadic changes in the health conditions which, for some reason, affected the non-white population more than the white population.

Trends in Maternal Death Rates^{1/}

Year ^{2/}	White	Nonwhite	Total	Year ^{2/}	White	Nonwhite	Total
1932	5.9	10.8	6.1	1947	1.2	2.6	1.3
1933	5.0	7.8	5.1	1948	.9	2.3	1.0
1934	5.5	11.0	5.9	1949	.7	2.0	.9
1935	5.5	8.7	5.7	1950	.7	2.0	.8
1936	6.0	8.5	6.1	1951	.7	1.6	.8
1937	5.0	7.1	5.1	1952	.6	1.6	.7
1938	3.7	6.1	3.8	1953	.5	1.6	.7
1939	3.5	6.0	3.7	1954	.4	1.1	.5
1940	3.5	5.7	3.6	1955	.4	1.0	.5
1941	2.9	7.5	3.2	1956	.4	1.7	.6
1942	2.3	3.8	2.4	1957	.2	.9	.3
1943	2.2	3.4	2.3	1958	.3	.8	.4
1944	1.8	5.1	2.1	1959	.3	.7	.4
1945	1.5	3.6	1.7	1960	.4	1.3	.5
1946	1.2	3.7	1.4				


Source: Missouri State Board of Health, Vital Statistics Reports 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports 1949-60.

^{1/} Rates are per 1,000 live births ^{2/} Recorded 1932-44; Resident 1945-60.

FIGURE 5

TRENDS IN INFANT DEATH RATES BY COLOR: MISSOURI

The color differentiation in the infant death rate shows the nonwhite rate is still higher than the white rate. However, both rates seem to be decreasing at about the same proportion. This decrease in the infant death rate has one of the greatest effects on the aging of the population for the first year of life is the most vulnerable portion of the life cycle, and a decrease in this period adds a larger portion to the total average length of life.

Trends in Infant Death Rates^{1/}

Year ^{2/}	White	Nonwhite	Total	Year ^{2/}	White	Nonwhite	Total
1932	53.9	113.6	57.4	1947	30.1	59.9	32.4
1933	54.5	94.3	56.9	1948	28.6	49.3	30.4
1934	59.4	107.6	62.3	1949	28.7	43.4	30.0
1935	55.2	83.1	56.9	1950	27.1	49.0	29.2
1936	55.7	90.0	57.9	1951	25.8	45.0	27.7
1937	61.7	96.5	64.0	1952	25.9	49.4	28.3
1938	48.1	93.0	51.1	1953	25.4	46.9	27.7
1939	42.2	83.8	45.0	1954	24.2	46.6	26.8
1940	44.7	78.4	47.0	1955	23.1	41.7	25.3
1941	44.2	83.1	46.8	1956	22.4	38.9	24.5
1942	37.1	64.8	39.0	1957	22.4	40.5	24.8
1943	37.5	69.5	39.8	1958	23.2	46.9	26.4
1944	35.1	63.7	37.3	1959	21.5	43.6	24.5
1945	35.1	65.8	37.5	1960	21.4	45.9	24.7
1946	31.1	55.8	33.0				


Source: Missouri State Board of Health, Vital Statistics Reports 1932-34 and 1937-46; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-60.

^{1/} Rates are per 1,000 live births. ^{2/} Recorded 1932-44; Resident 1945-60.

FIGURE 6

TRENDS IN STILLBIRTH RATES BY COLOR: MISSOURI

The color specific stillbirth rates show that the nonwhite stillbirth rate is generally higher than the white stillbirth rate. However, the relative decrease in both rates is approximately the same. One might conclude from this type of rate that the health of the public is still related to its social and economic environment.

TRENDS IN STILLBIRTH RATES ^{1/}


Year ^{2/}	White	Nonwhite	Total	Year ^{2/}	White	Nonwhite	Total
1932	38.4	98.1	41.9	1947	18.8	44.7	20.8
1933	34.3	88.9	37.5	1948	18.7	42.7	20.7
1934	31.3	73.9	33.9	1949	17.5	35.9	19.3
1935	35.8	79.2	38.5	1950	17.2	37.2	19.2
1936	33.4	74.7	36.0	1951	16.4	34.3	18.2
1937	31.3	70.1	33.9	1952	16.1	29.7	17.5
1938	32.0	76.4	35.0	1953	15.9	33.1	17.8
1939	27.8	71.3	30.7	1954	15.8	27.7	17.2
1940	29.8	69.5	32.5	1955	14.7	29.8	16.7
1941	29.7	71.4	32.5	1956	15.4	25.4	16.6
1942	26.2	65.0	28.9	1957	15.7	22.1	16.5
1943	23.6	59.0	26.2	1958	14.7	24.8	16.1
1944	23.3	59.8	26.1	1959	14.0	24.2	15.4
1945	21.7	53.2	24.1	1960	13.8	24.3	15.2
1946	21.4	51.2	23.6				

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-46; U. S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-60. ^{1/} Rates are per 1,000 live births; ^{2/} Recorded 1932-44; Resident 1945-60.

FIGURE 7

DEATH RATES BY AGE GROUPS: MISSOURI

Although much has been written in regard to the lengthening of life, the accompanying graph seems to indicate that the number of deaths per thousand population has declined very little except in the age group under one year.

Death Rates by Age Groups^{1/}

Year	All Ages			Age Groups				
	Deaths	Average	Rate	Under 1	1-24	25-44	45-64	65+
1911	43,434	43,434.00	13.2	96.7	5.3	7.7	17.7	73.5
1919	40,040							
1920	42,638	39,916.33	11.7	78.3	4.5	6.7	14.6	65.5
1921	37,071							
1929	44,281							
1930	43,099	43,833.33	12.1	64.4	3.1	5.6	16.1	72.3
1931	44,120							
1939	42,602							
1940	43,777	43,124.33	11.4	52.3	1.7	3.8	14.0	67.9
1941	42,994							
1949	43,825							
1950	43,710	43,886.00	11.1	33.7	1.0	2.6	12.6	63.4
1951	44,123							
1960	48,287	48,287.00	11.2	25.5	0.8	2.2	11.5	62.5


Source: United States Bureau of the Census, *Mortality Statistics*, 1911-31, and the annual *Vital Statistics of the United States*, 1939-1951; 1960, Missouri Division of Health, *Vital Statistics Reports*; United States Department of Commerce, Bureau of the Census, *1950 Population Census Report (Missouri)*, Series P-B25; *1960 Census of Population*, Advanced Final Population Count, PC (A-1)-27, December 2, 1960.

^{1/} Rates are per 1,000 population. Rates are based on census year population figure and a three-year average of deaths (three years around the census year).

FIGURE 8

DEATHS FROM ACCIDENTS: MISSOURI

Accidental death rates are slowly declining. This is interesting when one considers the general aging of the population and the greater rate of accidental deaths among the aged. During the same period, motor vehicle accidents are slowly rising as a cause of death.




Year	Recorded Deaths From All Accidents ^{1/}							Motor Vehicle Accidents	
	All Ages Number	All Ages Rate ^{2/}	Deaths by Age Groups					All Ages Number	All Ages Rate ^{2/}
			0-4	5-14	15-24	25-64	65+	Unk.	
1930	3,011	82.6							795 21.8
1931	2,933	79.0							888 23.9
1932	2,718	72.6							686 18.3
1933	2,676	70.9							874 23.2
1934	4,230	111.8							993 26.2
1935	2,904	76.5							966 25.4
1936	3,778	99.4							1,015 26.7
1937	3,080	81.2							1,044 27.5
1938	2,709	71.6							886 23.4
1939	2,713	71.7	147	130	334	1,098	1,003	1	819 21.6
1940	2,767	73.1	167	149	289	1,136	1,024	2	832 22.0
1941	2,911	76.4	156	156	396	1,132	1,069	2	1,079 28.3
1942	2,692	70.3	152	153	292	1,071	1,012	12	709 18.5
1943	2,675	72.2	180	168	288	992	1,039	8	540 14.6
1944	2,446	68.7	168	158	261	878	977	4	566 15.9
1945	2,731	77.7	207	169	265	982	1,083	25	696 19.8
1946	2,769	73.9	165	170	312	1,026	1,089	7	838 22.4
1947	2,888	75.1	161	162	316	1,060	1,182	7	811 21.1
1948	2,641	68.7	148	120	280	924	1,164	5	820 21.3
1949	2,633	68.3	189	143	271	975	1,050	5	837 21.2
1950	2,542	64.2	202	139	292	758	946	5	912 23.0
1951	2,694	67.5	201	141	355	1,020	972	5	1,036 26.0
1952	2,917	72.5	206	154	347	1,145	1,065		1,079 26.8
1953	2,816	69.3	179	170	342	1,106	1,015	4	1,068 26.3
1954	2,772	67.7	193	147	333	1,114	976	9	1,042 25.4
1955	2,712	65.8	192	161	332	1,121	904	2	1,090 26.4
1956	2,708	65.0	180	166	367	1,096	897	2	1,170 28.1
1957	2,838	67.5	212	155	372	1,053	1,041	5	1,063 25.3
1958	2,470	58.3	219	142	293	992	819	5	1,012 23.9
1959	2,575	60.8	235	150	350	971	862	7	1,030 24.3
1960	2,567	59.4	202	151	330	1,012	869	3	1,075 24.9

Source: ^{1/} Missouri State Board of Health Reports, 1925-34 and 1937-48; Missouri Division of Health, Vital Statistics Reports 1949-60; United States Bureau of the Census, Mortality Statistics, 1935-36. ^{2/} Rates are per 100,000 population. Population estimates 1911-50 taken from United States Bureau of Census Release Series P-25, No. 139, June 27, 1956; 1951-59 as estimated by the Division of Health; 1960 Census of Population Advanced Final Population Count, PC (A-1)-27, December 2, 1960.

FIGURE 9

DEATH RATES FROM MAJOR CAUSES: MISSOURI

The death rates for all causes decreased by 14.7 percent between 1911 and 1960. During the same period, the death rates from heart disease increased by 187.4 percent, while the death rates from influenza and pneumonia decreased by 71.2 percent. This change in death rates is due to the control of communicable diseases and better medical care, which in turn effects the aging of the population. This aging is reflected by an increase in the deaths due to chronic diseases such as heart and cancer.

Death Rates From Major Causes ^{1/}

Year ^{2/}	All Causes	Heart Disease	Cancer	Diseases of Early Infancy	Influenza and Pneumonia	All Accidents	All Other
1911	131.1	15.1	6.0	8.0	15.3	6.6	80.1
1915	117.0	13.7	6.2	6.3	15.3	5.5	70.2
1920	125.1	18.8	7.5	5.7	27.7	4.1	61.2
1925	117.2	15.2	9.5	5.8	16.4	5.9	64.4
1930	117.7	21.0	10.7	4.8	11.6	8.3	61.2
1939	112.9	28.2	13.3	4.2	9.4	7.2	50.6
1940	116.1	30.3	13.4	4.5	9.8	7.3	50.8
1941	113.6	28.5	14.0	4.8	9.7	7.6	49.0
1942	110.0	30.0	14.2	5.0	8.0	7.0	45.9
1943	119.9	35.1	14.5	5.0	9.2	7.2	48.9
1944	119.0	35.7	15.6	4.6	8.7	6.9	47.5
1945	120.9	35.8	15.5	4.2	7.5	7.8	50.0
1946	113.1	33.9	14.7	5.1	6.4	7.3	45.6
1947	115.7	38.0	15.0	5.4	6.4	7.6	43.3
1948	111.2	37.0	16.0	4.9	4.9	7.0	41.5
1949	110.5	38.2	15.8	4.9	3.6	6.7	41.3
1950	110.4	40.0	16.1	4.9	3.9	6.6	38.9
1951	110.3	40.5	16.2	4.9	4.0	6.8	38.0
1952	111.9	41.3	16.3	4.9	3.9	7.3	38.1
1953	111.2	41.0	16.6	5.0	4.7	7.0	36.9
1954	107.0	39.6	16.7	4.8	3.3	6.7	36.0
1955	104.3	40.0	16.3	4.6	3.4	6.6	33.3
1956	106.8	41.9	16.6	4.6	2.9	6.4	34.4
1957	112.5	43.3	17.2	4.1	4.2	4.6	39.1
1958	110.2	42.8	16.7	3.9	4.0	5.0	37.8
1959	109.8	42.8	17.4	4.7	3.2	6.0	35.6
1960	111.8	43.4	17.3	4.7	4.4	5.9	36.0


Source: Missouri State Board of Health Reports, 1925-34 and 1937-48; Missouri Division of Health, *Vital Statistics Reports*, 1949-60; United States Bureau of the Census, *Mortality Statistics*, 1935-36.

^{1/} Rates are per 10,000 population. Estimated population 1911-50 taken from United States Bureau of the Census Release Series P-25, No. 139, June 27, 1956; 1951-59 as computed by the Missouri Division of Health; 1960 taken from *Census of Population, Advanced Final Population Count*, PC (A-1)-27, December 2, 1960. ^{2/} 1910-44 Recorded; 1945-60 Resident.

FIGURE 10

DEATHS FROM SELECTED COMMUNICABLE DISEASES: MISSOURI

Tuberculosis deaths are declining on the average at the rate of 82 per year. However, since 1955, the rate of decline appears to have leveled off.



Deaths From Selected Communicable Diseases


Year/	Brucellosis	Diphtheria	Malaria	Meningococcal Infections	Smallpox	Tuberculosis	Typhoid Fever
1930		162	125	205	7	2,544	263
1931	3	251	146	93	8	2,617	255
1932	5	273	114	34	2	2,418	203
1933	8	238	201	47	1	2,307	214
1934	3	204	187	52	2	2,218	224
1935	6	181	164	114		2,199	143
1936	11	79	104	79	1	2,305	205
1937	4	93	91	46	6	2,146	152
1938	3	114	78	21	4	1,929	105
1939	4	78	66	14	6	1,775	97
1940	3	62	43	13		1,709	58
1941	6	44	27	17	5	1,748	47
1942	7	43	20	20		1,581	29
1943	8	40	25	100	1	1,653	32
1944	4	29	14	103		1,487	25
1945	3	43	14	44		1,411	20
1946	8	25	13	29		1,291	9
1947	8	16	7	17		1,288	16
1948	4	10	5	15		1,001	11
1949	2	20	1	24		1,066	4
1950	3	8	1	23		920	4
1951	1	10	2	29		833	2
1952	2	5	1	31		703	1
1953	3	1	2	27		620	4
1954	1	2	3	23		509	1
1955				15		405	2
1956	1			14		396	1
1957				12		402	1
1958	1	1		21		343	2
1959	2	2		14		309	
1960				7		312	

Source: Missouri State Board of Health Reports, 1925-34 and 1937-48; Missouri Division of Health, Vital Statistics Reports, 1949-60; United States Bureau of the Census, Mortality Statistics, 1935-36.
 1/ 1910-44 Recorded; 1945-60 Resident.

FIGURE 11

REPORTED TUBERCULOSIS CASES: MISSOURI

The number of tuberculosis cases are decreasing on the average at the rate of 29 cases per year. This rate is somewhat less than the rate of decrease in regard to tuberculosis deaths, which are decreasing at the average rate of 82 deaths per year. The high peak in the number of cases during the years 1946 through 1953 might be due to a change in emphasis in reporting procedures.



Tuberculosis Cases


Year	Number of Cases Reported	Year	Number of Cases Reported
1930	2,485	1945	1,883
1931	2,740	1946	2,045
1932	2,482	1947	3,078
1933	2,294	1948	2,632
1934	2,761	1949	2,541
1935	2,694	1950	2,989
1936	2,661	1951	2,152
1937	2,417	1952	2,302
1938	2,564	1953	2,511
1939	2,203	1954	2,101
1940	2,215	1955	1,904
1941	2,379	1956	1,722
1942	2,339	1957	1,630
1943	2,221	1958	1,534
1944	2,406	1959	1,416
		1960	1,415

Source: Above figures obtained from the Missouri Division of Health, Section of Local Health Services, Tuberculosis Control.

FIGURE 12

VENEREAL DISEASE DEATHS: MISSOURI

There is a peak of syphilis deaths during the period 1938 through 1945. If one will examine the number of cases reported during this same period, he can observe a definite peaking in the number of cases. Syphilis is an insidious disease in which a time lag is normally observed between onset and death. It is quite possible that the rise in the number of deaths due to syphilis was due to the new interest in the disease during the peak period surrounding the war years, thus causing this disease to have been mentioned more frequently as a cause of death.



Venereal Disease Deaths

Year ^{1/}	Total	Syphilis	Gonococcus Infections	Year ^{1/}	Total	Syphilis	Gonococcus Infections
1930	291	261	30	1945	459	456	3
1931	329	295	34	1946	420	419	1
1932	326	301	25	1947	406	401	5
1933	319	302	17	1948	353	351	2
1934	387	344	43	1949	252	250	2
1935	430	380	50	1950	252	252	
1936	474	430	44	1951	261	257	4
1937	413	376	37	1952	184	182	2
1938	399	371	28	1953	207	202	5
1939	420	400	20	1954	192	190	2
1940	496	472	14	1955	139	137	2
1941	560	546	14	1956	131	131	
1942	512	504	8	1957	127	127	
1943	519	513	6	1958	130	130	
1944	464	459	5	1959	83	82	1
				1960	94	92	2


Source: Missouri State Board of Health Reports 1925-34 and 1937-48; Missouri Division of Health, Vital Statistics Reports, 1949-60; United States Bureau of the Census, Mortality Statistics, 1935-36.

^{1/} 1910-44 Recorded; 1945-60 Resident.

FIGURE 13

VENEREAL DISEASE CASES: MISSOURI

The number of venereal disease cases rose during the period of the second world war. Some of this rise was due to a renewed interest in the reporting of the disease. In 1956, there was another small rise in the number of cases.



Venereal Disease Cases


Year	Syphilis	Gonorrhea	Total	Year	Syphilis	Gonorrhea	Total
1934			2,050	1947	8,501	6,408	14,909
1935			1,711	1948	7,083	6,176	13,259
1936			1,604	1949	6,199	4,992	11,191
1937			3,430	1950	5,753	4,483	10,236
1938	5,075	1,100	6,175	1951	5,160	4,261	9,421
1939	4,354	717	5,071	1952	4,541	4,361	8,908
1940	6,941	1,851	8,792	1953	3,291	3,913	7,204
1941	11,325	3,964	15,289	1954	2,990	3,577	6,567
1942	16,774	6,124	22,898	1955	4,387	5,281	9,668
1943	12,547	7,835	20,382	1956	4,624	5,311	9,935
1944	16,621	8,395	25,016	1957	4,156	5,255	9,411
1945	10,075	11,318	21,393	1958	3,782	6,599	10,381
1946	10,756	8,544	19,300	1959	3,132	6,454	9,586
				1960	3,087	8,052	11,139

Source: Above figures obtained from the Missouri Division of Health, Section of Local Health Services, Venereal Disease Control.

FIGURE 14

POLIOMYELITIS DEATHS: MISSOURI

The cyclical phenomenon associated with many diseases can be observed in this graph of polio deaths. In polio, there seems to be a three-year cycle. It is quite possible that a secondary cycle of a longer period of time could account for the rise observed around 1949.



Year ^{1/}	All Polio Deaths	Year ^{1/}	All Polio Deaths
1930	42	1945	34
1931	18	1946	97
1932	12	1947	17
1933	16	1948	31
1934	19	1949	133
1935	17	1950	34
1936	22	1951	53
1937	78	1952	77
1938	15	1953	30
1939	18	1954	31
1940	37	1955	9
1941	14	1956	17
1942	17	1957	7
1943	37	1958	12
1944	17	1959	37
		1960	5


Source: Missouri State Board of Health Reports, 1925-34 and 1937-48; Missouri Division of Health, Vital Statistics Reports, 1949-60; United States Bureau of the Census, Mortality Statistics 1935-36.
^{1/} 1910-44 Recorded; 1945-60 Resident.

FIGURE 15

MARRIAGE AND DIVORCE RATES: MISSOURI

The marriage and divorce rates in Missouri fluctuate very little. There is some indication that the marriage rate is directly related to economic and political conditions such as recession and the threats of war. The marriage rate in turn tends to directly affect the birth rate of the state.

The divorce rates also tend to reflect not only existing economic conditions, but to be effected by the aftermath of conditions that existed in a previous era. When examining marriage and divorce data, one should be cognizant of the fact that the divorces of today are not a direct reflection of the marriages of today; but are, in reality, the termination of marriages that have taken place in a previous time period.



Marriage and Divorce Rates

Year	Marriages ^{2/} Number	Rate ^{1/}	Year	Divorces ^{2/} Number	Rate ^{1/}
1949	34,689	8.9	1949	12,912	3.3
1950	34,300	8.7	1950	12,177	3.1
1951	30,880	7.6	1951	12,131	3.0
1952	28,373	7.1	1952	12,943	3.2
1953	33,012	8.2	1953	12,342	3.1
1954	33,520	8.2	1954	11,705	2.9
1955	34,162	8.3	1955	11,351	2.8
1956	34,382	8.3	1956	10,993	2.6
1957	31,395	7.5	1957	10,861	2.6
1958	31,965	7.5	1958	10,747	2.5
1959	34,352	8.1	1959	11,693	2.8
1960	35,368	8.2	1960	11,320	2.6

Source: ^{1/} Rates are per 1,000 population. Population estimates for 1949 and 1950 taken from U.S. Bureau of Census Release, Series P-25, No. 139, June 27, 1956; 1951 to 1959 as computed by the Missouri Division of Health; 1960 taken from Census of Population, Advanced Final Population Count, PC (A-1)-27. ^{2/} Missouri Division of Health, Vital Statistics Reports, 1949 to date.

TABLE A

POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND EXCESS OF BIRTHS OVER DEATHS. MISSOURI: 1911 - 1944

Year	Estimated Mid-Year Population (Thousands)	BIRTHS		DEATHS		Excess Births Over Deaths
		Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,379	13.1	30,651
1912	3,344	75,452	22.6	42,139	12.6	33,313
1913	3,409	75,231	22.1	42,130	12.4	33,101
1914	3,467	73,925	21.3	41,743	12.0	32,182
1915	3,492	71,543	20.5	40,863	11.7	30,680
1916	3,527	73,486	20.8	44,705	12.7	28,781
1917	3,470	67,041	19.3	45,564	13.1	21,477
1918	3,325	64,001	19.2	51,925	15.6	12,076
1919	3,371	61,193	18.2	39,282	11.7	21,911
1920	3,404	65,416	19.2	42,572	12.5	22,844
1921	3,429	66,970	19.5	36,210	10.6	30,760
1922	3,437	64,388	18.7	38,417	11.2	25,971
1923	3,454	66,691	19.3	41,853	12.1	24,838
1924	3,508	68,961	19.7	40,463	11.5	28,498
1925	3,526	68,293	19.4	41,332	11.7	26,961
1926	3,556	66,611	18.7	42,684	10.0	23,927
1927	3,576	66,401	18.6	40,853	11.4	25,548
1928	3,601	63,401	17.6	45,219	12.6	18,182
1929	3,622	60,980	16.8	44,262	12.2	16,718
1930	3,646	62,011	17.0	42,924	11.8	19,087
1931	3,711	60,201	16.2	43,999	11.9	16,202
1932	3,746	59,755	16.0	43,695	11.7	16,060
1933	3,773	57,717	15.3	43,368	11.5	14,349
1934	3,784	60,317	15.9	46,685	12.3	13,632
1935	3,798	57,299	15.1	43,201	11.4	14,098
1936	3,801	55,916	14.7	48,767	12.8	7,149
1937	3,794	57,270	15.1	45,160	11.9	12,110
1938	3,781	59,365	15.7	42,578	11.3	16,787
1939	3,783	59,688	15.8	42,693	11.3	16,995
1940	3,786	62,545	16.5	43,950	11.6	18,595
1941	3,811	66,268	17.4	43,295	11.4	22,973
1942	3,829	72,575	19.0	42,117	11.0	30,458
1943	3,705	74,820	20.2	44,437	12.0	30,383
1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the U.S. Bureau of the Census. Population estimates 1911 to 1944 taken from U. S. Bureau of the Census release Series P-25, No. 139, June 27, 1956.

TABLE A (Continued)

POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND EXCESS OF RESIDENT BIRTHS OVER DEATHS: 1945 TO DATE

Year	Estimated Mid-Year Population (Thousands)	RECORDED				RESIDENT				Excess Births Over Deaths
		BIRTHS		DEATHS		BIRTHS		DEATHS		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,961	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	3,992	92,664	23.2	44,318	11.1	89,977	22.5	44,051	11.0	45,926
1952	4,026	92,931	23.1	45,245	11.2	90,118	22.4	45,051	11.2	45,067
1953	4,061	94,419	23.3	45,686	11.2	91,447	22.5	45,148	11.1	46,299
1954	4,095	97,278	23.8	44,404	10.8	93,453	22.8	43,835	10.7	49,618
1955	4,124	97,591	23.7	43,531	10.6	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,112	24.0	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,206	101,287	24.1	47,784	11.4	97,161	23.1	47,333	11.3	49,828
1958	4,240	100,729	23.8	47,338	11.2	96,721	22.8	46,729	11.0	49,992
1959	4,233	102,461	24.2	47,099	11.1	98,537	23.3	46,465	11.0	52,072
1960	4,320	101,778	23.6	48,955	11.3	97,723	22.6	48,287	11.2	49,436

Source: Vital Statistics Reports of the Missouri Division of Health. Population estimates 1945-1950 taken from U. S. Bureau of the Census release Series P-25, No. 139, June 27, 1956; 1951 to 1959, as computed by the Missouri Division of Health; 1960 from the "U.S. Census of Population, PC (1) 278.

TABLE B

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
BY COUNTIES AND CITIES OVER 2,500 POPULATION. MISSOURI: 1960

Area	RESIDENT NUMBER				RECORDED NUMBER			
	Live Births	Deaths	Infant Deaths	Still-Births	Live Births	Deaths	Infant Deaths	Still-births
State Total	97,723	48,287	2,414	1,483	101,778	48,955	2,470	1,537
Cities over 10,000	47,904	24,300	1,335	770	75,266	30,441	1,900	1,159
Rural	49,819	23,987	1,079	713	26,512	18,514	570	378
Counties (Rural part) and Cities								
Adair	121	82	3		6	31	1	
Kirksville	318	174	8		860	347	18	8
Andrew	194	126	3	4	4	89	1	
Atchison	128	119		1	233	127	1	6
Audrain	216	91	5	4	7	59		
Mexico	290	140	6	3	697	262	13	10
Vandalia	67	48	1		1	21		
Barry	274	201	6	3	73	136	3	1
Monett (part)	78	72	3	1	389	115	9	10
Barton	94	126		3	7	59		
Lamar	63	62			163	117		2
Bates	189	190	1	1	12	121	1	
Butler	70	69		1	219	77		3
Benton	118	112	3	1	43	72	2	
Bollinger	134	112	2	1	28	87	1	
Boone	480	223	10	8	2	139	4	
Columbia	931	235	10	8	1,528	662	61	21
Buchanan	220	122	8	2	5	50	1	1
St. Joseph	1,752	1,016	42	29	2,396	1,316	52	41
Butler	332	177	11	2	40	108	6	
Poplar Bluff	340	237	17	2	1,000	566	36	9
Caldwell	136	154	1	4	5	92		2
Callaway	251	160	5	3	4	73		
Fulton	142	118	4	4	256	295	3	5
Camden	124	84	2	1	35	64	1	
Cape Girardeau	183	110	1	2	1	48	1	
Cape Girardeau City	530	237	19	7	1,296	441	32	20
Jackson	130	58	3	2	1	29	1	
Carroll	167	112	4	1	2	56	1	
Carrollton	83	76	4	1	182	95	7	2
Carter	78	42	4	2	6	23	1	
Cass	574	215	8	8	378	137	10	4
Harrisonville	86	58			269	84	4	3
Cedar	112	84		2	9	45		
El Dorado Springs	51	58	1		22	29		
Chariton	227	203	6	4	19	106	1	
Christian	235	159	6	2	7	86		
Clark	166	124	3	2	4	74	1	

TABLE B (Continued)

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
BY COUNTIES AND CITIES OVER 2,500 POPULATION. MISSOURI: 1960

Area	RESIDENT NUMBER				RECORDED NUMBER			
	Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births
Clay	475	195	19	10	286	210	9	3
Kansas City (part)	1,158	133	16	11	1	57	1	
Excelsior Springs (part)	134	107	6	1	178	122	3	2
Liberty and North Kansas City	439	129	11	5	1,320	125	19	20
Clinton	134	114	6	3	8	64	1	
Cameron (part)	66	66	1		264	116	1	3
Cole	310	96	4	4	2	53		
Jefferson City	537	276	13	9	1,428	442	26	23
Cooper	176	112	5	2	4	43	1	
Boonville	133	88	3	2	312	152	3	3
Crawford	234	159	7	3	107	85	3	2
Sullivan (part)	14	3			1			
Dade	114	97	2		98	80	3	2
Dallas	122	114	1	2	110	74		3
Daviess	110	148	3		34	93	1	
DeKalb	120	83		2	28	55		
Cameron (part)		2			1			
Dent	108	73		2	10	46		
Salem	71	55	1	1	166	61		6
Douglas	174	89	5	4	30	57	1	2
Dunklin	571	261	18	6	118	131	3	2
Kennett	202	113	6		852	243	22	7
Malden	109	69	3	2	96	35		2
Franklin	685	332	15	14	3	156	1	1
Sullivan (part) and Union	179	83	2	1	14	39		
Washington	239	69	1	1	1,256	250	13	14
Gasconade	162	107	3	2	1	67	2	
Hermann	50	23	1		6	6		
Gentry	138	136	4	1	149	103	3	
Greene	605	264	13	12		136	4	1
Springfield	2,080	1,104	47	30	3,501	1,618	84	49
Grundy	98	96	1	1		53		
Trenton	107	118	2	3	234	165	3	4
Harrison	140	131	3	3	11	54	1	
Bethany	53	52		1	206	98	1	4
Henry	203	206	7	4	127	124	4	3
Clinton	136	112	5		356	198	8	2
Hickory	69	62	1		24	35		
Holt	129	136	2	4	5	77		
Howard	142	111	2	2	1	51		
Fayette	64	55	1		130	96	1	2
Howell	294	159	2	2	146	124	2	1
West Plains	147	89	7	1	384	146	8	5
Iron	159	143	7	5	324	168	9	8

TABLE B (Continued)

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
BY COUNTIES AND CITIES OVER 2,500 POPULATION. MISSOURI: 1960

Area	RESIDENT NUMBER				RECORDED NUMBER			
	Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births
Jackson	2,819	601	48	48	179	408	3	8
Kansas City (part)	11,126	5,682	309	144	16,588	6,626	410	217
Independence	1,860	574	44	34	1,755	510	38	26
Lee's Summit	201	71	9	2	2	22		
Jasper	439	265	10	3	4	168	3	
Joplin (part)	787	559	17	10	1,414	618	26	17
Carthage	232	196	7	4	442	218	6	3
Webb City	136	113	2	1	111	109	3	2
Jefferson	1,263	367	27	24	779	390	14	16
Crystal City	84	37	1	2	1	10		
DeSoto and Festus	351	110	7	7	28	54	1	2
Johnson	291	187	7	7	422	122	7	7
Warrensburg	209	83	8		379	118	8	2
Knox	135	88	3	2	56	45		
Laclede	185	112	3	7	3	79	1	
Lebanon	196	101	8	2	432	122	4	10
Lafayette	292	213	7	4	53	124	1	
Higginsville	69	59	2		1	30		
Lexington	97	69		1	308	108	4	2
Lawrence	235	226	8	8	75	260		
Monett (part) and Aurora	147	73	4	3	250	87	2	6
Lewis	223	144	4	4	8	108	1	
Lincoln	279	197	4	3	481	199	8	5
Linn	133	134	2	2	1	59		1
Brookfield	100	94		1	236	127	2	4
Marceline	49	48	3	1	132	79	3	1
Livingston	91	73				43		
Chillicothe	181	130	3	2	367	210	5	4
McDonald	215	176	4	5	26	100	1	
Macon	198	154	3		8	101	1	
Macon	78	84	6	4	231	107	3	8
Madison	104	64	3	4		37		
Fredericktown	67	57	4		66	24	4	3
Maries	149	87	4		2	53	1	
Marion	193	115	2	1	2	73	2	
Hannibal (part)	409	335	16	5	966	500	22	18
Mercer	68	85	1	1	87	82	2	1
Miller	240	130	5	7	217	85	3	6
Eldon	59	45	2			20		
Mississippi	287	101	19	8	226	56	10	5
East Prairie	86	48	5	2	62	29	2	1
Charleston	173	85	11	1	55	44	8	1
Moniteau	149	96	1	2	3	51		
California	41	55	1		98	61		
Monroe	215	153	3	4	20	100	1	1
Montgomery	228	178	3	3	13	92		

TABLE B. (Continued)

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
BY COUNTIES AND CITIES OVER 2,500 POPULATION, MISSOURI: 1960

Area	RESIDENT NUMBER				RECORDED NUMBER			
	Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births
Morgan	144	119	1	2	153	100	1	1
New Madrid	746	231	27	14	300	139	21	6
New Madrid and Portageville	143	76	8	4	168	50	6	5
Sikeston (part)	3							
Newton	400	169	9	3	190	137	7	1
Joplin (part)	45	23		1	11			
Neosho	157	80	2	1	274	108	1	3
Nodaway	253	195	3	4	8	98		1
Maryville	148	93	3	1	424	185	8	7
Oregon	156	121	3	2	82	82	2	
Osage	256	108	2	2	5	63		
Ozark	116	95	6	2	109	62	3	
Pemiscot	708	251	24	19	175	146	18	6
Caruthersville	230	128	8	5	139	69	5	1
Hayti	107	66	10	4	686	153	22	17
Perry	190	92	2	1	6	53	1	
Perryville	135	64	4	1	581	104	9	5
Pettis	204	110	1	7	8	57		
Sedalia	552	334	15	10	849	384	18	17
Phelps	321	155	4	3	3	88	1	
Rolla	279	81	12	1	847	226	16	5
Pike	285	167	10	5	3	69	1	
Louisiana	99	62	2		378	133	3	4
Platte	538	186	7	10	3	92	1	
Polk	158	133	5	1	122	115	5	
Bolivar	46	54		1	32	28		
Pulaski	498	166	27	7	1,188	167	24	18
Putnam	115	114	1	2	119	81	1	3
Ralls	97	113	2	3		45	1	
Hannibal (part)	1	4						
Randolph	154	133	3	1	5	81	1	
Moberly	253	214	6	5	626	293	10	9
Ray	189	140	3	3	288	138	2	4
Richmond	83	67	1	2	2	36	1	
Excelsior Springs (part)	3	1						
Reynolds	85	50			10	27		
Ripley	168	138	2	1	142	93		1
St. Charles	905	162	9	9	8	84		
St. Charles City	855	188	21	8	1,512	246	21	17
St. Clair	117	120	2	1	105	112	2	1
St. Francois	400	245	13	4	191	289	4	3
Bonne Terre and Farmington	195	122	3	2	771	208	9	6
Flat River	112	49		2	8	31		
Ste. Genevieve	195	54	4	2		29	1	
Ste. Genevieve	118	51	4	2	10	33		

TABLE B (Continued)

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
BY COUNTIES AND CITIES OVER 2,500 POPULATION. MISSOURI: 1960

Area	RESIDENT NUMBER				RECORDED NUMBER			
	Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births
St. Louis	12,387	3,048	213	166	1,038	1,757	35	16
Clayton	222	154	5	1	555	827	36	9
Ferguson	493	134	9	8	2	80		
Jennings	300	174	6	4	2	58		1
Kirkwood	609	248	15	14	1,520	299	24	26
Maplewood	255	135	5	7		53		
Overland	712	171	6	7	2	73		
Richmond Heights	326	157	13	3	4,523	423	47	60
University City	679	546	13	13		121	1	
Webster Groves	420	261	6	4		129	1	
Saline	219	159	7	3	38	122	1	
Marshall	186	125	6	3	375	173	10	7
Slater	42	51	2	1	5	31	1	
Schuyler	78	72	2	2	3	50		
Scotland	118	94	1	1	2	38		
Scott	421	161	10		42	80	3	
Sikeston (part)	345	153	15	3	814	256	29	7
Chaffee	63	35		2	82	14		
Shannon	144	70	3	3	28	41		
Shelby	155	160	2	7	8	95		1
Stoddard	514	224	14	4	255	152	6	
Dexter	118	68	5		323	39	2	
Stone	151	72	3	1	8	37	1	
Sullivan	131	130	5	1	124	115	3	
Taney	181	87	4	4	221	93	5	4
Texas	351	226	7	6	523	205	9	10
Vernon	136	136	5	2	2	306		
Nevada	144	141	3	1	367	212	8	3
Warren	151	95	7	5	1	82	1	
Washington	352	165	7	3	127	105	3	1
Wayne	140	107	2	1	16	50	1	
Webster	293	163	5	2	213	105	2	
Worth	56	60	2	4	5	41		1
Wright	224	134	4	4	89	82	5	3
Mountain Grove	60	49	2	5	74	40	1	2
St. Louis City	19,342	10,388	625	382	30,733	12,710	885	546

TABLE C

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
WITH RATES BY COUNTIES. MISSOURI: 1960

Area	NUMBER								RATES						
	Population	RESIDENT				RECORDED				RESIDENT				RECORDED	
		Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births	Infant Deaths	Still-births
STATE TOTAL	4,319,813	97,723	48,287	2,414	1,483	101,778	48,955	2,470	1,537	22.6	11.2	24.7	15.2	24.3	15.1
Cities over 10,000		47,904	24,300	1,335	770	75,266	30,441	1,900	1,159						
Rural		49,819	23,987	1,079	713	26,512	18,514	570	378						
Counties inc. Cities over 10,000															
Adair	20,105	439	256	11		866	378	19	8	21.8	12.7	25.1		21.9	9.2
Andrew	11,062	194	126	3	4	4	89	1		17.5	11.4	15.5	20.6	250.0	
Atchison	9,213	128	119		1	233	127	1	6	13.9	12.9		7.8	4.3	25.8
Audrain	26,079	573	279	12	7	705	342	13	10	22.0	10.7	20.9	12.2	18.4	14.2
Barry	18,921	352	273	9	4	462	251	12	11	18.6	14.4	25.6	11.4	26.0	23.8
Barton	11,113	157	188		3	170	176		2	14.1	16.9		19.1		11.8
Bates	15,905	259	259	1	2	231	198	1	3	16.3	16.3	3.9	7.7	4.3	13.0
Benton	8,737	118	112	3	1	43	72	2		13.5	12.8	25.4	8.5	46.5	
Bollinger	9,167	134	112	2	1	28	87	1		14.6	12.2	14.9	7.5	35.7	
Boone	55,202	1,411	458	20	16	1,530	801	65	21	25.6	8.3	14.2	11.3	42.5	13.7
Buchanan	90,581	1,972	1,138	50	31	2,401	1,366	53	42	21.8	12.6	25.4	15.7	22.1	17.5
Butler	34,656	672	414	28	4	1,040	674	42	9	19.4	11.9	41.7	6.0	40.4	8.7
Caldwell	8,830	136	154	1	4	5	92		2	15.4	17.4	7.4	29.4		400.0
Callaway	23,858	393	278	9	7	260	368	3	5	16.5	11.6	22.9	17.8	11.5	19.2
Camden	9,116	124	84	2	1	35	64	1		13.6	9.2	16.1	8.1	28.6	
Cape Girardeau	42,020	843	405	23	11	1,298	518	34	20	20.1	9.6	27.3	13.0	26.2	15.4
Carroll	13,847	250	188	8	2	184	151	8	2	18.1	13.6	32.0	8.0	43.5	10.9
Carter	3,973	78	42	4	2	6	23	1		19.6	10.6	51.3	25.6	166.7	
Cass	29,702	660	273	8	8	647	221	14	7	22.2	9.2	12.1	12.1	21.3	10.8
Cedar	9,185	163	142	1	2	31	74			17.7	15.5	6.1	12.3		
Chariton	12,720	227	203	6	4	19	106	1		17.8	16.0	26.4	17.6	52.6	
Christian	12,359	235	159	6	2	7	86			19.0	12.9	25.5	8.5		
Clark	8,725	166	124	3	2	4	74	1		19.0	14.2	18.1	12.0	250.0	
Clay	87,474	2,206	564	52	27	1,785	514	32	25	25.2	6.4	23.6	12.2	17.9	14.0
Clinton	11,588	200	180	7	3	272	180	2	3	17.3	15.5	35.0	15.0	7.4	11.0
Cole	40,761	847	372	17	13	1,430	495	26	23	20.8	9.1	20.1	15.3	18.2	16.1
Cooper	15,448	309	200	8	4	316	195	4	3	20.0	12.9	25.9	12.9	12.7	9.5
Crawford	12,647	248	162	7	3	107	86	3	2	19.6	12.8	28.2	12.1	28.0	18.7
Dade	7,577	114	97	2		98	80	3	2	15.0	12.8	17.5		30.6	20.4
Dallas	9,314	122	114	1	2	110	74		3	13.1	12.2	8.2	16.4		27.3
Daviess	9,502	110	148	3		34	93	1		11.6	15.6	27.3		29.4	
DeKalb	7,226	120	85		2	28	56			16.6	11.8		16.7		
Dent	10,445	179	128	1	3	176	107		6	17.1	12.3	5.6	16.8		34.1
Douglas	9,653	174	89	5	4	30	57	1	2	18.0	9.2	28.7	23.0	33.3	66.7
Dunklin	39,139	882	443	27	8	1,066	409	25	11	22.5	11.3	30.6	9.1	23.5	10.3
Franklin	44,566	1,103	484	18	16	1,273	445	14	15	24.7	10.9	16.3	14.5	11.0	11.8
Gasconade	12,195	212	130	4	2	7	73	2		17.4	10.7	18.9	9.4	285.7	
Gentry	8,793	138	136	4	1	149	103	3		15.7	15.5	29.0	7.2	20.1	
Greene	126,276	2,685	1,368	60	42	3,501	1,754	88	50	21.3	10.8	22.3	15.6	25.1	14.3
Grundy	12,220	205	214	3	4	234	218	3	4	16.8	17.5	14.6	19.5	12.8	17.1
Harrison	11,603	193	183	3	4	217	152	2	4	16.6	15.8	15.5	20.7	9.2	18.4
Henry	19,226	339	318	12	4	483	322	12	5	17.6	16.5	35.4	11.8	24.8	10.4
Hickory	4,516	69	62	1		24	35			15.3	13.7	14.5			
Holt	7,885	129	136	2	4	5	77			16.4	17.2	15.5	31.0		

Live births and total death rates are per 1,000 population; Stillbirth and infant death rates are per 1,000 live births

TABLE C (Continued)

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
WITH RATES BY COUNTIES. MISSOURI: 1960

Area	NUMBER									RATES					
	Population	RESIDENT				RECORDED				RESIDENT				RECORDED	
		Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births	Infant Deaths	Still-births
Howard	10,859	206	166	3	2	131	147	1	2	19.0	15.3	14.6	9.7	7.6	15.3
Howell	22,027	441	248	9	3	530	270	10	6	20.0	11.3	20.4	6.8	18.9	11.3
Iron	8,041	159	143	7	5	324	168	9	8	19.8	17.8	44.0	31.4	27.8	24.7
Jackson	622,732	16,006	6,928	410	228	18,524	7,566	451	251	25.7	11.1	25.6	14.2	24.3	13.5
Jasper	78,863	1,594	1,133	36	18	1,971	1,113	38	22	20.2	14.4	22.6	11.3	19.3	11.2
Jefferson	66,377	1,698	514	35	33	808	454	15	18	25.6	7.7	20.6	19.4	18.6	22.3
Johnson	28,981	500	270	15	7	801	240	15	9	17.3	9.3	30.0	14.0	18.7	11.2
Knox	6,558	135	88	3	2	55	45			20.6	13.4	22.2	14.8		
Laclede	18,991	381	213	11	9	435	201	5	10	20.1	11.2	28.9	23.6	11.5	23.0
Lafayette	25,274	458	341	9	5	362	262	5	2	18.1	13.5	19.7	10.9	13.8	5.5
Lawrence	23,260	382	299	12	11	325	347	2	6	16.4	12.9	31.4	28.8	6.2	18.5
Lewis	10,984	223	144	4	4	8	108	1		20.3	13.1	17.9	17.9	125.0	
Lincoln	14,783	279	197	4	3	481	199	8	5	18.9	13.3	14.3	10.8	16.6	10.4
Linn	16,815	282	276	5	4	369	265	5	6	16.8	16.4	17.7	14.2	13.6	16.3
Livingston	15,771	272	203	3	2	367	253	5	4	17.2	12.9	11.0	7.4	13.6	10.9
McDonald	11,798	215	176	4	5	26	100	1		18.2	14.9	18.6	23.3	38.5	
Macon	16,473	276	238	9	4	239	208	4	8	16.8	14.4	32.6	14.5	16.7	33.5
Madison	9,366	171	121	7	4	66	61	4	3	18.3	12.9	40.9	23.4	60.6	45.5
Maries	7,282	149	87	4		2	53	1		20.5	11.9	26.8		500.0	
Marion	29,522	602	450	18	6	968	573	24	18	20.4	15.2	29.9	10.0	24.8	18.6
Mercer	5,750	68	85	1	1	87	82	2	1	11.8	14.8	14.7	14.7	23.0	11.5
Miller	13,800	299	175	7	7	217	105	3	6	21.7	12.7	23.4	23.4	13.8	27.6
Mississippi	20,695	546	234	35	11	343	129	20	7	26.4	11.3	64.1	20.1	58.3	20.4
Moniteau	10,500	190	151	2	2	101	112			18.1	14.4	10.5	10.5		
Monroe	10,688	215	153	3	4	20	100	1	1	20.1	14.3	14.0	18.6	50.0	50.0
Montgomery	11,097	228	178	3	3	13	92			20.5	16.0	13.2	13.2		
Morgan	9,476	144	119	1	2	153	100	1	1	15.2	12.6	6.9	13.9	6.5	6.5
New Madrid	31,350	892	307	35	18	468	189	27	11	28.5	9.8	39.2	20.2	57.7	23.5
Newton	30,093	602	272	11	5	464	256	8	4	20.0	9.0	18.3	8.3	17.2	8.6
Nodaway	22,215	401	288	6	5	432	283	8	8	18.1	13.0	15.0	12.5	18.5	18.5
Oregon	9,845	156	121	3	2	82	82	2		15.8	12.3	19.2	12.8	24.4	
Osage	10,867	256	108	2	2	5	63			23.6	9.9	7.8	7.8		
Ozark	6,744	116	95	6	2	109	62	3		17.2	14.1	51.7	17.2	27.5	
Pemiscot	38,095	1,045	445	42	28	1,000	368	45	24	27.4	11.7	40.2	26.8	45.0	24.0
Perry	14,642	325	156	6	2	587	157	10	5	22.2	10.7	18.5	6.2	17.0	8.5
Pettis	35,120	756	444	16	17	857	441	18	17	21.5	12.6	21.2	22.5	21.0	19.8
Phelps	25,396	600	236	16	4	850	314	17	5	23.6	9.3	26.7	6.7	20.0	5.9
Pike	16,706	384	229	12	5	381	202	4	4	23.0	13.7	31.3	13.0	10.5	10.5
Platte	23,350	538	186	7	10	3	92	1		23.0	8.0	13.0	18.6	333.3	
Polk	13,753	204	187	5	2	154	143	5		14.8	13.6	24.5	9.8	32.5	
Pulaski	46,567	498	166	27	7	1,188	167	24	18	10.7	3.6	54.2	14.1	20.2	15.2
Putnam	6,999	115	114	1	2	119	81	1	3	16.4	16.3	8.7	17.4	8.4	25.2
Ralls	8,078	98	117	2	3		45	1		12.1	14.5	20.4	30.6		
Randolph	22,014	407	347	9	6	631	374	11	9	18.5	15.8	22.1	14.7	17.4	14.3
Ray	16,075	275	208	4	5	290	174	3	4	17.1	12.9	14.5	18.2	10.3	13.8
Reynolds	5,161	85	50			10	27			16.5	9.7				
Ripley	9,096	168	138	2	1	142	93		1	18.5	15.2	11.9	6.0		7.0
St. Charles	52,970	1,760	350	30	17	1,520	330	21	17	33.2	6.6	17.0	9.7	13.8	11.2
St. Clair	8,421	117	120	2	1	105	112	2	1	13.9	14.3	17.1	8.5	19.0	9.5
St. Francois	36,516	707	416	16	8	970	528	13	9	19.4	11.4	22.6	11.3	13.4	9.3
Ste. Genevieve	12,116	313	105	8	4	10	62	1		25.8	8.7	25.6	12.8	100.0	
St. Louis County	703,532	16,403	5,028	291	227	7,642	3,820	144	112	23.3	7.1	17.7	13.8	18.8	14.7

TABLE C (Continued)

RESIDENT AND RECORDED LIVE BIRTHS, DEATHS, INFANT DEATHS AND STILLBIRTHS
WITH RATES BY COUNTIES. MISSOURI: 1960

Area	NUMBER									RATES					
	Population	RESIDENT				RECORDED				RESIDENT				RECORDED	
		Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births	Live Births	Deaths	Infant Deaths	Still-births	Infant Deaths	Still-births
Saline	25,148	447	335	15	7	418	326	12	7	17.8	13.3	33.6	15.7	28.7	16.7
Schuyler	5,052	78	72	2	2	3	50			15.4	14.3	25.6	25.6		
Scotland	6,484	118	94	1	1	2	38			18.2	14.5	8.5	8.5		
Scott	32,748	829	349	25	5	938	350	32	7	25.3	10.7	30.2	6.0	34.1	7.5
Shannon	7,087	144	70	3	3	28	41			20.3	9.9	20.8	20.8		
Shelby	9,063	155	160	2	7	8	95		1	17.1	17.7	12.9	45.2		125.0
Stoddard	29,490	632	292	19	4	578	191	8		21.4	9.9	30.1	6.3	13.8	
Stone	8,176	151	72	3	1	8	37	1		18.5	8.8	19.9	6.6	125.0	
Sullivan	8,783	131	130	5	1	124	115	3		14.9	14.8	38.2	7.6	24.2	
Taney	10,238	181	87	4	4	221	93	5	4	17.7	8.5	22.1	22.1	22.6	18.1
Texas	17,758	351	226	7	6	523	205	9	10	19.8	12.7	19.9	17.1	17.2	19.1
Vernon	20,540	280	277	8	3	369	518	8	3	13.6	13.5	28.6	10.7	21.7	8.1
Warren	8,750	151	95	7	5	1	82	1		17.3	10.9	46.4	33.1	1000.0	
Washington	14,346	352	165	7	3	127	105	3	1	24.5	11.5	19.9	8.5	23.6	7.9
Wayne	8,638	140	107	2	1	16	50	1		16.2	12.4	14.3	7.1	62.5	
Webster	13,753	293	163	5	2	213	105	2		21.3	11.9	17.1	6.8	9.4	
Worth	3,936	56	60	2	4	5	41		1	14.2	15.2	35.7	71.4		200.0
Wright	14,183	284	183	6	9	163	122	6	5	20.0	12.9	21.1	31.7	36.8	30.7
Cities over 10,000															
Cape Girardeau		530	237	19	7	1,296	441	32	20						
Carthage		232	195	7	4	442	218	6	3						
Clayton		222	154	5	1	555	827	36	9						
Columbia		931	235	10	8	1,528	662	61	21						
Ferguson		493	134	9	8	2	80								
Fulton		142	118	4	4	256	295	3	5						
Hannibal		410	339	16	5	966	503	22	18						
Independence		1,860	574	44	34	1,755	510	38	26						
Jefferson City		537	276	13	9	1,428	442	26	23						
Jennings		300	174	6	4	2	58		1						
Joplin		832	582	17	11	1,414	629	26	17						
Kansas City		12,284	5,815	325	155	16,589	6,683	411	217						
Kirksville		318	174	8		860	347	18	8						
Kirkwood		609	248	15	14	1,520	299	24	26						
Maplewood		255	135	5	7		53								
Mexico		290	140	6	3	697	262	13	10						
Moberly		253	214	6	5	626	293	10	9						
Overland		712	171	6	7	2	73								
Poplar Bluff		340	237	17	2	1,000	566	36	9						
Richmond Heights		326	157	13	3	4,523	423	47	60						
St. Charles		855	188	21	8	1,512	246	21	17						
St. Joseph		1,752	1,016	42	29	2,396	1,316	52	41						
St. Louis City	750,026	19,342	10,388	625	382	30,733	12,710	885	546	25.8	13.9	32.3	19.7	28.8	17.8
Sedalia		552	334	15	10	849	384	18	17						
Sikeston		348	153	15	3	814	256	29	7						
Springfield		2,080	1,104	47	30	3,501	1,618	84	49						
University City		679	546	13	13		121	1							
Webster Groves		420	261	6	4		129	1							
Cities inc. in above totals															
Kansas City (Clay)		1,158	133	16	11	1	57	1							
Joplin (Newton)		45	23		1		11								
Hannibal (Ralls)		1	4												
Sikeston (New Madrid)		3													

TABLE D

RESIDENT LIVE BIRTHS BY PLACE, ATTENDANT, COLOR, COUNTY AND CITY
MISSOURI: 1960

	Total	Hospital						Clinic						Home						Other					
		M.D.		D.O.		Other		M.D.		D.O.		Other		M.D.		D.O.		Other		M.D.		D.O.		Other	
		White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
STATE TOTAL	97,723	72,371	11,919	7,901	124	4	3	1,278	253	1,794	103	-	-	466	291	497	152	203	320	25	7	7	-	4	1
Cities over 10,000	47,904	33,705	11,002	2,631	53	1		41		111	1			136	87	41	21	16	47	5	2	2		1	1
Rural	49,819	38,666	917	5,270	71	3	3	1,237	253	1,683	102			330	204	456	131	187	273	20	5	5		3	
Counties inc. Cities over 10,000																									
Adair	439	147		282	1									4		3		2							
Andrew	194	156		32						2				3				1							
Atchison	128	128																							
Audrain	573	377	46	135	5									4	1	5									
Barry	352	268		40						20						22		2							
Barton	157	145		4										6		1		1							
Bates	259	215	1	33						3					1	6									
Benton	118	53		23				6		33	1							2							
Bollinger	134	68		3				5		56						2									
Boone	1,411	1,246	122	39	1									1		2									
Buchanan	1,972	1,720	66	119				1		1	1			59		5									
Butler	672	590	32	1				3		33				14	4	26	7	15	7						
Caldwell	136	94		37		1				1				1		1		1							
Callaway	393	320	36	27	4					1				1	1	1		1		1					
Camden	124	67		20				13		22						2									
Cape Girardeau	843	754	28	22	2					34							2		1						
Carroll	250	177	2	37				2		28	2					2									
Carter	78	72								1						1		4							
Cass	660	533	7	108	1									1		9		1							
Cedar	163	115		38										3		7									
Chariton	227	127	11	66	5			2						1	3	8	4								
Christian	235	199		25				1		3				2		4									
Clark	166	136		26				1								1		1					1		
Clay	2,206	1,937	17	227						14	5			2	1	1				1			1		
Clinton	200	131	7	51	1			2	1		1			3	1	2									
Cole	847	689	9	130	15									1		2				1					
Cooper	309	255	30	17				3						1	1	2								1	
Crawford	248	160		3				21		58				2				4							
Dade	114	106	2	4						1								1							
Dallas	122	43		4				69		3				2				1							
Daviess	110	51		28						12				3		15				1					
DeKalb	120	68		30				1		20				1											
Dent	179	137		17						7						8		10							
Douglas	174	58		36				36		13				1		27		3							
Dunklin	882	684	25					57	4	59	2			24	8	5	6	1	7						
Franklin	1,103	1,035	14	15		1		8		26				2		2									
Gasconade	212	164		45				1		2															
Gentry	138	83		49						2				1		3									
Greene	2,685	2,529	53	51				36		15										1					
Grundy	205	193		12																					
Harrison	193	126		56						1				4		6									
Henry	339	228	3	103	1					1				1		1	1								
Hickory	69	30		6				13		11						9									

TABLE D (Continued)

RESIDENT LIVE BIRTHS BY PLACE, ATTENDANT, COLOR, COUNTY AND CITY
MISSOURI: 1960

	Total	Hospital						Clinic						Home						Other					
		M.D.		D.O.		Other		M.D.		D.O.		Other		M.D.		D.O.		Other		M.D.		D.O.		Other	
		White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white
Holt	129	113		11					1					1		3									
Howard	206	171	18	12	1									1	2		1								
Howell	441	347		37				37		7				2	1	6		4							
Iron	159	138	1	7				1		4					1	1		5					1		
Jackson	16,006	11,098	3,028	1,680	27			17		14				32	57	21	17	7	1			4	2	1	
Jasper	1,594	1,286	27	259	3			2		6				4	1	5						1			
Jefferson	1,698	1,570	24	28				1		11				4		52	1	5				1	1		
Johnson	500	403	24	71	1													1							
Knox	135	64		66										1		3		1							
Laclede	381	348	4	2				9		14				1		2		1							
Lafayette	453	350	16	73				13		2				1			2					1			
Lawrence	382	316		12						51				3											
Lewis	223	159	17	38	2									1		4	1							1	
Lincoln	279	228	7	41	1									1		1									
Linn	282	181	2	97												2									
Livingston	272	207		62	1									1								1			
McDonald	215	143		46						20				1		3		2							
Macon	276	111	12	141	1			1						3		7									
Madison	171	92		29				46		2				2											
Maries	149	59		75						10						4						1			
Marion	602	555	34	6	1			1						2		3									
Mercer	68	27		28						12				1											
Miller	299	64		148				29		54						3						1			
Mississippi	546	188	7	28	2			1		140	54			7	29	1	3	4	82						
Moniteau	190	129	1	41				16						2										1	
Monroe	215	168	12	14										14	2	4	1								
Montgomery	228	112	11	85	7					5				1		6		1							
Morgan	144	39	1	11				90	2	1															
New Madrid	892	341	20	2	1			110	36	127	11			34	35	20	77	6	71			1			
Newton	602	473		106	2					12				1		7						1			
Nodaway	401	380		13				1						2		5									
Oregon	156	103		1				26		22				1		3									
Osage	256	192		60						2				1		1									
Ozark	116	41		2				50		20						2		1							
Pemisoot	1,045	416	34	1				163	205	3				73	97			6	46			1			
Perry	325	311		5				1		1				2		5									
Pettis	756	575	41	128				1						3	2	5		1							
Phelps	600	474		110				3		8				3				2							
Pike	384	203	22	135	19		1									3		1							
Platte	538	491	6	39										1	1										
Polk	204	148		9				11		32						4									
Pulaski	498	199	13	268	3			1		11				1		1		1							
Putnam	115	19		95												1									
Ralls	98	82	6	9																					
Randolph	407	270	17	103	4					2				4	4			2	1						
Ray	275	257	3	7										3	1	2		2							
Reynolds	85	75								1						5		4							
Ripley	168	138		3				1		4				3		17		2							
St. Charles	1,760	1,554	15	170	4			5		2				2		2	5		1						
St. Clair	117	79		30				1		1				3		3									
St. Francois	707	581	1	75	1			5	1	27	1			2		9		4							

TABLE D (Continued)

RESIDENT LIVE BIRTHS BY PLACE, ATTENDANT, COLOR, COUNTY AND CITY
MISSOURI: 1960

	Total	Hospital						Clinic						Home						Other					
		M.D.		D.O.		Other		M.D.		D.O.		Other		M.D.		D.O.		Other		M.D.		D.O.		Other	
		White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white
Ste. Genevieve	313	284	3	15				3		7						1									
St. Louis County	16,403	15,109	549	626		1	2	6		76				16	7	2		3		5	1				
Saline	447	385	20	13						7				4	5	10		1		2					
Schuyler	78	18		58												2									
Scotland	118	66		50												2									
Scott	829	583	32	14	1			1		112	3				6		1	4	72						
Shannon	144	103		2				2		8				1		20		8							
Shelby	155	81		66										1		3	3					1			
Stoddard	632	276	5					25	4	223	21			10	3	13	20	6	26						
Stone	151	141		4						1				4		1									
Sullivan	131	47		84																					
Taney	181	152		4				2		18				2		3									
Texas	351	131		57				140		19						2		2							
Vernon	280	268		8						2				2											
Warren	151	105	5	36	4											1									
Washington	352	190	2	30				1		50	1			6		13		54	2	1					
Wayne	140	94		1				6		22				8		3		5		1					
Webster	293	130		25				82		54				2											
Worth	56	46		7										2		1									
Wright	284	91	1	41	2			81		62				2		2		2							
Cities over 10,000																									
Cape Girardeau	530	477	23	15	2					10							2		1						
Carthage	232	221	5	4											1	1									
Clayton	222	220	2																						
Columbia	931	826	99	6						1				1						1					
Ferguson	493	446	3	39						1					1										
Fulton	142	109	27	3	1																				
Hannibal	410	376	26	4	1									1		2									
Independence	1,860	1,589	16	243	3			1		1				3		3	1								
Jefferson City	537	434	8	78	15									1		1									
Jennings	300	272		27										1											
Joplin	832	678	22	123	2					1				3		2				1					
Kansas City	12,284	7,923	3,013	1,186	24			7		12				24	57	11	16	4	1	2	2	2			
Kirksville	318	106		209	1											2									
Kirkwood	609	536	64	3				1		5															
Maplewood	255	249	3	2						1															
Mexico	290	201	36	46	3									3	1										
Moberly	253	174	13	56	1					2				3	1			2	1						
Overland	712	633	3	70				2		3								1							
Poplar Bluff	340	285	18							4				9	3	11	2	4	4						
Richmond Heights	326	300	24							1				1											
St. Charles	855	812	11	24				4		2				2											
St. Joseph	1,752	1,522	66	104						1	1			53		5									
St. Louis City	19,342	11,649	7,367	240	1			5		21				31	16	3		4	3				1	1	
Sedalia	552	418	41	91											2										
Sikeston	348	255	16	1				1		32					5			1	37						
Springfield	2,080	1,960	52	36				20		11										1					
University City	679	658	1	19						1															
Webster Groves	420	374	43	2						1															

TABLE E
RESIDENT LIVE BIRTHS BY PLACE
AND
RESIDENT LIVE BIRTHS BY ATTENDANT
MISSOURI: 1960

County or Area	PLACE				ATTENDANT		
	Hospital	Clinic	Home	Other	M.D.	D.O.	Other
State Total	92,322	3,428	1,929	44	86,610	10,578	535
Cities over 10,000	47,392	153	348	11	44,978	2,860	66
Rural	44,930	3,275	1,581	33	41,632	7,718	469
Counties inc. Cities over 10,000							
Adair	430		9		151	286	2
Andrew	188	2	4		159	34	1
Atchison	128				128		
Audrain	563		10		428	145	
Barry	308	20	24		268	82	2
Barton	149		8		151	5	1
Bates	249	3	7		217	42	
Benton	76	40	2		59	57	2
Bollinger	71	61	2		73	61	
Boone	1,408		3		1,369	42	
Buchanan	1,905	3	64		1,846	126	
Butler	563	36	73		583	67	22
Caldwell	132	1	3		95	39	2
Callaway	387	1	4	1	359	33	1
Camden	87	35	2		80	44	
Cape Girardeau	806	34	3		782	60	1
Carroll	216	32	2		181	69	
Carter	72	1	5		72	2	4
Cass	649		11		541	118	1
Cedar	153		10		118	45	
Chariton	209	2	16		144	83	
Christian	224	4	6	1	202	33	
Clark	162	1	2	1	137	28	1
Clay	2,181	19	4	2	1,958	248	
Clinton	190	4	6		145	55	
Cole	843		3	1	700	147	
Cooper	302	3	2	2	291	17	1
Crawford	163	79	6		183	61	4
Dade	112	1	1		108	5	1
Dallas	47	72	3		114	7	1
Daviess	79	12	18	1	55	55	
DeKalb	98	21	1		70	50	
Dent	154	7	18		137	32	10
Douglas	94	49	31		95	76	3
Dunklin	709	122	51		802	72	8
Franklin	1,065	34	4		1,059	43	1
Gasconade	209	3			165	47	
Gentry	132	2	4		84	54	
Greene	2,633	51		1	2,619	66	
Grundy	205				193	12	

TABLE E (Continued)

RESIDENT LIVE BIRTHS BY PLACE
AND
RESIDENT LIVE BIRTHS BY ATTENDANT
MISSOURI: 1960

County or Area	PLACE				ATTENDANT		
	Hospital	Clinic	Home	Other	M.D.	D.O.	Other
Harrison	182	1	10		130	63	
Henry	335	1	3		232	107	
Hickory	36	24	9		43	26	
Holt	124	1	4		114	15	
Howard	202		4		192	14	
Howell	384	44	13		387	50	4
Iron	146	5	7	1	142	12	5
Jackson	15,833	31	135	7	14,238	1,760	8
Jasper	1,575	8	10	1	1,321	273	
Jefferson	1,622	12	62	2	1,601	92	5
Johnson	499		1		427	72	1
Knox	130		5		65	69	1
Laclede	354	23	4		362	18	1
Lafayette	439	15	3	1	381	77	
Lawrence	328	51	3		319	63	
Lewis	216		6	1	177	45	1
Lincoln	277		2		236	43	
Linn	280		2		183	99	
Livingston	270		1	1	209	63	
McDonald	189	20	6		144	69	2
Macon	265	1	10		127	149	
Madison	121	48	2		140	31	
Maries	134	10	4	1	59	90	
Marion	596	1	5		592	10	
Mercer	55	12	1		28	40	
Miller	212	83	3	1	93	206	
Mississippi	225	195	126		232	228	86
Moniteau	171	16	2	1	148	41	1
Monroe	194		21		196	19	
Montgomery	215	5	8		124	103	1
Morgan	51	93			132	12	
New Madrid	364	284	243	1	577	238	77
Newton	581	12	8	1	475	127	
Nodaway	393	1	7		383	18	
Oregon	104	48	4		130	26	
Osage	252	2	2		193	63	
Ozark	43	70	3		91	24	1
Pemiscot	451	371	222	1	989	4	52
Perry	316	2	7		314	11	
Pettis	744	1	11		622	133	1
Phelps	584	11	5		480	118	2
Pike	380		4		225	157	2
Platte	536		2		499	39	
Polk	157	43	4		159	45	

TABLE E (Continued)

RESIDENT LIVE BIRTHS BY PLACE
AND
RESIDENT LIVE BIRTHS BY ATTENDANT
MISSOURI: 1960

County or Area	PLACE				ATTENDANT		
	Hospital	Clinic	Home	Other	M.D.	D.O.	Other
Pulaski	483	12	3		214	283	1
Putnam	114		1		19	96	
Ralls	97			1	89	9	
Randolph	394	2	11		295	109	3
Ray	267		8		264	9	2
Reynolds	75	1	9		75	6	4
Ripley	141	5	22		142	24	2
St. Charles	1,743	7	10		1,576	183	1
St. Clair	109	2	6		83	34	
St. Francois	658	34	15		590	113	4
Ste. Genevieve	302	10	1		290	23	
St. Louis County	16,287	82	28	6	15,693	704	6
Saline	418	7	20	2	416	30	1
Schuyler	76		2		18	60	
Scotland	116		2		66	52	
Scott	630	116	83		622	131	76
Shannon	105	10	29		106	30	8
Shelby	147		7	1	82	73	
Stoddard	281	273	78		323	277	32
Stone	145	1	5		145	6	
Sullivan	131				47	84	
Taney	156	20	5		156	25	
Texas	188	159	4		271	78	2
Vernon	276	2	2		270	10	
Warren	150		1		110	41	
Washington	222	52	77	1	202	94	56
Wayne	95	28	16	1	109	26	5
Webster	155	136	2		214	79	
Worth	53		3		48	8	
Wright	135	143	6		175	107	2
Cities over 10,000							
Cape Girardeau	517	10	3		500	29	1
Carthage	230		2		227	5	
Clayton	222				222		
Columbia	931				925	6	
Ferguson	490	1	1	1	453	40	
Fulton	140	1	1		137	5	
Hannibal	407		3		403	7	
Independence	1,851	2	7		1,609	251	
Jefferson City	535		2		443	94	
Jennings	299		1		273	27	
Joplin	825	1	5	1	704	128	

TABLE E (Continued)

RESIDENT LIVE BIRTHS BY PLACE
AND
RESIDENT LIVE BIRTHS BY ATTENDANT
MISSOURI: 1960

County or Area	PLACE				ATTENDANT		
	Hospital	Clinic	Home	Other	M.D.	D.O.	Other
Kansas City	12,146	19	113	6	11,028	1,251	5
Kirksville	316		2		106	212	
Kirkwood	603	6			601	8	
Maplewood	254	1			252	3	
Mexico	286		4		241	49	
Moberly	244	2	7		191	59	3
Overland	706	5	1		638	73	1
Poplar Bluff	303	4	33		315	17	8
Richmond Heights	324	1	1		325	1	
St. Charles	847	6	2		829	26	
St. Joseph	1,692	2	58		1,641	111	
St. Louis City	19,257	26	57	2	19,068	264	10
Sedalia	550		2		461	91	
Sikeston	272	33	43		277	33	38
Springfield	2,048	31		1	2,033	47	
University City	678	1			659	20	
Webster Groves	419	1			417	3	

TABLE F

STILLBIRTHS BY WEIGHT. MISSOURI: 1960

Weight	Resident			Recorded		
	Total	White	Non-white	Total	White	Non-white
2 lbs. 3 oz. or less	263	199	64	281	211	70
2 lbs. 4 oz. - 3 lbs. 4 oz.	137	105	32	144	111	33
3 lbs. 5 oz. - 4 lbs. 6 oz.	152	111	41	149	112	37
4 lbs. 7 oz. - 5 lbs. 8 oz.	146	107	39	149	109	40
5 lbs. 9 oz. - 6 lbs. 9 oz.	156	123	33	160	123	37
6 lbs. 10 oz. - 7 lbs. 11 oz.	137	108	29	147	113	34
7 lbs. 12 oz. - 8 lbs. 13 oz.	96	81	15	97	81	16
8 lbs. 14 oz. - 9 lbs. 14 oz.	39	34	5	40	34	6
9 lbs. 15 oz. or more	47	34	13	50	35	15
Unknown or Not Stated	310	261	49	320	269	51
Total	1,483	1,163	320	1,537	1,198	339

TABLE G

RESIDENT LIVE BIRTHS, URBAN AND RURAL BY AGE OF MOTHER, SEX
AND COLOR OF CHILD - MISSOURI: 1960

Age of Mother	Totals	URBAN				RURAL			
		White		Nonwhite		White		Nonwhite	
		Male	Female	Male	Female	Male	Female	Male	Female
All Ages	97,723	18,777	17,913	5,731	5,483	24,671	23,189	994	965
10-14	165	12	16	33	40	19	20	11	14
15-19	15,229	2,902	2,723	1,196	1,108	3,512	3,327	234	227
20-24	32,765	6,840	6,622	1,708	1,700	7,889	7,471	268	267
25-29	23,902	4,549	4,251	1,354	1,233	6,275	5,838	204	198
30-34	15,120	2,654	2,590	890	877	4,001	3,813	151	144
35-39	8,126	1,420	1,312	439	431	2,252	2,091	97	84
40-44	2,261	382	379	99	92	665	588	28	28
45-49	128	16	18	12	1	46	34		1
50 and over	3					3			
Unknown	24	2	2		1	9	7	1	2

TABLE H

SELECTED RESIDENT LIVE BIRTHS STATISTICS WITH PERCENTAGES
THREE MISSOURI AREAS: 1960

LIVE BIRTHS	NUMBER			PERCENTAGES		
	State Total	Urban	Rural	State Total	Urban	Rural
SEX - COLOR						
Grand Total	97,723	47,904	49,819	100.0	100.0	100.0
Total Male	50,173	24,508	25,665	51.3	51.2	51.5
Total Female	47,550	23,396	24,154	48.7	48.8	48.5
White Total	84,550	36,690	47,860	100.0	100.0	100.0
Male	43,448	18,777	24,671	51.3	51.2	51.5
Female	41,102	17,913	23,189	48.6	48.8	48.5
Nonwhite Total	13,173	11,214	1,959	100.0	100.0	100.0
Male	6,725	5,731	994	51.1	51.1	50.7
Female	6,448	5,483	965	48.9	48.9	49.3
ATTENDANT - COLOR						
Grand Total	97,723	47,904	49,819	100.0	100.0	100.0
M.D.	86,610	44,978	41,632	88.6	93.9	83.6
D.O.	10,578	2,860	7,718	10.8	6.0	15.5
Midwife	422	54	368	.4	.1	.7
Others	109	10	99	.1		.2
Unknown	4	2	2			
White Total	84,550	36,690	47,860	100.0	100.0	100.0
M.D.	74,140	33,887	40,253	87.7	92.4	84.1
D.O.	10,199	2,785	7,414	12.1	7.6	15.5
Midwife	124	10	114	.1		.2
Others	85	6	79	.1		.2
Unknown	2	2				
Nonwhite Total	13,173	11,214	1,959	100.0	100.0	100.0
M.D.	12,470	11,091	1,379	94.7	98.9	70.4
D.O.	379	75	304	2.9	.7	15.5
Midwife	298	44	254	2.3	.4	13.0
Others	24	4	20	.2		1.0
Unknown	2		2			.1
LEGITIMACY - COLOR						
White Total	84,550	36,690	47,860	100.0	100.0	100.0
Legitimate	82,705	35,743	46,962	97.8	97.4	98.1
Illegitimate	1,798	935	863	2.1	2.5	1.8
Not Stated	47	12	35	.1		.1
Nonwhite Total	13,173	11,214	1,959	100.0	100.0	100.0
Legitimate	9,347	8,011	1,336	71.0	71.4	68.2
Illegitimate	3,796	3,177	619	28.8	28.3	31.6
Not Stated	30	26	4	.2	.2	.2

TABLE H (Continued)

SELECTED RESIDENT LIVE BIRTHS STATISTICS WITH PERCENTAGES
THREE MISSOURI AREAS: 1960

LIVE BIRTHS	NUMBER						PERCENTAGES					
	State Total		Urban		Rural		State Total		Urban		Rural	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
DEFORMITY - COLOR												
Live Birth Total	84,550	13,173	36,690	11,214	47,860	1,959	100.0	100.0	100.0	100.0	100.0	100.0
Deformed Total	1,298	119	603	90	695	29	1.5	.9	1.6	.8	1.5	1.5
Not Deformed Total	63,586	8,690	26,862	7,137	36,724	1,553	75.2	66.0	73.2	63.6	76.7	79.3
Not Stated or Unknown	19,666	4,364	9,225	3,987	10,441	377	23.3	33.1	25.1	35.5	21.8	19.2
BIRTH WEIGHT - ATTENDANT												
Over 5½ lbs. Total	79,079	11,284	34,180	9,552	44,899	1,732	100.0	100.0	100.0	100.0	100.0	100.0
M.D.	69,414	10,662	31,598	9,446	37,816	1,216	87.8	94.5	92.4	98.9	84.2	70.2
D.O.	9,484	340	2,568	66	6,916	274	12.0	3.0	7.5	.7	15.4	15.8
Midwife	116	260	8	37	108	223	.1	2.3		.4	.2	12.9
Others	65	22	6	3	59	19	.1	.2			.1	1.1
Unknown	-	-	-	-	-	-	-	-	-	-	-	-
Under 5½ lbs. Total	5,269	1,861	2,457	1,651	2,812	210	100.0	100.0	100.0	100.0	100.0	100.0
M.D.	4,572	1,786	2,246	1,635	2,326	151	86.7	96.0	91.4	99.0	82.7	71.9
D.O.	679	36	209	9	470	27	12.9	1.9	8.5	.5	16.7	12.9
Midwife	3	36		7	3	29	.1	1.9		.4	.1	13.8
Others	15	3	2		13	3	.3	.2	.1		.5	1.4
Unknown	-	-	-	-	-	-	-	-	-	-	-	-
Not Stated Total	202	28	53	11	149	17	100.0	100.0	100.0	100.0	100.0	100.0
M.D.	154	22	43	10	111	12	76.2	78.6	81.1	90.9	74.5	70.6
D.O.	36	3	8		28	3	17.8	10.7	15.1		18.8	17.6
Midwife	5	2	2		3	2	2.5	7.1	3.8		2.0	11.8
Others	7	1		1	7		3.5	3.6		9.1	4.7	
Unknown	-	-	-	-	-	-	-	-	-	-	-	-

TABLE H (Continued)

SELECTED RESIDENT LIVE BIRTHS STATISTICS WITH PERCENTAGES
THREE MISSOURI AREAS: 1960

LIVE BIRTHS	NUMBER						PERCENTAGES					
	State Total		Urban		Rural		State Total		Urban		Rural	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
DELIVERIES BY PLACE												
Place of Birth Total	84,550	13,173	36,690	11,214	47,860	1,959	100.0	100.0	100.0	100.0	100.0	100.0
Hospital	80,276	12,046	36,337	11,055	43,939	991	94.9	91.4	99.0	98.6	91.8	50.6
Clinic	3,072	356	152	1	2,920	355	3.6	2.7	.4		6.1	18.1
Home	1,166	763	193	155	973	608	1.4	5.8	.5	1.4	2.0	31.0
Other	36	8	8	3	28	5		.1			.1	.3
MONTH OF OCCURRENCE												
Total	84,550	13,173	36,690	11,214	47,860	1,959	100.0	100.0	100.0	100.0	100.0	100.0
January	6,895	1,115	2,962	929	3,933	186	8.2	8.5	8.1	8.3	8.2	9.5
February	6,555	990	2,875	845	3,680	145	7.8	7.5	7.8	7.5	7.7	7.4
March	6,891	1,112	3,031	930	3,860	182	8.1	8.4	8.3	8.3	8.1	9.3
April	6,393	1,055	2,786	890	3,607	165	7.6	8.0	7.6	7.9	7.5	8.4
May	6,456	1,013	2,786	870	3,670	143	7.6	7.7	7.6	7.8	7.7	7.3
June	6,574	1,054	2,860	906	3,714	148	7.8	8.0	7.8	8.1	7.8	7.6
July	7,559	1,239	3,345	1,035	4,214	204	8.9	9.4	9.1	9.2	8.8	10.4
August	8,055	1,208	3,463	993	4,592	215	9.5	9.2	9.4	8.9	9.6	11.0
September	7,627	1,127	3,311	960	4,316	167	9.0	8.6	9.0	8.6	9.0	8.5
October	7,375	1,104	3,149	972	4,226	132	8.7	8.4	8.6	8.7	8.8	6.7
November	6,930	1,028	3,071	922	3,859	106	8.2	7.8	8.4	8.2	8.1	5.4
December	7,240	1,128	3,051	962	4,189	166	8.6	8.6	8.3	8.6	8.8	8.5

Percentages are computed on the basis of total white and nonwhite births.
Urban areas include cities of over 10,000 population according to 1950 Census.
All other areas are included in "Rural".

TABLE I
RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR, WITH RATES BY
CAUSE AND COLOR. MISSOURI: 1960

Cause	Color	Number	Rate	Under 1 hour	Over 1 hour Under 1 day	Over 1 day Under 7 days	Over 7 days Under 28 days	Over 28 days Under 3 mos.	Over 3 mos. Under 6 mos.	Over 6 mos. Under 1 year	Age Unknown but Under 1 year
All Causes	White	1,809	21.4	125	595	475	160	175	144	135	
	Nonwhite	605	45.9	28	198	125	52	89	66	47	
	Total	2,414	24.7	153	793	600	212	264	210	182	
Infectious Diseases (020-138)	White	17	.2			1	2		4	10	
	Nonwhite	3	.2					1	2		
	Total	20	.2			1	2	1	6	10	
Respiratory Diseases (001-019, 470-527)	White	171	2.0		2	1	3	64	55	46	
	Nonwhite	75	5.7					30	26	19	
	Total	246	2.5		2	1	3	94	81	65	
Gastro-Intestinal Diseases (543-545, 571-572)	White	22	.3			1		5	10	6	
	Nonwhite	23	1.7					11	5	7	
	Total	45	.5			1		16	15	13	
Malformations (750-759)	White	336	4.0	30	54	90	55	40	38	29	
	Nonwhite	40	3.0	2	6	9	3	8	8	4	
	Total	376	3.8	32	60	99	58	48	46	33	
Injury at Birth (760-761)	White	163	1.9	24	88	48	3				
	Nonwhite	29	2.2	4	13	12					
	Total	192	2.0	28	101	60	3				
Other Diseases of Early Infancy (762-773)	White	699	8.3	45	301	257	67	17	8	4	
	Nonwhite	258	19.6	15	118	73	34	8	8	2	
	Total	957	9.8	60	419	330	101	25	16	6	
Premature Birth (774-776)	White	238	2.8	21	138	66	12	1			
	Nonwhite	100	7.6	7	58	22	7	4	2		
	Total	338	3.5	28	196	88	19	5	2		
All Other Causes	White	163	1.9	5	12	11	18	48	29	40	
	Nonwhite	77	5.8		3	9	8	27	15	15	
	Total	240	2.5	5	15	20	26	75	44	55	

Numbers following causes of death are codes of the
International List, 1955 revision
Rates are per 1,000 live births

TABLE J

RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES
MISSOURI: 1960

CAUSE OF DEATH	NUMBER			RATES		
	Total	White	Nonwhite	Total	White	Nonwhite
All Puerperal Causes (640-689)	50	33	17	5.1	3.9	12.9
Abortion with Infection (651)	3	2	1	.3	.2	.8
Abortion without mention Infection (650-652)	1	1		.1	.1	
Puerperal Hemorrhage (643, 648, 670, 671, 672, 687)	15	12	3	1.5	1.4	2.3
Puerperal Infection (640, 641, 645.1, 680, 681)	1	1		.1	.1	
Toxemias of Pregnancy (642, 685, 686)	15	7	8	1.5	.8	6.1
Other Accidents of Childbirth (673-678)	6	5	1	.6	.6	.8
Other Puerperal Causes	9	5	4	.9	.6	3.0

Rates are per 10,000 Live Births.

Numbers in parentheses refer to code numbers in 7th Revision of
International Statistical Classification of Causes of Death, 1955.

TABLE K

TEN LEADING CAUSES OF DEATH. MISSOURI: 1960
RESIDENT

CAUSE OF DEATH	White	Nonwhite	Total	Rates
1. Heart Disease (410-443)	17,457	1,312	18,769	434.5
2. Malignant Neoplasms (140-205)	6,790	699	7,489	173.4
3. Vascular Lesions (330-334)	5,466	564	6,030	139.6
4. Accidents (800-962)	2,249	294	2,543	58.9
5. Malformations and Diseases of Early Infancy (750-776)	1,587	447	2,034	47.1
6. Diseases of Digestive System (530-587)	1,573	179	1,752	40.6
7. Pneumonia (490-493)	1,368	272	1,640	38.0
8. Arteriosclerosis (450)	1,053	98	1,151	26.6
9. Diabetes Mellitus (260)	726	93	819	19.0
10. Suicide (970-979)	484	20	504	11.7
Totals	38,753	3,978	42,731	
Total Resident Deaths - 48,287		Estimated Population - 4,319,813		

Rates are per 100,000 population

Number in parentheses refer to code numbers in the 7th Revision of
International Statistical Classification of Causes of Death, 1955

TABLE I
1960 RECORDED ACCIDENTAL DEATHS BY TYPE, AGE, AND SEX

TYPE OF ACCIDENT		All Ages		0-4		5-14		15-24		25-44		45-64		65-74		75 & Over		Age Unknown	
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
I. GRAND TOTAL		1,709	858	118	84	100	51	271	59	373	109	401	129	169	113	274	313	3	-
WORK (except public transportation)	2. WORK TOTAL	164	3	-	-	3	-	16	-	55	-	62	1	16	1	12	1	-	-
	3. Agriculture	66	1	-	-	3	-	8	-	13	-	23	1	10	-	9	-	-	-
	4. Mining, Quarrying, Oil and Gas Wells	4	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-
	5. Manufacturing	16	-	-	-	-	-	1	-	7	-	6	-	1	-	1	-	-	-
	6. Construction	28	-	-	-	-	-	2	-	15	-	9	-	2	-	-	-	-	-
	7. Transportation	4	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-
	8. Public Utilities	7	-	-	-	-	-	1	-	-	-	6	-	-	-	-	-	-	-
	9. Trade	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	10. Service	18	2	-	-	-	-	2	-	9	-	5	-	2	1	-	1	-	-
	11. Other Specified Industry	17	-	-	-	-	-	1	-	7	-	7	-	1	-	1	-	-	-
	12. Unspecified Industry	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
HOME	13. HOME TOTAL	398	377	84	52	25	13	15	3	30	18	67	42	42	56	135	193	-	-
	14. Poisonings (gas excepted)	8	6	7	2	-	-	-	-	1	2	-	2	-	-	1	2	-	-
	15. Poisonings by Gases and Vapors	14	6	-	-	2	2	2	-	4	2	4	-	1	-	-	-	-	-
	16. Fire, Explosion of Combustible Material	99	83	16	19	10	9	3	1	11	5	22	16	13	16	24	17	-	-
	17. Hot Substance, Corrosive Liquid, Steam	10	8	6	4	-	-	-	-	1	-	-	-	1	2	2	2	-	-
	18. Mechanical Suffocation	47	19	37	16	4	-	1	-	2	-	1	-	1	-	3	1	-	-
	19. Firearms	17	1	-	-	4	-	4	1	2	-	2	-	4	-	1	-	-	-
	20. Falls on Same Level	24	54	-	-	-	-	-	-	-	-	4	1	1	5	19	48	-	-
	21. Falls to Different Level or Unspecified	144	172	13	4	2	2	1	1	8	1	22	15	17	31	81	118	-	-
	22. Other Specified Home Accidents	33	24	5	7	3	-	4	-	3	5	10	7	4	2	4	3	-	-
	23. Unspecified Home Accidents	2	4	-	-	-	-	-	-	1	-	2	1	-	-	2	-	-	-
MOTOR-VEHICLE	24. MOTOR-VEHICLE TOTAL	774	301	16	21	39	30	192	51	216	73	189	65	63	31	57	30	2	-
	25. Injury to Pedestrian	152	58	8	8	18	10	10	-	15	6	38	16	27	9	34	9	2	-
	26. Collision with Other Motor Vehicle	282	157	3	8	11	10	66	25	80	40	86	41	23	18	13	15	-	-
	27. Collision with Railroad Train	19	8	1	-	1	-	2	-	4	5	8	1	4	1	-	-	-	-
	28. Collision with Street Car	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	29. Injury to Pedal Cyclist	4	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	30. Collision with Animal-drawn Vehicle or Animal	2	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	31. Collision with Fixed Object	42	6	-	-	1	-	18	3	16	2	5	1	1	-	1	-	-	-
	32. Noncollision	258	63	3	3	6	8	94	20	95	19	44	4	7	3	9	6	-	-
	33. Other and Unspecified Accident	15	8	2	-	1	-	2	3	5	1	7	1	1	-	-	-	-	-
PUBLIC	34. PUBLIC NON-MOTOR-VEHICLE TOTAL (Priority given to items 35 to 39)	354	175	15	11	33	8	48	5	67	18	80	20	42	25	68	88	1	-
	35. Railroad—Not with Motor Vehicle	16	2	-	-	1	-	-	-	-	-	9	-	2	1	4	1	-	-
	36. Street Car—Not with Motor Vehicle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	37. Other Vehicle—Not with Motor Vehicle	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	38. Water Transportation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	39. Air Transportation	11	1	-	-	-	-	1	-	8	1	2	-	-	-	-	-	-	-
	40. Fire, Explosion of Combustible Material	21	2	3	-	2	-	3	-	1	-	7	-	1	2	3	-	1	-
	41. Hot Substance, Corrosive Liquid, Steam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	42. Drowning	94	16	3	4	15	4	29	3	31	3	14	2	1	-	1	-	-	-
	43. Firearms	27	2	-	-	8	-	7	-	5	1	5	1	1	-	1	-	-	-
	44. Falls on Same Level	30	20	-	-	-	-	1	-	2	2	3	1	7	1	17	16	-	-
	45. Falls to Different Level or Unspecified	63	68	-	-	-	1	-	-	5	2	11	3	18	10	29	52	-	-
	46. Other Specified Public Accidents	82	50	7	6	6	3	7	2	12	8	27	13	11	9	12	9	-	-
	47. Unspecified Public Accidents	8	14	2	1	-	-	-	-	3	1	1	-	1	2	1	10	-	-
48. Type of Accident Unknown		19	2	3	-	-	-	-	-	5	-	3	1	6	-	2	1	-	-

TABLE M

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE.
MISSOURI: 1960

	Totals	Occupational Accidents	Home-- Fire and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drowning	Public - Falls	Other Public Accidents	Type of Accident - Unknown
State Total	2,444	165	177	383	195	206	430	412	108	164	192	12
Cities over 10,000	860	49	75	211	110	114	42	61	16	105	66	11
Rural	1,584	116	102	172	85	92	388	351	92	59	126	1
Counties Exc. Cities over 10,000:												
Adair	6			2	1		1	1			1	
Andrew	7	1		1		1	1	1		1	1	
Atchison	5	3					1	1				
Audrain	13			3	1		6	1		1	1	
Barry	14	3		3	1	1	1		1	1	3	
Barton	10	1		2	1	1	2	3				
Bates	16	2		4	1		3	1	3		2	
Benton	6			1			1	2	2			
Bollinger	5			1		1		2	1			
Boone	23	1	5		1		12	3	1			
Buchanan	15				2	1	9	2	1			
Butler	27	1	1		2	2	10	3	4	1	3	
Caldwell	9	1	1			1	1	5				
Callaway	24			3		1	6	6	1	3	4	
Camden	14				1		2	1	4		6	
Cape Girardeau	9	3	1			1	1	2	1			
Carroll	14	1	2	1	2		3	4			1	
Carter	3				1		1	1				
Cass	31	3	1	5		2	8	7		1	4	
Cedar	8			1			3	4				
Chariton	12	3		2				4	1	1	1	
Christian	4		1				1	2				
Clark	5					1		1		2	1	
Clay	28	2	1	3	3	2	5	8	1	2	1	
Clinton	6	3	1							1	1	
Cole	12						3	6	3			
Cooper	12	1	1	3			3	3			1	
Crawford	13	1	1	2	1		2	2		1	3	
Dade	1					1						
Dallas	6			1	1			3			1	
Daviess	7						2	2	1	1	1	
DeKalb	8	2		2	1		1	2				

TABLE M (Continued)

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE
MISSOURI: 1960

	Totals	Occupational Accidents	Home - Fire and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drowning	Public - Falls	Other Public Accidents	Type of Accident Unknown
Dent	8	1			1		1	5				
Douglas	5	1					3	1				
Dunklin	37	2	4	1	5	2	7	9	4	1	2	
Franklin	25		1		1	1	9	7	2		4	
Gasconade	9		2	2			1		2	1	1	
Gentry	8	1		1				4			2	
Greene	18			2	1	1	10	1			3	
Grundy	13	2		3		1	2		1	2	2	
Harrison	3		2		1							
Henry	12	2	1	2			4	3				
Hickory	-											
Holt	5			1			2	1			1	
Howard	14	2	1	5			1	4			1	
Howell	18		2	5	1	1	1	5	1		2	
Iron	4	1			2	1						
Jackson	57	2	2	4	1	3	24	13	7		1	
Jasper	23		3	4			10	1	2	2	1	
Jefferson	39	3	3	1	2	1	11	10	5	1	2	
Johnson	20	3		4	1	1	3	6			2	
Knox	4			2			1				1	
Laclede	15	2	3	2	1	1		2		1	3	
Lafayette	29	1	1	7		2	17		1			
Lawrence	13		2	1	1		4	3		1	1	
Lewis	4			1			1	2				
Lincoln	18	2		1			8	6			1	
Linn	15	2	3	1	1		4	1	1	1	1	
Livingston	18	1	1	1	3	2	3	2	1		4	
McDonald	15		1		1		5	3	1	1	3	
Macon	17		1	2	1		6	1		4	2	
Madison	15	2	2	2		1	2	6				
Maries	8		1		1	1		3			2	
Marion	12		1			1	5	3	2			
Mercer	6	1			1		1	1			2	
Miller	13	4		2		1		6				
Mississippi	12	1	2		2		2	3	1		1	
Moniteau	1			1								
Monroe	15	4	2	2			5	1		1		
Montgomery	6	1		1		1		2			1	

TABLE M (Continued)

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE
MISSOURI: 1960

	Totals	Occupational Accidents	Home - Fire and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drowning	Public - Falls	Other Public Accidents	Type of Accident Unknown
Morgan	15		1	1			3	3	7			
New Madrid	33	1	5	2	4	4	5	7	2		3	
Newton	24	1	1	2	3	2	4	10	1			
Nodaway	22	3	1	5		3	6	2		2		
Oregon	11	1		1		1	2	6				
Osage	7	1		1	1		1	2	1			
Ozark	5	1		2				1			1	
Pemiscot	38	2	7		6	6	4	7	5		1	
Perry	10	2	1	2			2	2			1	
Pettis	15					2	6	5	1		1	
Phelps	23		2	5	3	1	2	5		3	2	
Pike	15		3	1			6	1	1		3	
Platte	15	1			1	1	5	5	2			
Polk	7	1					4			2		
Pulaski	23	1		3		4	3	11				1
Putnam	4			2				1			1	
Ralls	5			1	1		1		1	1		
Randolph	5			1			2	2				
Ray	10	1	3	2				3			1	
Reynolds	4							1	1		2	
Ripley	5		1		1	1		1			1	
St. Charles	31	1	3	3	1		15	5		1	2	
St. Clair	13						4	5	2		2	
St. Francois	17			3		4	4	1		3	2	
Ste. Genevieve	8						4	2		2		
St. Louis County	129	13	7	14	10	12	30	26	3	6	8	
Saline	13	2				2	3	2	1	1	2	
Schuyler	-											
Scotland	3							2			1	
Scott	16		3	2	2	1	2	5			1	
Shannon	-											
Shelby	6			2			1	2			1	
Stoddard	14	1	3	2		3	3	2				
Stone	4	1						1			2	
Sullivan	7	1		4		1	1					
Taney	6							6				
Texas	26	3	2	2		2	11	4		1	1	
Vernon	16	1		2	2		3	2	2	3	1	

TABLE M (Continued)

ACCIDENTAL DEATHS BY TYPE AND COUNTY OR CITY OF OCCURRENCE
MISSOURI: 1960

	Totals	Occupational Accidents	Home - Fire and Explosion	Home - Falls	Other Home Accidents	Motor Vehicle - Collision with Pedestrian	Motor Vehicle - Collision with other Motor Vehicle	Other Motor Vehicle Accidents	Public - Drowning	Public - Falls	Other Public Accidents	Type of Accident Unknown
Warren	3			2		1						
Washington	14	2			2	1		6	1		2	
Wayne	11		1	1			1	4	4			
Webster	11		1	1			6		1		2	
Worth	4	1		1		1				1		
Wright	9	1		1		1	2	3		1		
Cities of 10,000 or more population												
Cape Girardeau	14		2	2	2	1	2	1		2	2	
Carthage	6	1		3	2							
Clayton	4			1	2						1	
Columbia	8	1		2	1		1	2		1		
Ferguson	1			1								
Fulton	3										2	1
Hannibal	7	2	2	1				1		1		
Independence	17			6	1	2		4		2	2	
Jefferson City	14	2		1	6			2		1	2	
Jennings	-											
Joplin	18		3	5		2	2	2		2	2	
Kansas City	190	6	22	38	25	34	14	17	4	13	15	2
Kirkville	3				2					1		
Kirkwood	2			1							1	
Maplewood	5			2	1	1				1		
Mexico	1			1								
Moberly	3			1	1			1				
Overland	1					1						
Poplar Bluff	4					1		1	1		1	
Richmond Heights	4			1	1	1		1				
St. Charles	4			1		1			1	1		
St. Joseph	31	1	2	7	4		1	2		5	9	
St. Louis City	453	28	43	122	53	64	14	19	9	70	23	8
Sedalia	11	2		5				2		1	1	
Sikeston	2				1		1					
Springfield	47	6	1	9	4	6	7	5	1	3	5	
University City	5			1	4							
Webster Groves	2							1		1		

TABLE N
RESIDENT DEATHS BY AGE GROUPS, BY SEX, COLOR AND IMPORTANT CAUSES
MISSOURI: 1960

	ALL AGES	UNDER 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 & over	Un- known.
TOTAL DEATHS	48,287	2,414	356	190	153	302	330	313	451	1,563	3,690	7,064	11,870	13,087	6,481	23
Male	27,048	1,410	202	110	102	214	227	204	264	930	2,383	4,606	7,094	6,643	2,643	16
Female	21,239	1,004	154	80	51	88	103	109	187	633	1,307	2,458	4,776	6,444	3,838	7
TOTAL WHITE	43,505	1,809	275	164	139	271	283	251	376	1,255	3,071	6,112	10,804	12,449	6,234	12
Male	24,391	1,052	160	102	91	193	195	170	224	764	2,033	4,070	6,502	6,298	2,531	6
Female	19,114	757	115	62	48	78	88	81	152	491	1,038	2,042	4,302	6,151	3,703	6
TOTAL NONWHITE	4,782	605	81	26	14	31	47	62	75	308	619	952	1,066	638	247	11
Male	2,657	358	42	8	11	21	32	34	40	166	350	536	592	345	112	10
Female	2,125	247	39	18	3	10	15	28	35	142	269	416	474	293	135	1
CAUSES OF DEATH																
Tuberculosis of respiratory system (001-008)	297	1			2		2	4	7	26	58	62	68	57	10	
Tuberculosis, other forms (010-019)	15									3	2	5	4	1		
Syphilis, under 1 year (020-029)	1	1														
Syphilis, age 1 year and over (020-029)	91									2	18	24	38	9		
Typhoid fever (040)	-															
Paratyphoid fever (041)	-															
Undulant fever (044)	-															
Bacillary dysentery (045)	2	1		1												
Amebic dysentery (046)	-															
Other and unspecified dysentery (047-048)	3	2														1
Scarlet fever and streptococcal sore throat (050-051)	6							2				2	1	1		
Diphtheria (055)	-															
Whooping cough (056)	3	3														
Meningococcal infections (057)	7	3	3												1	
Tularemia (059)	-															
Tetanus (061)	2									1					1	
Acute poliomyelitis (080)	5			1		1	1	1		1						
Acute infectious encephalitis (082)	11		3	1		1	1		2	3						
Measles (085)	4	2	1					1								
Infectious hepatitis (092)	23		2			4			1	3	3	3	3	4		
Rabies (094)	-															
Rocky mountain spotted fever (104)	-															
Typhus & other rickettsial diseases (100-103; 105-108)	-															
Malaria (110-117)	-															
Other infectious & parasitic diseases (030-138, exc. above)	78	8	3	1		1	1	2		1	13	14	19	11	4	
Malignant neoplasms (140-205)	7,489	7	39	26	18	23	26	36	75	330	860	1,718	2,223	1,622	484	2
Benign and unspecified neoplasms (210-239)	108	2		4	1	1		1	3	12	26	25	19	10	4	
Diabetes mellitus (260)	819		2	3	2	4	2	5	9	35	55	130	303	221	47	1
Anemias (290-293)	72	1	8				1	1	1	2	5	8	16	20	9	
Vascular lesions affecting central nervous system (330-334)	6,030	3	2	3	5	1	12	8	14	76	229	604	1,545	2,287	1,238	3
Nonmeningococcal meningitis (340)	62	25	12	3	3	1		1			5	4	5	1	2	
Rheumatic fever (400-402)	14		1		2	1	1		3		1	3	1	1		
Chronic rheumatic heart disease (410-416)	469			1	1	2	2	9	14	49	86	113	93	75	24	
Arteriosclerotic & degenerative heart disease (420-422)	15,714					2	4	9	23	239	1,055	2,402	4,437	5,009	2,529	5
Other diseases of heart (430-434)	732	4	2	2	1	4	4	9	10	20	46	103	165	214	148	
Hypertension with heart disease (440-443)	1,854						3		5	32	96	211	495	683	327	2
Hypertension w/o mention of heart (444-447)	407				1			1	5	7	42	42	78	142	88	1
Other diseases of circulatory system (450-468)	1,673	1			1	1	4	5	5	20	50	152	322	633	479	
Influenza (480-483)	280	14	6	3	1	1	3	2	4	9	9	24	53	86	65	
Lobar pneumonia 4 weeks (490)	325	28	8	2		1	2	3	6	20	29	45	63	77	40	1
Bronchopneumonia 4 weeks (491)	927	95	16	3	2	5	5	5	3	21	38	80	201	274	179	
Pneumonia, other forms 4 weeks (492-493)	388	59	16	6	2	1	2	1	2	12	16	31	74	113	53	
Branchitis (500-502)	97	10	8	1					1	2	7	14	25	21	8	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	52	44	8													
Gastro Enteritis and colitis, 2 years (571.1)	46		3	1		1	1	1		1	2	7	9	12	8	
Cirrhosis of liver (581)	494				1	1	1	4	11	58	115	103	121	67	12	
Other diseases of digestive system (530-587 excl. above)	1,160	22	6	10	4	2	5	2	11	49	101	208	325	284	130	1
Nephritis and nephrosis (590-594)	444	1	3	3	2	3	9	4	6	29	48	70	101	106	58	1
Complications of pregnancy & puerperium (640-652; 660-689)	50				1	6	9	4	16	14						
Congenital malformations (750-759)	546	376	51	20	14	6	14	5	4	12	12	20	10	2		
Birth injuries, asphyxia, (under 4 weeks) (760-762)	690	689	1													
Pneumonia of newborn (under 4 weeks) (763)	79															
Diarrhea of newborn (under 4 weeks) (764)	13															
Other infections of newborn (under 4 weeks) (765-768)	14															
Other diseases of early infancy (under 4 weeks) (769-776)	692	692														
Sanitary, ill defined and unknown causes (780-795)	717	40	9	1	1	3	1	8	8	26	56	107	161	178	115	3
All other diseases (residual)	2,033	81	28	17	15	30	18	16	39	100	188	336	515	460	190	
Motor vehicle accidents (810-835)	1,050	6	31	35	26	128	118	85	73	121	137	114	93	70	12	1
All other accidents (800-802; 840-962)	1,493	84	82	39	43	48	43	43	37	104	145	138	191	291	204	1
Suicide and self-inflicted injury (970-979)	504				3	13	14	16	29	66	104	125	81	39	13	1
Homicide (980-985)	202	3	2	3	1	6	21	19	24	57	33	17	12	4		

TABLE O (Continued)

Other Infectious and Parasitic Diseases (030-138) exc. above	1	2	3	4	5	6	7	8	9
Rocky Mountain Spotted Fever (104)									
Infectious Hepatitis (092)				1					
Measles (085)									
Acute Infectious Encephalitis (082)									
Acute Poliomyelitis (080)									
Tetanus (061)									
Tularemia (059)									
Meningococcal Infections (057)	1						1		
Whooping Cough (056)									
Diphtheria (055)									
Scarlet Fever and Streptococcal Sore Throat (050-051)		1	1	1					
Other and Unspecified Dysentery (046-048)									
Bacillary Dysentery (045)									
Undulant Fever (044)									
Typhoid Fever (040)									
Syphilis, age 1 year and over (020-029)		1	1				1	1	
Tuberculosis, other forms (010-019)									
Tuberculosis of Respira- tory System (001-008)		1	1	1	2	54	1	1	1
Totals	1	1	1	1	4	2	2	2	1
	Henry	Rickory	Holt	Howard	Howell	Iron	Jackson	Jasper	Jefferson
	Johnson	Knox	Laclede	Lafayette	Lawrence	Lewis	Lincoln	Linn	Livingston
	McDonald	Macon	Madison	Maries	Marion	Mercer	Miller	Mississippi	Monteau
	Monroe	Montgomery	Morgan	New Madrid	Newton	Nodaway	Oregon	Osage	Ozark
	Pemiscot	Perry	Pettis	Phelps	Fike	Platte	Polk	Pulaski	Putnam
	Rails	Randolph	Ray	Reynolds					

TABLE O (Continued)

RECORDED DEATHS FROM COMMUNICABLE DISEASES BY CAUSE AND COUNTY OR CITY
MISSOURI: 1960

		Other Infectious and Parasitic Diseases (030-138) exc. above	Rocky Mountain Spotted Fever (104)	Infectious Hepatitis (092)	Measles (085)	Acute Infectious Encephalitis (082)	Acute Poliomyelitis (080)	Tetanus (061)	Tularemia (059)	Meningococcal Infections (057)	Whooping Cough (056)	Diphtheria (055)	Scarlet Fever and Streptococcal Sore Throat (050-051)	Other and Unspecified Dysentery (046-048)	Bacillary Dysentery (045)	Undulant Fever (044)	Typhoid Fever (040)	Syphilis, age 1 year and over (020-029)	Tuberculosis, other forms (010-019)	Tuberculosis of Respira- tory System (001-008)	Totals
Ripley	3	1																		2	3
St. Charles	1																			1	1
St. Clair	1																			1	1
St. Francois	6																	1		5	6
Ste. Genevieve	1																		1	1	1
St. Louis County	47			1														1	1	43	47
Saline	4																	1	2	2	4
Schuyler	1			1																	1
Scotland	1																				1
Scott	2																				2
Shannon	1																				1
Shelby	1																	1			1
Stoddard	1																				1
Stone	1																				1
Sullivan	1																				1
Taney	1			1																8	1
Texas	1																				1
Vernon	11												1					2			11
Warren	1																				1
Washington	1																				1
Wayne	1				1																1
Webster	2																				2
Worth	1																				1
Wright	1																				1
Cities over 10,000																					
Cape Girardeau	7						1											1		3	7
Carthage	2																		1		2
Clayton	7																	1		3	7
Columbia	10						1												4		10
Ferguson	1																				1
Fulton	1																				1
Hannibal	2																	1		1	2
Independence	6																	1		2	6
Jefferson City	2																		2		2
Jennings	1																				1
Joplin	5																		1		5
Kansas City	93						1											11		58	93
Kirksville	4																				4
Kirkwood	1																	1			1
Maplewood	1																		1		1
Mexico	1																				1
Moberly	1																				1
Overland	1																				1
Poplar Bluff	2							1													2
Richmond Heights	3																	1			3
St. Charles	1																				1
St. Joseph	17									1								6		7	17
St. Louis City	130									2				1				36		51	130
Sedalia	2									1									1		2
St. Louis	1																				1
St. Louis County	15							1										1		5	15
Springfield	1																		1		1
University City	1																				1
Webster Groves	1																				1

TABLE AA

ALL MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE - MISSOURI: 1960

Age of Groom

(48)

Age of Bride	Total	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over	Not Stat-	
Totals	35,368	5	73	505	1,443	2,399	2,842	3,394	3,677	2,679	2,010	1,686	1,484	1,129	935	733	670	565	485	488	430	1,772	1,262	1,011	860	642	508	480	329	231	641	
Under 15 yrs.	24			2	7	4	3	2	2	2			1			1																
15 years	448	2	15	64	95	80	57	47	32	9	10	11	6	6	1	1	2	3		2		2	2								1	
16 years	1,364		32	130	255	251	214	146	149	76	34	16	16	10	6	7	6	2		2	2	6	1	1	1						1	
17 years	2,337	2	15	139	350	450	391	317	271	157	70	59	37	14	18	11	5	7	1	4	1	8	6	1							3	
18 years	4,527	8	112	451	755	771	784	606	349	212	144	93	82	48	15	18	18	7	13	7	20	5	5	1							3	
19 years	4,486	1		37	197	551	675	824	784	436	287	200	144	99	62	41	34	23	19	15	6	32	6	2	1	1					9	
20 years	3,454		2	12	47	183	449	573	616	458	309	231	185	117	47	60	33	28	14	14	10	43	11	5							7	
21 years	2,704		1	5	22	78	156	381	503	394	305	215	176	122	86	49	49	24	27	17	13	54	12	6	2	3		1			3	
22 years	2,294			2	8	14	59	157	405	363	270	252	194	127	105	74	43	42	27	28	29	64	14	10	2	2			1		2	
23 years	1,546			1	3	7	23	66	143	208	207	193	155	124	100	60	60	41	28	23	16	61	16	6	1	1	1				2	
24 years	1,037				1	5	12	24	52	79	120	132	122	83	81	63	54	32	28	32	32	58	17	5	3	2						
25 years	809			1	1	2	6	20	32	55	58	83	94	81	72	54	49	37	24	29	25	41	22	12	7	2	1	1				
26 years	704					4	3	15	27	25	43	47	87	64	59	48	37	43	34	27	28	67	26	11	4	4					1	
27 years	557					2	6	4	12	21	22	18	49	45	54	51	42	24	43	26	29	63	25	7	7	3		3			1	
28 years	470			2		1	3	8	10	10	13	20	29	35	34	47	48	32	26	17	23	62	31	12	3	4						
29 years	447					2	3	4	5	7	12	22	10	21	40	32	40	32	25	26	26	84	34	10	8	1	1				2	
30 years	410						1		5	4	8	6	16	22	31	21	25	38	32	23	18	91	44	16	5	1		2	1			
31 years	370					1		2	7	5	3	5	22	16	17	25	31	22	22	25	20	76	41	15	8	4						
32 years	354					1		2	1	4	4	3	15	15	18	13	15	16	24	32	13	100	43	20	4	6	3				2	
33 years	373						3	4	2	3	10	12	12	10	14	14	19	16	20	33	26	90	60	14	14	4	2				3	
34 years	316							2	1	3	4	8	12	7	8	15	17	17	20	14	92	49	25	18	2	1				1		
35-39 years	1,473			1	3	2	2	6	5	10	9	9	19	28	26	29	42	44	50	61	405	301	208	112	57	19	15	6	3		1	
40-44 years	1,160					1	1	1	3	3	4	1	1	2	3	9	12	19	14	18	23	168	288	259	175	85	38	23	7	3		
45-49 years	979											1	1		1	1	1	6	7	8	7	63	146	240	217	145	74	32	22	7		
50-54 years	729													1	1	1	1	1		2	2	15	37	93	177	153	111	93	27	12	2	
55-59 years	475								1						1						1	1	15	22	62	101	123	82	44	21	1	
60-64 years	362																				3	5	1	19	43	88	99	67	37			
65-69 years	274																						2	5	13	33	92	84	45			
70-74 years	130																						2	1	2	2	7	20	45	50	1	
75 yrs. & over	87																								1	1	2	11	22	50		
Not Stated	668			3	5	7	12	2	5	4	1	2	2	1	1	2			2		3	3	2	1	2	2	5	3	2	596		

TABLE BB

RECORDED FIRST MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE - MISSOURI: 1960

Age of Groom

Age of Bride	Total	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over	Not Stat- ed
Totals	22,572	5	73	497	1,410	2,328	2,725	3,116	3,255	2,271	1,538	1,238	990	687	543	365	308	202	150	152	114	300	128	53	46	20	8	13	4	2	31
Under 15 yrs.	23			2	7	4	3	2	2	2																					
15 years	416	2	15	64	92	78	54	45	30	7	8	7	5	3	1		1	1					2								1
16 years	1,298		32	130	252	249	212	142	139	66	28	13	11	3	5	2	5	1	2						1						1
17 years	2,199	2	15	137	346	443	382	297	256	141	57	46	28	9	14	7	4	5		1		4	2								3
18 years	4,155		8	111	444	741	758	745	558	303	168	117	63	58	32	7	12	9	2	3	1	7	3	1	1						3
19 years	3,980	1		34	192	537	658	773	701	401	226	164	104	63	37	20	22	10	8	7	2	10	2		1	1					6
20 years	2,926		2	10	44	173	427	533	556	400	251	181	138	80	29	39	21	12	6	6	2	8	1								7
21 years	2,145		1	5	19	69	142	340	445	332	249	168	130	79	65	34	27	5	7	5	5	14	1								3
22 years	1,756			2	4	11	48	133	354	320	222	185	153	100	76	41	24	20	12	9	12	24	3					1			2
23 years	1,087			1	2	5	18	46	123	166	153	151	113	90	70	38	34	18	16	10	5	20	3	2	1						2
24 years	619				1	3	9	18	36	54	83	94	76	55	53	38	33	12	12	14	11	14	2	1							
25 years	435			1	1	1	3	9	20	37	38	58	59	47	41	30	26	21	8	15	9	8	2	1							
26 years	308					3	1	10	14	13	26	22	48	31	30	24	16	19	14	11	8	10	4	3	1						
27 years	201					1	3	2	8	10	12	6	26	19	32	18	11	7	17	12	6	8	2		1						
28 years	168				2			4	3	2	6	7	10	13	17	20	22	15	6	5	9	18	6	1	1	1					
29 years	135					2		2	1	2	3	10	4	6	16	12	15	9	9	5	11	17	8	1	1						1
30 years	97								2	2	1	1	9	10	9	6	7	13	6	8	3	13	4	2	1						
31 years	88					1		1	2	3		2	8	5	7	13	8	5	4	4	6	11	6	1	1						
32 years	79							1	1	3	2		2	3	3	7	4	5	10	5	4	18	6	2		1	1				1
33 years	68									1	1	3		4	4	3	7	5	6	9	4	12	8		1						
34 years	39									1				3	1	1	4	1	1	5	2	12	4	1	3						
35-39 years	145				1	3		1	1	1		1	1	5		2	3	7	3	10	10	51	27	8	7	2	1				
40-44 years	68						1	1	1			1	1			1	1	1	1	3	4	13	18	11	6	2		1			
45-49 years	44																					4	9	12	9	7	1	1			
50-54 years	27																				1	2	3	3	8	4	2	4			
55-59 years	11																						1	1	1	2	3				
60-64 years	4																											1	2		
65-69 years	4																											2	1		
70-74 years	2																											1		1	
75 yrs. & over	-																														
Not Stated	45				3	4	6	11	2	4	3	1	1	1	1	1	1			2			1	2							1

(67)

TABLE CC

FIRST MARRIAGE BY AGE OF GROOM, BY AGE OF BRIDE -
GROOM URBAN RESIDENCE. MISSOURI: 1960

Age of Groom

Age of Bride	Total	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and over	Not Stated
Totals	9,821	2	29	188	502	916	1,074	1,289	1,394	1,010	719	589	491	353	279	189	170	108	80	82	55	147	67	30	27	11	4	7	2	-	7
Under 15 yrs.	9				2	3	2		1						1																
15 years	172	1	10	23	33	31	20	23	14	3	4	2	1	2			1	1					2								1
16 years	448		8	52	91	101	65	46	43	19	10	4	3	1	1	1	2														1
17 years	847	1	7	50	133	185	140	122	102	47	17	18	11	2	5	2	1	1				1									
18 years	1,517		3	43	148	263	281	299	197	106	56	41	23	21	17	3	5	6	2	1	1	1									
19 years	1,648			15	66	212	267	299	301	182	96	69	47	30	20	9	14	5	3	4		6				1					2
20 years	1,333		1	4	13	72	198	224	256	172	128	90	70	43	14	20	10	7	2	2	1	5									1
21 years	1,092				1	10	34	67	170	209	181	133	90	65	32	18	18	3	3	3	4	5									1
22 years	844				1	5	22	55	170	148	105	104	74	47	44	11	12	12	5	6	8	13	2								
23 years	547					2	6	26	50	91	79	69	64	48	35	21	21	8	6	6	3	11	1								
24 years	328					1	2	9	19	25	45	44	49	31	30	23	12	5	7	11	5	8	1	1							
25 years	219				1		1	3	13	21	17	26	28	24	15	17	16	14	6	7	2	5	2	1							
26 years	163					1	1	4	9	3	13	11	28	17	17	15	9	8	12	7	3	2	2	1							
27 years	104					1	1	1	4	2	8	5	11	13	16	10	5	4	8	6	4	3	1			1					
28 years	99				1			1	1	2	4	4	4	8	11	12	17	8	3	3	5	13	4			1	1				
29 years	77					2		1		1	3	8	3	4	11	7	7	5	5	3	5	5	4	1	1						1
30 years	51								2	2	1	1	4	5	4	3	4	4	5	3		7	3	2	1						
31 years	52					1			2	2		1	3	2	4	7	6	5	2	2	3	7	5								
32 years	41								1	3	1		1	3	4	2	2	2	4	2	2	11	3	1		1					
33 years	28								1	3				2	2	3	3	3	4	3	2	3	2								
34 years	23													3	1	1	2	1	1	3	1	5	3	1	1						
35-39 years	79					1		1				1	1	2		1	2	4	2	6	5	28	15	5	4	1					
40-44 years	29						1					1						1		1	1	5	9	6	2	1			1		
45-49 years	28																	1			1	5	9	6	5	1					
50-54 years	15																			1	2	2	1	6	2	1					
55-59 years	6																										2		2		
60-64 years	3																										1		1		
65-69 years	3																												2		1
70-74 years	1																												1		
75 yrs. & over	-																														
Not Stated	15				3	1		5	1	1	1		1				1						1								

TABLE DD

FIRST MARRIAGE BY AGE OF GROOM, BY AGE OF BRIDE -
GROOM RURAL RESIDENCE. MISSOURI: 1960

Age of Groom

Age of Bride	Total	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 and Over	Not Stat- ed
Totals	9,889	1	32	238	751	1,232	1,438	1,479	1,381	931	595	448	358	228	165	116	83	66	45	46	40	106	42	19	13	8	3	3	1	2	19
Under 15 yrs.	13			2	5	1	1	2	1	1																					
15 years	197		4	31	48	38	29	18	13	4	3	4	4	1																	
16 years	721		18	56	132	126	129	82	87	43	17	7	8	1	4	1	3	1	1	1		2				1					
17 years	1,185		6	71	180	236	217	155	137	79	36	24	13	6	9	5	2	4				1	2								
18 years	2,217		3	51	243	418	426	365	279	170	95	63	36	30	13	4	5	3		2		5	3	1							
19 years	1,881	1		17	102	280	335	385	296	167	98	77	48	26	16	9	4	4	4	2	1	3	2			1					
20 years	1,224			4	28	85	193	241	223	156	96	64	54	30	10	14	10	2	3	2	1	3									
21 years	765		1	3	6	31	64	135	159	107	81	56	49	23	19	11	7	2	2	1	1	6									
22 years	589			2	2	6	22	54	113	108	78	46	53	34	20	16	7	6	6	3	3	7						1			
23 years	325				2	1	9	15	43	46	39	49	35	24	18	8	9	7	7	1	2	4	2	2	1						
24 years	179				1	2	6	5	11	20	22	27	15	19	9	11	13	4	4	3	2	4	1								
25 years	131			1		1		6	6	10	15	21	17	14	14	7	5	3	1	3	6	1									
26 years	90					2		4	4	7	7	5	8	9	7	8	4	7	2	2	4	6	1		2	1					
27 years	58						2	1	3	5	3	1	8	2	9	5	2	3	4	3	1	5	1								
28 years	44				1			2	3	1	1	1	4	3	2	7	2	5	2	2	3	3	1	1							
29 years	32						1		1				1	2	2	2	4	3	1	2	4	7	2								
30 years	25												1	1	4		1	7	1	2	2	5	1								
31 years	26						1		1			1	2	1	3	4	2		1	2	2	3	1	1	1						
32 years	30						1				1		1		3	2	1	3	4	3	1	5	2	1			1				
33 years	24								1	1	1	1			2		1	1	1	3	2	7	4				1				
34 years	11																		2	1	6	1			1						
35-39 years	46				1	2			1	1				2		1		1	1	3	3	15	7	3	3	1	1				
40-44 years	27							1	1				1				1			2	1	6	7	3	3	1					
45-49 years	9																				2		3	2	1						
50-54 years	10																						1	2	2	2	1	2			
55-59 years	2																									2					
60-64 years	-																														
65-69 years	1																														1
70-74 years	1																														1
75 yrs. & over	-																														
Not Stated	26					3	5	5	1	3	2	1			1	1				2				1							

(51)

TABLE EE

MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS
GROOMS AND BRIDES. MISSOURI: 1960

Age	Groom						Bride					
	Total	Single	Annulled	Widowed	Divorced	Not Stated	Total	Single	Annulled	Widowed	Divorced	Not Stated
Totals	35,368	25,271	7	2,123	7,316	651	35,368	25,153	18	2,427	7,109	661
Under 15 years							24	24				
15 years	5	5					448	445			1	2
16 years	73	73					1,364	1,353	1	2	8	
17 years	505	502		2		1	2,337	2,292		4	39	2
18 years	1,443	1,433		1	6	3	4,527	4,400		4	118	5
19 years	2,399	2,373		3	20	3	4,486	4,266	4	9	200	7
20 years	2,842	2,861		2	38	1	3,454	3,188	3	6	254	3
21 years	3,394	3,274		2	115	3	2,704	2,387	3	9	302	3
22 years	3,677	3,469	1	8	194	5	2,294	1,938	2	17	334	3
23 years	2,679	2,453	1	11	212	2	1,546	1,232		18	293	3
24 years	2,010	1,728	1	8	273		1,037	723	1	15	297	1
25 years	1,686	1,412	2	3	269		809	516		19	274	
26 years	1,484	1,173		8	302	1	704	404		23	276	1
27 years	1,129	829		12	287	1	557	270	1	14	270	2
28 years	935	679	1	12	242	1	470	209	1	21	236	3
29 years	733	470		12	251		447	184	1	29	231	2
30 years	670	418		7	243	2	410	148		19	243	
31 years	565	279		10	272	4	370	126		19	224	1
32 years	485	233		13	239		354	110		23	219	2
33 years	488	227		23	238		373	101		42	228	2
34 years	430	174		19	236	1	316	73		33	210	
35 years	412	166		21	224	1	299	54		32	213	
36 years	405	128		19	255	3	313	81		45	187	
37 years	366	99		20	247		314	62		35	217	
38 years	307	75		26	206		280	39		52	186	3
39 years	282	70		16	195	1	267	44		55	167	1
40 years	323	81		27	215		248	37		46	163	2

TABLE EE (Continued)

MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS
GROOMS AND BRIDES. MISSOURI: 1960

Age	Groom						Bride					
	Total	Single	Annulled	Widowed	Divorced	Not Stated	Total	Single	Annulled	Widowed	Divorced	Not Stated
41 years	254	58	1	25	168	2	255	42		49	162	2
42 years	241	46		39	156		227	28	1	59	139	
43 years	210	60		20	129	1	237	34		64	138	1
44 years	234	42		31	158	3	193	20		55	117	1
45-49 years	1,011	155		194	656	6	979	108		342	519	10
50-54 years	860	101		234	522	3	729	85		343	297	4
55-59 years	642	59		269	306	8	475	37		272	160	6
60-64 years	508	35		290	179	4	362	17		249	94	2
65-69 years	480	34		279	159	8	274	17		202	46	9
70-74 years	329	13		246	62	8	130	6		106	15	3
75 years & over	231	4		189	27	11	87	2		67	11	7
Not Stated	641	40		22	15	564	668	51		28	21	568

TABLE FF

RECORDED MARRIAGES BY MARITAL STATUS
MISSOURI: 1960

	Total	Bride				
		Single	Widowed	Divorced	Annulled	Not Stated
Groom Single	25,271	22,572	373	2,290	12	24
Widowed	2,123	319	1,144	660		
Divorced	7,316	2,240	907	4,155	5	9
Annulled	7	5		1	1	
Not Stated	651	17	3	3		628
Total	35,368	25,153	2,427	7,109	18	661

TABLE GG

RESIDENT MARRIAGES BY MARITAL STATUS - GROOM URBAN*
MISSOURI: 1960

	Total	Bride				
		Single	Widowed	Divorced	Annulled	Not Stated
Groom Single	11,186	9,821	168	1,181	11	5
Widowed	991	181	476	334		
Divorced	3,997	1,234	456	2,301	2	4
Annulled	4	3		1		
Not Stated	337	5	1			331
Total	16,515	11,244	1,101	3,817	13	340

TABLE HH

RESIDENT MARRIAGES BY MARITAL STATUS - GROOM RURAL*
MISSOURI: 1960

	Total	Bride				
		Single	Widowed	Divorced	Annulled	Not Stated
Groom Single	10,809	9,889	169	735		16
Widowed	860	96	524	240		
Divorced	2,149	659	312	1,174	1	3
Annulled	1	1				
Not Stated	239	4	1	3		231
Total	14,058	10,649	1,006	2,152	1	250

*Marriage resident data does not carry the usual connotation of residence. There is no interchange of marriage data between states; therefore, the resident data relates only to those persons married in Missouri and residents of Missouri.

TABLE II
MARRIAGES. COLOR OF GROOM
MISSOURI: 1960

Color	Number
White	31,044
Nonwhite	3,728
Other*	25
Not Stated	571
Total	35,368

*Includes Indians, Mexicans, Japanese and Chinese.

TABLE JJ
DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED
MISSOURI: 1960

Children Reported	Number		
	Total	Divorces	Annulments
No Children	5,307	5,244	63
One Child	2,505	2,504	1
Two Children	1,814	1,813	1
Three Children	854	854	
Four Children	373	373	
Five Children	154	154	
Six Children	64	64	
Seven Children	25	25	
Eight Children	8	8	
Nine Children or More	3	3	
Not Stated	213	211	2
Total	11,320	11,253	67

TABLE KK

COMPLAINANT vs TO WHOM DECREE GRANTED. DIVORCES - MISSOURI: 1960

Complainant	Total	Decree to Whom Granted				
		Husband	Wife	Separate Maintenance Husband	Wife	Not Stated
Husband	2,822	2,462	333			27
Wife	8,284	110	8,095	1	10	68
Others	-					
Not Stated	147	22	82			43
Total	11,253	2,594	8,510	1	10	138

COMPLAINANT vs TO WHOM DECREE GRANTED. ANNULMENTS - MISSOURI: 1960

Complainant	Total	Decree to Whom Granted				
		Husband	Wife	Separate Maintenance Husband	Wife	Not Stated
Husband	13	12	1			
Wife	52		52			
Others	-					
Not Stated	2					2
Total	67	12	53	-	-	2

TABLE LL

COMPLAINANT vs DISPOSITION OF CHILDREN. DIVORCES - MISSOURI: 1960

Complainant	Total	Disposition of Children						
		Husband	Wife	Guardian	Joint	Custody to Others	Not Stated	No Children
Husband	2,822	330	624	2	42	19	95	1,710
Wife	8,284	127	4,303	2	60	13	103	3,676
Others	-							
Not Stated	147	1	46		2	1	16	81
Total	11,253	458	4,973	4	104	33	214	5,467

COMPLAINANT vs DISPOSITION OF CHILDREN. ANNULMENTS - MISSOURI: 1960

Complainant	Total	Disposition of Children						
		Husband	Wife	Guardian	Joint	Custody to Others	Not Stated	No Children
Husband	13	1						12
Wife	52		1					51
Others	-							
Not Stated	2							2
Total	67	1	1	-	-	-	-	65

TABLE MM

DIVORCES AND ANNULMENTS
NUMBER OF CASES CONTESTED. MISSOURI: 1960

Contestant	Number		
	Total	Divorces	Annulments
Husband	434	434	
Wife	282	281	1
No Contest	10,264	10,202	62
Not Stated	340	336	4
Total	11,320	11,253	67

TABLE NN

DIVORCES AND ANNULMENTS
ALIMONY AND SETTLEMENTS. MISSOURI: 1960

Alimony and Settlement	Number		
	Total	Divorces	Annulments
No Alimony or Support	6,119	6,061	58
Alimony to Wife	582	580	2
Alimony to Husband	1	1	
Property Settlement	25	25	
Support to Children	2,642	2,642	
Alimony and Child Support	1,611	1,610	1
Alimony and Support to Others	1	1	
Not Stated	339	333	6
Total	11,320	11,253	67

TABLE OO

DIVORCES AND ANNULMENTS
CAUSE OR GROUNDS ALLEGED. MISSOURI: 1960

Cause	Number
Adultery	111
Cruelty	237
Desertion	1,306
Drunkenness	119
Nonsupport	153
Bigamy	10
Conviction of Crime	82
Indignities	9,122
Insanity	-
Annulment	67
Social Disease	-
Not Stated	113
Total	11,320

TABLE PP

COLOR - HUSBAND vs WIFE - DIVORCES - MISSOURI: 1960

		Total	Wife			
			White	Nonwhite	Other	Not Stated
Husband	White	9,703	9,631	2	9	61
	Nonwhite	1,326	7	1,314	1	4
	Other	11	3	2	6	
	Not Stated	213	70	6		137
	Total	11,253	9,711	1,324	16	202

COLOR - HUSBAND vs WIFE - ANNULMENTS - MISSOURI: 1960

		Total	Wife			
			White	Nonwhite	Other	Not Stated
Husband	White	63	62			1
	Nonwhite	4		4		
	Other	-				
	Not Stated	-				
	Total	67	62	4	-	1

TABLE QQ

NUMBER OF PREVIOUS MARRIAGES - HUSBAND vs WIFE - DIVORCES - MISSOURI: 1960

Husband	Total	Wife						
		None	One	Two	Three	Four	5 or More	Not Stated
None	2,590	2,127	367	67	11	6		12
One	5,562	375	4,230	763	117	38	6	33
Two	2,042	74	703	911	252	58	23	21
Three	568	9	136	244	136	27	10	6
Four	159	4	36	68	36	9	6	
Five or More	84	2	14	29	25	7	4	3
Not Stated	248	6	38	25	3	3		173
Total	11,253	2,597	5,524	2,107	580	148	49	248

NUMBER OF PREVIOUS MARRIAGES - HUSBAND vs WIFE - ANNULMENTS - MISSOURI: 1960

Husband	Total	Wife						
		None	One	Two	Three	Four	5 or More	Not Stated
None	16	14	2					
One	22	2	16	3	1			
Two	18	4	9	3	1		1	
Three	3		3					
Four	1			1				
Five or More	1		1					
Not Stated	6	2		1	1			2
Total	67	22	31	8	3	-	1	2

TABLE RR

DIVORCES BY AGE OF HUSBAND AND OF WIFE, AND BY NUMBER OF TIMES MARRIED
MISSOURI: 1960

	Husband						Wife					
	Total	One	Two	Three	Four or Not More Stated		Total	One	Two	Three	Four or Not More Stated	
Total	11,320	2,606	5,584	2,060	816	254	11,320	2,619	5,555	2,115	781	250
Under 15 years							2	1	1			
15 years	1		1				8	5	3			
16 years	5	1	3	1			44	17	26			1
17 years	13	5	8				136	52	81	3		
18 years	34	9	25				246	71	165	6	3	1
19 years	93	29	64				354	96	237	14	1	6
20 years	193	61	123	8		1	438	135	274	27		2
21 years	279	90	179	7		3	462	146	284	24	5	3
22 years	397	137	234	19	2	5	519	159	300	54	4	2
23 years	396	127	240	26	1	2	432	121	247	51	6	7
24 years	387	113	243	24	5	2	416	128	238	41	4	5
25 years	410	114	247	44	2	3	442	131	231	67	8	5
26 years	425	142	239	37	5	2	409	111	231	58	6	3
27 years	370	113	201	50	6		363	105	189	50	15	4
28 years	380	113	190	63	13	1	359	93	195	63	5	3
29 years	326	92	183	40	10	1	323	86	156	69	12	
30 years	381	93	212	58	13	5	324	85	166	54	16	3
31 years	349	104	178	52	10	5	278	68	122	67	19	2
32 years	393	91	216	70	13	3	302	69	148	68	15	2
33 years	336	83	169	70	12	2	335	89	147	79	18	2
34 years	330	71	162	72	20	5	288	62	132	67	26	1
35 years	321	88	129	75	26	3	279	64	122	61	29	3
36 years	313	61	140	78	31	3	317	60	139	78	37	3
37 years	277	61	149	47	17	3	269	44	122	71	30	2
38 years	285	63	129	65	26	2	301	63	148	68	19	3
39 years	281	65	121	65	28	2	256	40	115	64	36	1
40 years	261	46	135	52	24	4	241	41	111	56	31	2
41 years	249	51	120	43	34	1	211	38	102	54	16	1
42 years	258	36	123	68	30	1	232	50	99	53	27	3
43 years	205	40	85	56	23	1	204	35	95	57	17	
44 years	220	42	108	54	15	1	184	31	88	44	18	3
45-49 years	926	168	443	201	103	11	783	139	322	213	101	8
50-54 years	686	123	275	185	92	11	494	71	176	151	86	10
55-59 years	426	60	176	119	66	5	292	44	92	89	61	6
60-64 years	272	46	94	79	50	3	164	16	55	56	35	2
65-69 years	204	21	51	79	48	5	106	10	30	40	25	1
70-74 years	111	7	34	44	26		42	4	8	15	14	1
75 years and over	81	7	14	32	26	2	18	1	3	6	8	
Not Stated	446	33	141	77	39	156	447	38	155	77	28	149

TABLE SS

DIVORCES AND ANNULMENTS BY DURATION OF MARRIAGE IN YEARS.
MISSOURI: 1960

Duration of Marriage (In Years)	Total	Divorces	Annulments
Under 1 year	364	343	21
1 year	1,275	1,243	32
2 years	1,124	1,119	5
3 years	1,028	1,023	5
4 years	880	880	
5 years	688	688	
6 years	592	592	
7 years	515	513	2
8 years	477	477	
9 years	417	417	
10 years	417	416	1
11 years	296	296	
12 years	337	337	
13 years	320	320	
14 years	301	301	
15 years	238	238	
16 years	170	170	
17 years	176	176	
18 years	176	176	
19 years	177	177	
20-24 years	598	597	1
25-29 years	318	318	
30-34 years	187	187	
35-39 years	111	111	
40 years and over	73	73	
Not Stated	65	65	
Total	11,320	11,253	67

TABLE TT

DIVORCES AND ANNULMENTS BY PARTY TO WHOM GRANTED.
MISSOURI: 1960

Party to Whom Granted	Total	Divorces	Annulments
Husband	2,606	2,594	12
Wife	8,563	8,510	53
Other	11	11	
Not Stated	140	138	2
Total	11,320	11,253	67

Births, Stillbirths and Specified Causes of Death by Residence - 19 60

	State Total				Population Under 2,500		Population 2,500 less than 5,000		Population 5,000 less than 10,000		Population 10,000 less than 15,000	
	Total	Rate	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	4,319,813											
TOTAL LIVE BIRTHS	97,723	22.6	84,550	13,173	37,300	1,259	3,712	198	3,419	234	3,728	170
Attended by M.D.	86,410		74,140	12,270	30,860	786	3,114	150	3,052	175	3,225	126
Attended by D.O.	10,578		10,197	379	6,263	248	589	31	3,61	25	499	36
Attended by midwives	422		124	298	106	205	6	17	2	32	3	37
Others or unspecified	113		87	26	71	20	3		4	2	1	1
TOTAL STILLBIRTHS	1,483	15.2	1,163	320	545	35	48	6	30	6	47	2
Attended by M.D.	1,301		1,017	284	454	26	41	4	28	5	44	2
Attended by D.O.	134		127	7	80	4	7	2	1	1	3	
Attended by midwives	8		3	5	3	4						
Others or unspecified	40		16	24	8	1			1			
TOTAL DEATHS	48,287	11.2	43,505	4,782	17,905	510	2,335	134	1,929	161	1,513	110
Under one year of age	2414	24.7	1,809	605	737	61	100	17	83	13	73	14
Neonatal deaths	1,758	18.0	1,355	403	541	26	81	5	62	8	58	9
Maternal deaths	50	5.1	33	17	14	2	3	3	2	1		
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	297	6.9	251	46	96	1	5	3	14	4	6	1
Tuberculosis, other forms (010-019)	15	.3	8	7	4							
Syphilis, under 1 year (020-029)	1		1		1							
Syphilis, age 1 year and over (020-029)	91	2.1	65	26	15	6	2	2	1		2	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)	2		1	1	1							
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)	3	.1	3		2							
Scarlet fever and streptococcal sore throat (050-051)	6	.1	6		4		1		1			
Diphtheria (055)												
Whooping cough (056)	3	.1	1	2	1	1		1				
Meningococcal infections (057)	7	.2	6	1	1	1			1			
Tularemia (059)												
Tetanus (061)	2		2		2							
Acute poliomyelitis (080)	5	.1	5		1		1					
Acute infectious encephalitis (082)	11	.3	11		5		1		1			
Measles (085)	4	.1	4		3		1					
Infectious hepatitis (092)	23	.5	22	1	8		1		2		2	
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	78	1.8	68	10	31	1	3		2		2	
Malignant neoplasms (140-205)	7,489	173.4	6,790	699	2,585	58	335	12	276	26	258	13
Benign and unspecified neoplasms (210-239)	108	2.5	73	15	36	1	5		8		2	1
Diabetes mellitus (260)	819	19.0	726	93	302	7	29	5	32	1	23	4
Anemias (290-293)	42	1.7	67	5	30	1	5		2	1	1	
Vascular lesions affecting central nervous system (330-334)	6,030	139.6	5,466	564	2,460	67	343	17	287	26	181	16
Nonmeningococcal meningitis (340)	62	1.4	48	14	17				4	1		
Rheumatic fever (400-402)	14	.3	11	3	5				1		1	
Chronic rheumatic heart disease (410-416)	469	10.9	432	37	169	4	21		10	1	20	
Arteriosclerotic and degenerative heart disease (420-422)	15,714	363.8	14,802	912	5,886	107	782	23	649	36	484	18
Other diseases of heart (430-434)	732	16.9	651	81	338	9	43	3	38	4	22	
Hypertension with heart disease (440-443)	1,854	42.9	1,572	282	636	28	108	5	86	9	56	6
Hypertension w/o mention of heart (444-447)	407	9.4	348	59	151	8	19	1	12		13	
Other diseases of circulatory system (450-468)	1,673	38.7	1,521	152	634	10	79	3	60	4	55	2
Influenza (480-483)	280	6.5	262	18	167	5	18	2	10	1	5	
Lobar pneumonia 4 weeks (490)	325	7.5	252	73	101	2	12	2	10		9	2
Bronchopneumonia 4 weeks (491)	927	21.5	774	153	240	10	33	3	37		26	2
Pneumonia, other forms 4 weeks (492-493)	388	9.0	342	46	143	8	19	1	17	3	17	7
Bronchitis (500-502)	97	2.2	88	9	35	1	5		5		4	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	52	1.2	29	23	12	5	3		2	2	1	2
Gastro Enteritis and colitis, 2 years (571.1)	46	1.1	42	4	16	1			4		3	
Cirrhosis of liver (581)	494	11.4	445	49	115	1	10	1	13	1	17	1
Other diseases of digestive system (530-587 exci. above)	1,160	26.9	1,057	103	443	11	53		38	2	42	3
Nephritis and nephrosis (590-594)	444	10.3	362	82	154	11	27	4	20	1	16	
Complications of pregnancy and puerperium (640-652; 660-689)	50	1.2	33	17	14	2	3	3	2	1		
Congenital malformations (750-759)	546	12.6	487	59	208	7	30	1	18	1	19	1
Birth injuries, asphyxia, (under 4 weeks) (760-762)	670	16.0	538	132	193	7	34	3	24		19	4
Pneumonia of newborn (under 4 weeks) (763)	79	1.8	61	18	22	3	3		4		1	
Diarrhea of newborn (under 4 weeks) (764)	13	.3	10	3	7	2	1					
Other infections of newborn (under 4 weeks) (765-768)	14	.3	12	2	6				2		1	
Other diseases of early infancy (under 4 weeks) (769-776)	692	16.0	479	213	210	9	24	2	21	6	26	3
Senility, ill defined and unknown causes (780-795)	717	16.6	605	112	286	42	34	11	22	18	21	5
All other diseases (residual)	2,033	47.1	1,803	230	776	26	100	8	73	2	63	3
Motor vehicle accidents (810-835)	1,050	24.3	962	88	516	18	46	3	34	4	32	10
All other accidents (800-802; 840-962)	1,473	34.6	1,287	206	568	17	70	13	57	5	37	3
Suicide and self-inflicted injury (970-979)	504	11.7	484	20	210	1	20		25	1	22	
Homicide (980-985)	202	4.7	110	92	39	11	6	2	3		4	3

Live births and total death rates are per 1,000 population
Stillbirth and infant death rates are per 1,000 live births

Maternal death rates are per 10,000 live births
Rates for specific causes of death are per 100,000 population

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Population 15,000 less than 25,000		Population 25,000 less than 50,000		Population 50,000 less than 75,000		Population 75,000 less than 100,000		Population 100,000 less than 500,000		Population 500,000 and over	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60												
TOTAL LIVE BIRTHS	3,965	281	4,158	144	2,028	52	1,685	67	9,171	3,113	11,955	7,387
Attended by M.D.	3,706	254	3,759	138	1,981	52	1,575	66	7,956	3,072	11,685	7,383
Attended by D.O.	255	22	399	6	47		110	1	1,211	40	264	2
Attended by midwives	4	3							2	1	1	2
Others or unspecified									2	1	5	2
TOTAL STILLBIRTHS	50	9	64	2	29	1	26	3	104	51	180	202
Attended by M.D.	43	8	61	2	29	1	23	3	87	51	169	179
Attended by D.O.	7		3				2		17		5	
Attended by midwives		1										
Others or unspecified												
TOTAL DEATHS	2,242	175	1,857	80	1,061	43	968	48	4,844	971	7,928	2,460
Under one year of age	109	16	78	6	43	4	37	5	205	120	284	341
Neonatal deaths	88	11	60	4	34		26	4	151	84	213	247
Maternal deaths	3	1	3		1		1		4		2	10
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)												
Tuberculosis, other forms (010-019)	10		14	1	4		2	1	45	14	53	20
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	3		5		2		4		8	6	22	12
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												1
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)	1						1				2	
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)					1				2			
Acute infectious encephalitis (082)									3		1	
Measles (085)												
Infectious hepatitis (092)					1				2		6	1
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	2		5		1		1		8	2	9	7
Malignant neoplasms (140-205)	377	25	313	15	177	6	155	3	803	132	1,351	394
Benign and unspecified neoplasms (210-239)	4	3	6		2		3		11	4	13	5
Diabetes mellitus (260)	38	5	30	3	6	1	6	3	62	20	172	41
Anemias (290-293)	5	1	3		2		2		6		11	2
Vascular lesions affecting central nervous system (330-334)	293	25	188	8	149	6	133	4	549	97	787	287
Nonmeningococcal meningitis (340)			2		2				6	5	17	8
Rheumatic fever (400-402)				1							4	2
Chronic rheumatic heart disease (410-416)	23		22		11		10		51	12	86	19
Arteriosclerotic and degenerative heart disease (420-422)	785	36	696	28	340	12	292	16	1,659	206	2,912	419
Other diseases of heart (430-434)	22		15	1	17	1	13		61	12	76	50
Hypertension with heart disease (440-443)	77	20	55	2	64	4	45	5	130	58	284	137
Hypertension w/o mention of heart (444-447)	17	2	17		7		12		29	12	64	35
Other diseases of circulatory system (450-468)	85	4	57	1	42	1	29	1	181	47	275	75
Influenza (480-483)	15	1	4	1	5		5		18	4	14	4
Lobar pneumonia 4 weeks (490)	5	2	7		7		2		34	8	63	56
Bronchopneumonia 4 weeks (491)	25	3	33	3	14		15		170	51	170	77
Pneumonia, other forms 4 weeks (492-493)	16	1	20		8	1	2	2	30	10	60	13
Bronchitis (500-502)	5		3	1	2		5		7	3	17	4
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1	2			1	1	1		5	2	2	9
Gastro Enteritis and colitis, 2 years (571.1)	1	1	4		2	1	1		7	1	4	
Cirrhosis of liver (581)	24	2	15	2	5	1	10	1	69	5	153	33
Other diseases of digestive system (530-587 excl. above)	44	4	40	4	22		27		135	23	193	55
Nephritis and nephrosis (590-594)	23	2	11		6	1	5		31	17	63	44
Complications of pregnancy and puerperium (640-652; 660-689)	3	1	3		1		1		4		2	10
Congenital malformations (750-759)	34	1	19	2	16	1	12		56	14	63	29
Birth injuries, asphyxia, (under 4 weeks) (760-762)	44	6	19	2	14		10	2	48	18	114	106
Pneumonia of newborn (under 4 weeks) (763)	4	1	1				3		11	3	9	11
Diarrhea of newborn (under 4 weeks) (764)							1		1			1
Other infections of newborn (under 4 weeks) (765-768)											3	2
Other diseases of early infancy (under 4 weeks) (769-776)	26	5	29	1	10		7	2	62	59	55	125
Senility, ill defined and unknown causes (780-795)	40	5	23	1	9		52	4	38	7	37	10
All other diseases (residual)	76	11	80	1	40	5	44	1	196	45	313	124
Motor vehicle accidents (810-835)	24		42	1	28		16		100	12	104	38
All other accidents (800-802; 840-962)	65	5	46	1	22	1	25	2	139	25	242	133
Suicide and self-inflicted injury (970-979)	17		25		20		9		48	9	82	9
Homicide (980-985)	8	1	4		1		7		19	26	17	48

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	*St. Louis County Undesignated		Adair		Andrew		Atchison	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960			20,105		11,062		9,213	
TOTAL LIVE BIRTHS	3,429	268	438	1	194		128	
Attended by M.D.	3,227	268	151		159		128	
Attended by D.O.	201		285	1	34			
Attended by midwives								
Others or unspecified	1		2		1			
TOTAL STILL BIRTHS	40	3			4		1	
Attended by M.D.	38	3			4		1	
Attended by D.O.	2							
Attended by midwives								
Others or unspecified								
TOTAL DEATHS	923	90	256		126		119	
Under one year of age	60	8	11		3			
Neonatal deaths	41	5	6		3			
Maternal deaths								
CAUSES OF DEATH								
Tuberculosis of respiratory system (001-008)	2	1						
Tuberculosis, other forms (010-019)		1						
Syphilis, under 1 year (020-029)								
Syphilis, age 1 year and over (020-029)	1							
Typhoid fever (040)								
Paratyphoid fever (041)								
Undulant fever (044)								
Bacillary dysentery (045)								
Amebic dysentery (046)								
Other and unspecified dysentery (047-048)	1							
Scarlet fever and streptococcal sore throat (050-051)								
Diphtheria (055)								
Whooping cough (056)								
Meningococcal infections (057)								
Tularemia (059)								
Tetanus (061)								
Acute poliomyelitis (080)								
Acute infectious encephalitis (082)								
Measles (083)								
Infectious hepatitis (092)								
Rabies (094)								
Rocky mountain spotted fever (104)								
Typhus and other rickettsial diseases (100-103; 105-108)								
Malaria (110-117)								
Other infectious and parasitic diseases (030-138, exc. above)	3		2				1	
Malignant neoplasms (140-205)	160	15	27		18		18	
Benign and unspecified neoplasms (210-239)	3	1						
Diabetes mellitus (260)	26	3	4		2		2	
Anemias (290-293)								
Vascular lesions affecting central nervous system (330-334)	96	11	30		23		21	
Nonmeningococcal meningitis (340)								
Rheumatic fever (400-402)								
Chronic rheumatic heart disease (410-416)	9		2					
Arteriosclerotic and degenerative heart disease (420-422)	317	11	93		50		38	
Other diseases of heart (430-434)	6	1	8		1		1	
Hypertension with heart disease (440-443)	31	8	4		4		9	
Hypertension w/o mention of heart (444-447)	7	1	4				3	
Other diseases of circulatory system (450-468)	24	4	13		2		3	
Influenza (480-483)	1		2		3		2	
Lobar pneumonia 4 weeks (490)	2	1	1					
Bronchopneumonia 4 weeks (491)	11	4	2		2		2	
Pneumonia, other forms 4 weeks (492-493)	10		5		1			
Bronchitis (500-502)			1					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1							
Gastro Enteritis and colitis, 2 years (571.1)			2					
Cirrhosis of liver (581)	14	1	2					
Other diseases of digestive system (530-587 excl. above)	20	1	11		2		5	
Nephritis and nephrosis (590-594)	6	2	4				1	
Complications of pregnancy and puerperium (640-652; 660-689)								
Congenital malformations (750-759)	12	2	2					
Birth injuries, asphyxia, (under 4 weeks) (760-762)	19	4	4					
Pneumonia of newborn (under 4 weeks) (763)	3							
Diarrhea of newborn (under 4 weeks) (764)								
Other infections of newborn (under 4 weeks) (765-768)								
Other diseases of early infancy (under 4 weeks) (769-776)	9	1	2		3			
Senility, ill defined and unknown causes (780-795)	43	9			1			
All other diseases (residual)	42	4	14		4		5	
Motor vehicle accidents (810-835)	20	2	4		3		2	
All other accidents (800-802; 840-962)	16	1	9		6		3	
Suicide and self-inflicted injury (970-979)	6		3				1	
Homicide (980-985)	2	1	1				1	

*The Bureau of Vital Statistics does not designate the following cities by population size:

CITIES 2,500 - 10,000

Berkeley City
Breckenridge Hills
Brentwood
Florissant City
Glendale City
Hillsdale Village
Kinloch City
Ladue City
Normandy
Pagedale City
Pinelawn City
Rock Hill City
St. Ann City
St. John's City
Shrewsbury City
Valley Park City
Wellston City

These cities are not included in the State Total figures which have been grouped by population size on the preceding pages.

Births, Stillbirths and Specified Causes of Death by Residence - 19 60

	Audrain		Barry		Barton		Bates		Benton		Bollinger	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	26,079		18,921		11,113		15,905		8,737		9,167	
TOTAL LIVE BIRTHS	521	52	352		157		257	2	117	1	134	
Attended by M.D.	381	47	268		151		215	2	59		73	
Attended by D.O.	140	5	82		5		42		56	1	61	
Attended by midwives												
Others or unspecified												
TOTAL STILLBIRTHS	7		4		3		2		1		1	
Attended by M.D.	5		3		3		2		1		1	
Attended by D.O.	2											
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	253	26	273		188		259		112		112	
Under one year of age	8	4	9				1		3		2	
Neonatal deaths	7	3	8						3		1	
Maternal deaths			2									
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1	1	3		1		1				1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)			1		1							
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103, 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1									
Malignant neoplasms (140-205)	42	3	31		34		30		18		12	
Benign and unspecified neoplasms (210-239)	1				1							
Diabetes mellitus (260)	1		5		5		3				2	
Anemias (290-293)					1		2					
Vascular lesions affecting central nervous system (330-334)	32	3	33		31		24		27		15	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	3		3		1		3		1		2	
Arteriosclerotic and degenerative heart disease (420-422)	70	3	95		56		85		35		43	
Other diseases of heart (430-434)	9		9		4		15		3		2	
Hypertension with heart disease (440-443)	20	1	16		2		15		3		5	
Hypertension w/o mention of heart (444-447)	4		3				7				2	
Other diseases of circulatory system (450-468)	10	1	8		9		7		2		1	
Influenza (480-483)			4		1		5		1		3	
Lobar pneumonia 4 weeks (490)	3		1		2		2					
Bronchopneumonia 4 weeks (491)		1	4		1		8		4			
Pneumonia, other forms 4 weeks (492-493)	1				3		2					
Bronchitis (500-502)												
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)					1							
Cirrhosis of liver (581)	4		2				1					
Other diseases of digestive system (530-587 excl. above)	7		9		5		6		4		4	
Nephritis and nephrosis (590-594)	6				4		9				2	
Complications of pregnancy and puerperium (640-652; 660-689)			2									
Congenital malformations (750-759)	1	1	4				2				1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1	1	2						1			
Pneumonia of newborn (under 4 weeks) (763)	1		1									
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)	1											
Other diseases of early infancy (under 4 weeks) (769-776)	4	1	2						2		1	
Senility, ill defined and unknown causes (780-795)	1	1			1		1				1	
All other diseases (residual)	13		14		15		12		3		3	
Motor vehicle accidents (810-835)	6	7	4		2		4		4		5	
All other accidents (800-802; 840-962)	5	1	15		4		11		2		6	
Suicide and self-inflicted injury (970-979)	5		1		3		4		2		1	
Homicide (980-985)	1	1										

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Boone		Buchanan		Butler		Caldwell		Callaway		Camden	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	55,202		90,581		34,656		8,230		23,858		9,116	
TOTAL LIVE BIRTHS	1,288	123	1,905	67	622	50	136		352	41	124	
Attended by M.D.	1,247	122	1,780	66	547	36	95		322	37	80	
Attended by D.O.	41	1	125	1	60	1	39		29	4	44	
Attended by midwives					11	6	1		1			
Others or unspecified					4	1	1					
TOTAL STILLBIRTHS	14	2	28	3	2	2	4		6	1	1	
Attended by M.D.	14	2	24	3	2	2	4		5	1	1	
Attended by D.O.			2						1			
Attended by midwives												
Others or unspecified			2									
TOTAL DEATHS	398	60	1,090	48	377	37	154		247	31	84	
Under one year of age	15	5	45	5	27	1	1		5	4	2	
Neonatal deaths	10	3	32	4	17		1		5	4	1	
Maternal deaths	1		1			1						
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	3		4	1	3		1				1	
Tuberculosis, other forms (010-019)	1											
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1		4		1							
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)			1									
Tularemia (059)												
Tetanus (061)					1							
Acute poliomyelitis (080)	1											
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1									
Malignant neoplasms (140-205)	62	8	172	3	58	1	20		38	2	13	
Benign and unspecified neoplasms (210-239)			4		1					1		
Diabetes mellitus (260)	6	2	6	3	4		1		6	2	1	
Anemias (290-293)			2		1							
Vascular lesions affecting central nervous system (330-334)	51	7	153	4	46	9	39		20	5	7	
Nonmeningococcal meningitis (340)	1											
Rheumatic fever (400-402)		1										
Chronic rheumatic heart disease (410-416)	3		11	1	2	1			2		5	
Arteriosclerotic and degenerative heart disease (420-422)	124	22	327	16	130	14	43		89	7	28	
Other diseases of heart (430-434)	5		17		7		5		4		1	
Hypertension with heart disease (440-443)	13	2	51	5	17	3	4		11	2	4	
Hypertension w/o mention of heart (444-447)	4		14		1				2			
Other diseases of circulatory system (450-468)	15	1	33	1	10		2		9		2	
Influenza (480-483)	3		5		3		2		1		3	
Lobar pneumonia 4 weeks (490)			2		4	1			1		1	
Bronchopneumonia 4 weeks (491)	9	2	16		2	1	4		4		1	
Pneumonia, other forms 4 weeks (492-493)	5	1	3	2	6		1		3	1	1	
Bronchitis (500-502)			5						2		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1		1				1			
Gastro Enteritis and colitis, 2 years (571.1)			1						1			
Cirrhosis of liver (581)	5	2	12	1	4				1		1	
Other diseases of digestive system (530-587 excl. above)	15	3	27		4	1	2		4	1	4	
Nephritis and nephrosis (590-594)	5		6		11	1	1		3		1	
Complications of pregnancy and puerperium (640-652; 660-689)	1		1			1						
Congenital malformations (750-759)	3	1	14		6	1	1		1			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	4	1	12	2	7				1	1		
Pneumonia of newborn (under 4 weeks) (763)			3		3							
Diarrhea of newborn (under 4 weeks) (764)			1							1	1	
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	4	1	11	2	5				2	2		
Senility, ill defined and unknown causes (780-795)	1		58	4	1		6		5	2		
All other diseases (residual)	22	1	47	1	11	2	7		13		3	
Motor vehicle accidents (810-835)	14		19		6		7		5	2	3	
All other accidents (800-802; 840-962)	10	5	28	2	11	1	5		7	1	3	
Suicide and self-inflicted injury (970-979)	7		11		2		2		6			
Homicide (980-985)			7		3				1	1		

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Cape Girardeau		Carroll		Carter		Cass		Cedar		Chariton	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	42,020		13,847		3,973		29,702		9,185		12,720	
TOTAL LIVE BIRTHS	810	33	246	4	78		652	8	163		204	23
Attended by M.D.	754	28	179	2	72		534	7	118		130	14
Attended by D.O.	56	4	67	2	2		117	1	45		74	9
Attended by midwives		1										
Others or unspecified					4		1					
TOTAL STILLBIRTHS	9	2	2		2		1		2		4	
Attended by M.D.	9	1	2		2		6	1	2		4	
Attended by D.O.							1					
Attended by midwives		1										
Others or unspecified												
TOTAL DEATHS	381	24	181	7	42		271	2	142		181	22
Under one year of age	20	3	8		4		8		1		6	
Neonatal deaths	13	1	5		2		5		1		5	
Maternal deaths	1											1
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	3		1						2			
Tuberculosis, other forms (010-019)			1									
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	2		1									
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)		1										
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)												
Malignant neoplasms (140-205)	50	2	22	1	5		43		20		21	6
Benign and unspecified neoplasms (210-239)		1	1						1		1	
Diabetes mellitus (260)	8	1	3				6		1		4	1
Anemias (290-293)							1					
Vascular lesions affecting central nervous system (330-334)	48	2	42		3		41		25		30	2
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	3		2		1		5					
Arteriosclerotic and degenerative heart disease (420-422)	138	7	37	3	15		84	1	64		64	5
Other diseases of heart (430-434)	6		8		2		3		3		3	1
Hypertension with heart disease (440-443)	16	2	3				2		2		4	
Hypertension w/o mention of heart (444-447)	1		1		1						1	1
Other diseases of circulatory system (450-468)	25	1	3				9		3		4	1
Influenza (480-483)			2				2					
Lobar pneumonia 4 weeks (490)	3		2									
Bronchopneumonia 4 weeks (491)	7		1		1		9		2			
Pneumonia, other forms 4 weeks (492-493)	1		3				3				3	
Bronchitis (500-502)	3		1									
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)		1									1	
Gastro Enteritis and colitis, 2 years (571.1)	1											
Cirrhosis of liver (581)											1	
Other diseases of digestive system (530-587 excl. above)	5		5		2		7	1	1		7	2
Nephritis and nephrosis (590-594)	4	1	1		1		2		2		3	
Complications of pregnancy and puerperium (640-652; 660-689)	1											1
Congenital malformations (750-759)	7		3		1		5		2		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		2				1					
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	10	1	2		2		1				3	
Senility, ill defined and unknown causes (780-795)	2		13	1	3		1		1		1	
All other diseases (residual)	14	2	8		4		16		3		10	1
Motor vehicle accidents (810-835)	5		5	1			14		5		5	
All other accidents (800-802; 840-962)	13	2	7	1	1		13		4		12	1
Suicide and self-inflicted injury (970-979)	4		1				2		1		3	
Homicide (980-985)							1				1	

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Christian		Clark		Clay		Clinton		Cole		Cooper	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	12,359		8,725		87,474		11,588		40,761		15,448	
TOTAL LIVE BIRTHS	235		166		2,183	23	189	11	823	24	277	32
Attended by M.D.	202		137		1,940	18	136	9	691	9	259	32
Attended by D.O.	33		28		243	5	53	2	132	15	17	
Attended by midwives												
Others or unspecified			1								1	
TOTAL STILLBIRTHS	2		2		27		2	1	11	2	1	3
Attended by M.D.	2				24		2	1	10	2	1	3
Attended by D.O.			2		3				1			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	159		124		553	11	178	2	355	17	182	18
Under one year of age	6		3		51	1	6	1	16	1	5	3
Neonatal deaths	5		1		38	1	5	1	13	1	3	2
Maternal deaths											1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			1		2				3		1	1
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)					1		1					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)							1				1	
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)					2							
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)					4						1	
Malignant neoplasms (140-205)	25		25		87	1	22		50	7	18	3
Benign and unspecified neoplasms (210-239)					2						2	
Diabetes mellitus (260)	2		2		6		2		6	1	1	
Anemias (290-293)					1						1	1
Vascular lesions affecting central nervous system (330-334)	33		22		67	2	24	1	47	2	19	
Nonmeningococcal meningitis (340)					2							1
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	6		2		7		2		6			
Arteriosclerotic and degenerative heart disease (420-422)	47		35		158	2	79		121	3	73	4
Other diseases of heart (430-434)	4		3		7	1	5		4		3	
Hypertension with heart disease (440-443)	3		4		14		3		11		5	1
Hypertension w/o mention of heart (444-447)	4				5		1		3		3	
Other diseases of circulatory system (450-468)	5		6		34		5		14		12	2
Influenza (480-483)	3		2		4	1			2		1	
Lobar pneumonia 4 weeks (490)			1		2				1		4	
Bronchopneumonia 4 weeks (491)	1				14				2		4	
Pneumonia, other forms 4 weeks (492-493)	2		1		6		1		7		1	1
Bronchitis (500-502)												
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1						2	
Gastro Enteritis and colitis, 2 years (571.1)										1		
Cirrhosis of liver (581)			2		2				3		1	
Other diseases of digestive system (530-587 excl. above)	1		1		11		3		9		5	
Nephritis and nephrosis (590-594)	2				3		3		1			
Complications of pregnancy and puerperium (640-652; 660-689)											1	
Congenital malformations (750-759)	1		1		18				6		1	1
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		1		15		2		5			
Pneumonia of newborn (under 4 weeks) (763)	1				4				1			
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	1				10	1	3	1	3	1	3	2
Senility, ill defined and unknown causes (780-795)			1		2		8		4	1	2	1
All other diseases (residual)	6		4		17	1	6		18		4	
Motor vehicle accidents (810-835)	5		3		18		1		11		6	
All other accidents (800-802; 840-962)	3		5		17	1	4		15	1	5	
Suicide and self-inflicted injury (970-979)	2		2		5	1	2		2		2	
Homicide (980-985)					5							

Births, Stillbirths and Specified Causes of Death by Residence - 19 60

	Crawford		Dade		Dallas		Davies		De Kalb		Dent	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	12,647		7,577		9,314		9,502		7,226		10,445	
TOTAL LIVE BIRTHS	248		112	2	122		110		120		179	
Attended by M.D.	183		106	2	114		55		70		137	
Attended by D.O.	61		5		7		55		50		32	
Attended by midwives					1						10	
Others or unspecified	4		1									
TOTAL STILLBIRTHS	3				2				2		3	
Attended by M.D.	1				2				1		3	
Attended by D.O.	2								1			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	162		95	2	114		148		85		128	
Under one year of age	7		1	1	1		3				1	
Neonatal deaths	3			1	1		3				1	
Maternal deaths											1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			1		2						1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)	1											
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)											1	
Malignant neoplasms (140-205)	32		19		14		20		9		20	
Benign and unspecified neoplasms (210-239)												
Diabetes mellitus (260)	2		2		3		3		2		1	
Anemias (290-293)									1			
Vascular lesions affecting central nervous system (330-334)	19		13	1	18		22		13		19	
Nonmeningococcal meningitis (340)					1							
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		1		2		3		1		3	
Arteriosclerotic and degenerative heart disease (420-422)	46		30		33		41		36		48	
Other diseases of heart (430-434)	4		3		1		3				2	
Hypertension with heart disease (440-443)	2		2		7		12		1		4	
Hypertension w/o mention of heart (444-447)	1		1		2				1		1	
Other diseases of circulatory system (450-468)	10		7				3		3		2	
Influenza (480-483)	1		1		4		3		1		1	
Lobar pneumonia 4 weeks (490)			1		2							
Bronchopneumonia 4 weeks (491)			2		2						3	
Pneumonia, other forms 4 weeks (492-493)	1		1								1	
Bronchitis (500-502)					1							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)					1		1				1	
Other diseases of digestive system (530-587 excl. above)	3		2		4		7		5		1	
Nephritis and nephrosis (590-594)	1						4					
Complications of pregnancy and puerperium (640-652; 660-689)											1	
Congenital malformations (750-759)					1		1					
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1										1	
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	1			1			2					
Senility, ill defined and unknown causes (780-795)	7		3		7		3		1		4	
All other diseases (residual)	8		4		4		13		5		6	
Motor vehicle accidents (810-835)	7		2		1		2		1		4	
All other accidents (800-802; 840-962)	11		1		3		3		5		3	
Suicide and self-inflicted injury (970-979)	2				1		2					
Homicide (980-985)	1		1									

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Douglas		Dunklin		Franklin		Gasconade		Gentry		Greene	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	9,653		39,139		44,566		12,195		8,793		126,276	
TOTAL LIVE BIRTHS	174		830	52	1,089	14	212		138		2,632	53
Attended by M.D.	95		765	37	1,045	14	165		84		2,566	53
Attended by D.O.	76		64	8	43		47		54		66	
Attended by midwives	1		1	6								
Others or unspecified	2		1	1	1							
TOTAL STILLBIRTHS	4		7	1	14	2	2		1		41	1
Attended by M.D.	2		6		14	2			1		40	1
Attended by D.O.	2		1				2					
Attended by midwives				1								
Others or unspecified												
TOTAL DEATHS	89		425	18	475	9	130		136		1,324	44
Under one year of age	5		24	3	18		4		4		56	4
Neonatal deaths	4		14	1	14		2		3		44	
Maternal deaths					2						1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1		6								5	
Tuberculosis, other forms (010-019)	1											
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)											2	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)			1									
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)				1								
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)	1											
Acute poliomyelitis (080)											1	
Acute infectious encephalitis (082)											1	
Measles (085)	1		1								1	
Infectious hepatitis (092)											1	
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1		1				1		2	
Malignant neoplasms (140-205)	9		50	2	73		20		22		213	6
Benign and unspecified neoplasms (210-239)	1		2		2						2	
Diabetes mellitus (260)	2		6	1	4		1		1		2	2
Anemias (290-293)			1		2						2	
Vascular lesions affecting central nervous system (330-334)	17		53	2	48		22		20		187	6
Nonmeningococcal meningitis (340)					1						2	
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		1		5	1			3		13	
Arteriosclerotic and degenerative heart disease (420-422)	20		147	4	196	5	59		42		429	12
Other diseases of heart (430-434)	3		8		4		4		2		25	1
Hypertension with heart disease (440-443)	2		19	1	23	1	2		11		81	4
Hypertension w/o mention of heart (444-447)	1		2		1				2		8	
Other diseases of circulatory system (450-468)	2		10		14		5		5		52	1
Influenza (480-483)			2		3						7	
Lobar pneumonia 4 weeks (490)	1		4		6						7	
Bronchopneumonia 4 weeks (491)	1		4	1	3		1				15	
Pneumonia, other forms 4 weeks (492-493)	3		6		4				2		11	1
Bronchitis (500-502)			2		1						2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1								1	1
Gastro Enteritis and colitis, 2 years (571.1)			1		1						2	1
Cirrhosis of liver (581)	1		5		3				1		6	1
Other diseases of digestive system (530-587 excl. above)			12	1	18				1		29	
Nephritis and nephrosis (590-594)	3		5		3	1	5		3		6	1
Complications of pregnancy and puerperium (640-652; 660-689)					2						1	
Congenital malformations (750-759)	2		4		5	1			2		20	1
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		4		4		1		1		16	
Pneumonia of newborn (under 4 weeks) (763)			1									
Diarrhea of newborn (under 4 weeks) (764)					1							
Other infections of newborn (under 4 weeks) (765-768)											1	
Other diseases of early infancy (under 4 weeks) (769-776)	2		7	1	7						12	
Senility, ill defined and unknown causes (780-795)			3		3						13	
All other diseases (residual)	4		19	1	12				7		48	5
Motor vehicle accidents (810-835)	3		14		11		1		2		34	
All other accidents (800-802; 840-962)	3		16	2	10		7		4		28	1
Suicide and self-inflicted injury (970-979)	2		5		2				4		26	
Homicide (980-985)	1		2	1	2						2	

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Grundy		Harrison		Henry		Hickory		Holt		Howard	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	12,220		11,603		19,226		4,516		7,885		10,859	
TOTAL LIVE BIRTHS	205		193		334	5	69		129		184	22
Attended by M.D.	193		130		229	3	43		114		172	20
Attended by D.O.	12		63		105	2	26		15		12	2
Attended by midwives												
Others or unspecified												
TOTAL STILLBIRTHS	4		4		4				4		2	
Attended by M.D.	3		3		3				4		2	
Attended by D.O.			1		1							
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	213	1	183		310	8	62		134	2	136	30
Under one year of age	3		3		12		1		2		3	
Neonatal deaths	3		2		10		1		2		2	
Maternal deaths	1		1									
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)												
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)												1
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)									1			
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)					1							
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1						1			
Malignant neoplasms (140-205)	32	1	28		47	2	8		20	1	16	4
Benign and unspecified neoplasms (210-239)					2							
Diabetes mellitus (260)	5		5		6				2		1	1
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	22		16		50	2	10		23	1	27	3
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)			1									
Chronic rheumatic heart disease (410-416)	1		1		1		1					
Arteriosclerotic and degenerative heart disease (420-422)	71		63		93	1	14		38		52	13
Other diseases of heart (430-434)	2				15		2		8		3	
Hypertension with heart disease (440-443)	20		24		12	1	2		1		7	
Hypertension w/o mention of heart (444-447)	1		4		1		1		3		2	
Other diseases of circulatory system (450-468)	6		7		10		3		5			1
Influenza (480-483)	3		4		4		2		1		2	
Lobar pneumonia 4 weeks (490)	8				4						1	1
Bronchopneumonia 4 weeks (491)	1						3		5		1	2
Pneumonia, other forms 4 weeks (492-493)											1	
Bronchitis (500-502)	1		1									
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	1				2	1	1				1	
Other diseases of digestive system (530-587 excl. above)	7		7		9		2		7		1	
Nephritis and nephrosis (590-594)	5		1		1				1		1	
Complications of pregnancy and puerperium (640-652; 660-689)	1		1									
Congenital malformations (750-759)			1		2				1		2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1				1				1			
Pneumonia of newborn (under 4 weeks) (763)			1									
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	2		1		7		1		1		1	
Senility, ill defined and unknown causes (780-795)	3		3		5		3		2		1	
All other diseases (residual)	5		9		15	1	1		4		8	
Motor vehicle accidents (810-835)	2				3		1		8			
All other accidents (800-802; 840-962)	2		3		3		1		1		6	3
Suicide and self-inflicted injury (970-979)	3		1		4		1				2	1
Homicide (980-985)												

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Howell		Iron		Jackson		Jasper		Jefferson		Johnson	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	22,027		8,041		6,227	732	78,863		66,377		28,981	
TOTAL LIVE BIRTHS	440	1	157	2	12,874	3,132	1,563	31	1,672	26	475	25
Attended by M.D.	386	1	140	2	11,151	3,087	1,293	28	1,576	25	403	24
Attended by D.O.	50		12		1,716	44	270	3	91	1	71	1
Attended by midwives	1		2		2				3			
Others or unspecified	3		3		5	1			3		1	
TOTAL STILLBIRTHS	3		5		176	52	18		32	1	7	
Attended by M.D.	2		3		152	52	16		31		5	
Attended by D.O.	1				24		2		1	1	2	
Attended by midwives			2									
Others or unspecified												
TOTAL DEATHS	247	1	141	2	5,933	995	1,108	25	499	15	265	5
Under one year of age	9		7		288	122	35	1	35		15	
Neonatal deaths	8		5		219	85	23		29		12	
Maternal deaths	2				5		1					
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	3				52	14	17	1	3			
Tuberculosis, other forms (010-019)					1	2						
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)			1		11	6	2					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)	1						1					
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)					2							
Acute infectious encephalitis (082)					3							
Measles (085)												
Infectious hepatitis (092)					3		1		1		1	
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103, 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)					12	2	4		4			
Malignant neoplasms (140-205)	33	1	13		954	136	181	7	72	5	46	
Benign and unspecified neoplasms (210-239)					14	4	3					
Diabetes mellitus (260)			2		81	20	14	2	6		3	
Anemia (290-293)	2		1		10				1		1	
Vascular lesions affecting central nervous system (330-334)	44		22		637	98	123	2	46		36	
Nonmeningococcal meningitis (340)			1		5	5	3		2			
Rheumatic fever (400-402)							1					
Chronic rheumatic heart disease (410-416)			1		67	13	8		3		2	
Arteriosclerotic and degenerative heart disease (420-422)	89		54	1	2075	215	415	7	185	7	88	1
Other diseases of heart (430-434)	8		2		74	13	14		6		4	
Hypertension with heart disease (440-443)	7		2		157	58	43	1	16	2	10	
Hypertension w/o mention of heart (444-447)	3				32	12	8		3			
Other diseases of circulatory system (450-468)	8		8		219	47	32	1	15		9	1
Influenza (480-483)					21	5	5		3			
Lobar pneumonia 4 weeks (490)					38	8	5		4		1	
Bronchopneumonia 4 weeks (491)			5		183	52	17		14		3	
Pneumonia, other forms 4 weeks (492-493)	1		1		37	10	11		5		3	
Bronchitis (500-502)					11	3	4	1	1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1		5	2						
Gastro Enteritis and colitis, 2 years (571.1)			1		5	1	3					
Cirrhosis of liver (581)	1				83	5	3		4		1	
Other diseases of digestive system (530-587 excl. above)	3		4		157	25	27		9		7	
Nephritis and nephrosis (590-594)					46	19	10		6	1	4	
Complications of pregnancy and puerperium (640-652; 660-689)	2				5		1					
Congenital malformations (750-759)	1		1		77	14	16	1	7		5	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3		4		70	18	4		14		1	
Pneumonia of newborn (under 4 weeks) (763)					15	3	1					
Diarrhea of newborn (under 4 weeks) (764)					3							
Other infections of newborn (under 4 weeks) (765-768)					1						1	
Other diseases of early infancy (under 4 weeks) (769-776)	5				93	60	8		9		6	
Senility, ill defined and unknown causes (780-795)	3		1		40	7	6		5		1	1
All other diseases (residual)	10		9	1	244	46	44		21		12	
Motor vehicle accidents (810-835)	6		2		139	12	20	1	17		10	1
All other accidents (800-802; 840-962)	10		4		165	25	34		11		8	
Suicide and self-inflicted injury (970-979)	4				67	9	16		5		2	
Homicide (980-985)			1		21	26	3					1

Births, Stillbirths and Specified Causes of Death by Residence - 19 60

	Knox		Laclede		Lafayette		Lawrence		Lewis		Lincoln	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	6,558		18,991		25,274		23,260		10,984		14,783	
TOTAL LIVE BIRTHS	135		377	4	440	18	382		203	20	271	8
Attended by M.D.	65		358	4	365	16	319		160	17	229	7
Attended by D.O.	69		18		75	2	63		42	3	42	1
Attended by midwives	1											
Others or unspecified												
TOTAL STILLBIRTHS	2		9		5		11		4		3	
Attended by M.D.			9		5		11		4		3	
Attended by D.O.	2										2	
Attended by midwives											1	
Others or unspecified												
TOTAL DEATHS	88		211	2	316	25	299		138	6	185	12
Under one year of age	3		10	1	9		12		4		4	
Neonatal deaths	3		6		4		11		3		4	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			3		1	1	2					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							1					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amoebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)					1						1	
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103, 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)												
Malignant neoplasms (140-205)	10		25	1	50	1	50		18	1	25	1
Benign and unspecified neoplasms (210-239)									2		1	
Diabetes mellitus (260)	1		7		7		6		1		3	1
Anemias (290-293)	1								1			
Vascular lesions affecting central nervous system (330-334)	18		25		36	7	41		26	1	34	3
Nonmeningococcal meningitis (340)			1									
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)			4		2		12					
Arteriosclerotic and degenerative heart disease (420-422)	26		47		123	6	105		42	1	62	3
Other diseases of heart (430-434)	1		11		1	1	2		4		7	
Hypertension with heart disease (440-443)	1		16		15	2	13		6		4	1
Hypertension w/o mention of heart (444-447)	1		1		2				1		3	
Other diseases of circulatory system (450-468)	7		6		8		9		6		6	
Influenza (480-483)					2		1				2	
Lobar pneumonia 4 weeks (490)			1		1		2				2	
Bronchopneumonia 4 weeks (491)			3		5		2		1		2	
Pneumonia, other forms 4 weeks (492-493)			2		1		2		1		3	
Bronchitis (500-502)			2				2				2	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)			1	1			1					
Gastro Enteritis and colitis, 2 years (571.1)					1							
Cirrhosis of liver (581)	1				3					1	1	
Other diseases of digestive system (530-587 excl. above)			5		8		6		2	1	2	
Nephritis and nephrosis (590-594)	3		5		5	2	2		4		1	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)					2		5					
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		4				2		2			
Pneumonia of newborn (under 4 weeks) (763)			1								1	
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-775)	1		2		3		4		1		3	
Senility, ill defined and unknown causes (780-795)			4		4		1				2	
All other diseases (residual)	5		16		12	2	15		9	1	10	1
Motor vehicle accidents (810-835)	4		3		8	2	1		6	1	5	2
All other accidents (800-802; 840-962)	3		12		13	1	6		3		3	
Suicide and self-inflicted injury (970-979)	4		3		2		5		2			
Homicide (980-985)												

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Linn		Livingston		Mc Donald		Macon		Madison		Maries	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	16,815		15,771		11,798		16,473		9,366		7,282	
TOTAL LIVE BIRTHS	280	2	271	1	215		263	13	171		149	
Attended by M.D.	181	2	209		144		115	12	140		59	
Attended by D.O.	99		62	1	69		148	1	31		90	
Attended by midwives					1							
Others or unspecified					1							
TOTAL STILLBIRTHS	3	1	2		5		4		4			
Attended by M.D.	1		2		4		3		4			
Attended by D.O.	2	1			1		1					
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	271	5	192	11	176		233	5	120	1	87	
Under one year of age	5		3		4		9		7		4	
Neonatal deaths	5		3		4		8		6		3	
Maternal deaths								1			1	
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	2			1					2			
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1											
Typhoid fever (080)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)									1			
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rubella (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103, 105-106)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1											
Malignant neoplasms (140-205)	41	1	23	1	16		28		13		14	
Benign and unspecified neoplasms (210-239)			1		1							
Diabetes mellitus (260)	5	1	5		1		3		1			
Anemia (290-293)							1		1			
Vascular lesions affecting central nervous system (330-334)	48	2	41	4	32		43		7	1	13	
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)					3				3			
Arteriosclerotic and degenerative heart disease (420-422)	88	1	70	3	62		81	2	35		33	
Other diseases of heart (430-434)	7		1		3		3	2	3		1	
Hypertension with heart disease (440-443)	12		4		8		11		1		4	
Hypertension w/o mention of heart (444-447)	2				5		1		1		1	
Other diseases of circulatory system (450-468)	11		6		4		4		5		3	
Influenza (480-483)			1	1	3		1		4		2	
Lobar pneumonia 4 weeks (490)	1				3				1			
Bronchopneumonia 4 weeks (491)			2				2		1			
Pneumonia, other forms 4 weeks (492-493)	2		1		2				2			
Bronchitis (500-502)							2					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	2						3				1	
Other diseases of digestive system (530-587 excl. above)	8		1		5		4		4			
Nephritis and nephrosis (590-594)	7			1	1		5		2			
Complications of pregnancy and puerperium (640-652; 660-689)								1			1	
Congenital malformations (750-759)	4				2		5		1		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		1		2		5		4		2	
Pneumonia of newborn (under 4 weeks) (763)			1		1				1			
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	1		1		1		2				1	
Senility, ill defined and unknown causes (780-795)	1		2		1		1		4		3	
All other diseases (residual)	8				4		8		7		2	
Motor vehicle accidents (810-835)	4		6		6		3		10		1	
All other accidents (800-802; 840-962)	9		14		8		14		6		2	
Suicide and self-inflicted injury (970-979)	4		2		1		3				2	
Homicide (980-985)	1				1							

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Marion		Mercer		Miller		Mississippi		Moniteau		Monroe	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	29,522		5,750		13,800		20,695		10,500		10,688	
TOTAL LIVE BIRTHS	567	35	68		299		369	177	189	1	200	15
Attended by M.D.	558	34	28		93		196	36	147	1	182	14
Attended by D.O.	9	1	40		206		169	59	41		18	1
Attended by midwives							3	82				
Others or unspecified							1		1			
TOTAL STILLBIRTHS	4	2	1		7		6	5	2		3	1
Attended by M.D.	4	2			1		3		1		3	1
Attended by D.O.			1		5		3	2	1			
Attended by midwives							3	3				
Others or unspecified												
TOTAL DEATHS	404	46	85		175		174	60	147	4	142	11
Under one year of age	15	3	1		7		18	17	2		3	
Neonatal deaths	13	3	1		7		13	10	1		3	
Maternal deaths							2					
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1		1				3	1				
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1						1					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)					1							
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)							1					
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)							1					
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1									
Malignant neoplasms (140-205)	61	7	10		21		17	5	29	1	18	
Benign and unspecified neoplasms (210-239)		2			1		1				1	
Diabetes mellitus (260)	7		1		6		1	1	1		2	
Anemia (290-293)	2											
Vascular lesions affecting central nervous system (330-334)	69	11	8		29		26	7	24	1	22	1
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	5				1		1					
Arteriosclerotic and degenerative heart disease (420-422)	132	6	45		50		44	11	45	1	50	5
Other diseases of heart (430-434)	5		1		3		2	1	10		3	
Hypertension with heart disease (440-443)	13	5	2		5		6	1	3		4	
Hypertension w/o mention of heart (444-447)	9		1		1		1	1	2		3	
Other diseases of circulatory system (450-468)	19	1	2		6		4	2	4		2	
Influenza (480-483)	1	1					2	1	2		2	
Lobar pneumonia 4 weeks (490)	2								2		1	
Bronchopneumonia 4 weeks (491)	3		1		3				1		1	
Pneumonia, other forms 4 weeks (492-493)	1	1	1		1		3		1		2	
Bronchitis (500-502)	2				1				3			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1	3				
Gastro Enteritis and colitis, 2 years (571.1)					1		1					
Cirrhosis of liver (581)	2	1					2				1	
Other diseases of digestive system (530-587 excl. above)	9	2	2		4		4	1	5		5	
Nephritis and nephrosis (590-594)	2				1		2		1	1	1	1
Complications of pregnancy and puerperium (640-652; 660-689)							2					
Congenital malformations (750-759)	5				4		2		1			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	10	2			1		10	2			1	
Pneumonia of newborn (under 4 weeks) (763)		1						1			1	
Diarrhea of newborn (under 4 weeks) (764)								1				
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	2				4		4	3			1	
Senility, ill defined and unknown causes (780-795)	6				1		8	12			1	1
All other diseases (residual)	10	6	2		14		7	3	6		8	1
Motor vehicle accidents (810-835)	9		1		7		6	2	1		2	
All other accidents (800-802; 840-962)	14		4		6		6	1	2		8	
Suicide and self-inflicted injury (970-979)	1		1		3		4		4		1	
Homicide (980-985)	1		1				1					

Births, Stillbirths and Specified Causes of Death by Residence - 19 60

	Montgomery		Morgan		New Madrid		Newton		Nodaway		Oregon	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	11,097		9,476		31,350		30,093		22,215		9,845	
TOTAL LIVE BIRTHS	210	18	141	3	641	251	600	2	401		156	
Attended by M.D.	113	11	129	3	486	91	475		383		130	
Attended by D.O.	96	7	12		149	89	125	2	18		26	
Attended by midwives					5	70						
Others or unspecified	1				1	1						
TOTAL STILLBIRTHS	2	1	2		5	6	5		5		2	
Attended by M.D.	1	1	1		5	6	5		4		2	
Attended by D.O.	1		1		3	3			1			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	164	14	117	2	216	91	267	3	288		121	
Under one year of age	3		1		18	17	11		6		3	
Neonatal deaths	2		1		10	3	7		4		2	
Maternal deaths						1						
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					4	1	4				2	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)					1							
Syphilis, age 1 year and over (020-029)				1								
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)						1					1	
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)					2							
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)						1					1	
Malignant neoplasms (140-205)	28	2	30	1	29	6	44		41		14	
Benign and unspecified neoplasms (210-239)			1						3		1	
Diabetes mellitus (260)	5		2		4	3	2		4		3	
Anemias (290-293)	1								1		1	
Vascular lesions affecting central nervous system (330-334)	23	2	17		27	12	36		52		14	
Nonmeningococcal meningitis (340)					1		1		1			
Rheumatic fever (400-402)					1							
Chronic rheumatic heart disease (410-416)			2		2	1	1		2		1	
Arteriosclerotic and degenerative heart disease (420-422)	55	7	35		56	6	84	1	100		40	
Other diseases of heart (430-434)	7		1		6	2	7		1		2	
Hypertension with heart disease (440-443)	5		5		5	3	7	1	17		10	
Hypertension w/o mention of heart (444-447)	5	2	1		2	2	2		2		1	
Other diseases of circulatory system (450-468)	6		6		5		8		4		2	
Influenza (480-483)	2				2	1	1		4		2	
Lobar pneumonia 4 weeks (490)	1				2	2	5		1		1	
Bronchopneumonia 4 weeks (491)			2		5		7		8		3	
Pneumonia, other forms 4 weeks (492-493)	1				6	2			1			
Bronchitis (500-502)			1				2					
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					1	1						
Gastro Enteritis and colitis, 2 years (571.1)			1		1	1			1		1	
Cirrhosis of liver (581)	1				1		1		2			
Other diseases of digestive system (530-587 excl. above)	5		2		5		8	1	7		3	
Nephritis and nephrosis (590-594)	1		1			2	2					
Complications of pregnancy and puerperium (640-652; 660-689)						1						
Congenital malformations (750-759)	1				3	1	1					
Birth injuries, asphyxia, (under 4 weeks) (760-762)					4	2	5		3		1	
Pneumonia of newborn (under 4 weeks) (763)			1		1							
Diarrhea of newborn (under 4 weeks) (764)					2							
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	2				3		2					
Senility, ill defined and unknown causes (780-795)			1		5	20	4		2		1	
All other diseases (residual)	7	1	2		6	5	13		11		1	
Motor vehicle accidents (810-835)	3		2		8	3	11		6		4	
All other accidents (800-802; 840-962)	4		2		13	8	9		12		4	
Suicide and self-inflicted injury (970-979)	1		2		1		2		2		2	
Homicide (980-985)					2	4						

Births, Stillbirths and Specified Causes of Death by Residence - 19 60

	Osage		Ozark		Pemisicoot		Perry		Pettis		Phelps	
	White	Non-white	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	10,867		6,744		38,095		14,642		35,120		25,396	
TOTAL LIVE BIRTHS	256		116		662	383	325		713	43	600	
Attended by M.D.	193		91		652	337	314		579	43	480	
Attended by D.O.	63		24		4		11		133		118	
Attended by midwives					1	36			1			
Others or unspecified					5	10						
TOTAL STILLBIRTHS	2		2		13	15	2		17		2	
Attended by M.D.	2				13	14	2		12		4	
Attended by D.O.			2						5			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	108		95		289	156	156		412	32	233	3
Under one year of age	2		6		19	23	6		14	2	16	
Neonatal deaths	2		5		12	7	5		11	2	10	
Maternal deaths	1					3			1			
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1				1	2			1		1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)					2						1	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)									1			
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)							1					
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)					1				1			
Malignant neoplasms (140-205)	15		16		46	16	27		50	3	23	
Benign and unspecified neoplasms (210-239)					3				7	2	4	
Diabetes mellitus (260)	2		1		3		2		1			
Anemia (290-293)	2								1			
Vascular lesions affecting central nervous system (330-334)	16		14		46	23	22		60	1	48	1
Nonmeningococcal meningitis (340)					1							
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)			1		4		6		3		1	
Arteriosclerotic and degenerative heart disease (420-422)	44		28		65	22	48		141	12	60	1
Other diseases of heart (430-434)			4		4	5			5		7	
Hypertension with heart disease (440-443)	5		2		8	9	10		18	7	3	
Hypertension w/o mention of heart (444-447)			1		1	1	1		2		1	
Other diseases of circulatory system (450-468)	3		1		6	1	5		18	1	7	
Influenza (480-483)	2		2		2	1	2		7		1	
Lobar pneumonia 4 weeks (490)	1		1		1	1			3		2	
Bronchopneumonia 4 weeks (491)			2		4	5	3		7	1	8	
Pneumonia, other forms 4 weeks (492-493)	1		2		6	5			1		4	
Bronchitis (500-502)									1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)						1	1				1	
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	1				1		2		1		5	
Other diseases of digestive system (530-587 excl. above)			4		4	1	3		8		4	
Nephritis and nephrosis (590-594)	1		2		2	1			6	1	3	
Complications of pregnancy and puerperium (640-652; 660-689)	1					3			1			
Congenital malformations (750-759)	2		1		3	2	2		6		6	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1		4		3	2	3		7	2	4	
Pneumonia of newborn (under 4 weeks) (763)					1	1			1			
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)			1		8	3	2		3		3	
Senility, ill defined and unknown causes (780-795)					21	28			1		3	
All other diseases (residual)	2		3		10	4	5		23	1	5	
Motor vehicle accidents (810-835)	1		1		13	7	3		7		10	
All other accidents (800-802; 840-962)	6		3		15	6	7		13		12	1
Suicide and self-inflicted injury (970-979)	1		1		3		1		7		5	
Homicide (980-985)					3	4			2	1		

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Pike		Platte		Polk		Pulaski		Putnam		Ralls	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	16,706		23,350		13,753		46,567		6,999		2,078	
TOTAL LIVE BIRTHS	342	42	531	7	204		482	16	115		91	7
Attended by M.D.	203	22	492	7	159		201	13	19		82	7
Attended by D.O.	138	19	39		45		280	3	96		9	
Attended by midwives												
Others or unspecified	1	1					1					
TOTAL STILLBIRTHS	5		10		2		7		2		1	2
Attended by M.D.	4		9		1		4				1	2
Attended by D.O.	1		1		1		3		2			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	204	25	183	3	186	1	163	3	114		114	3
Under one year of age	11	1	7		5		26	1	1		2	
Neonatal deaths	9	1	4		1		20	1	1		1	
Maternal deaths					1							
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)												
Tuberculosis, other forms (010-019)	1		2									
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)					1				1			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)			1									
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)												
Malignant neoplasms (140-205)	32	2	30	1	24		13	1	14		23	1
Benign and unspecified neoplasms (210-239)			1						1			
Diabetes mellitus (260)	1	2	5		4		3		4		3	
Anemias (290-293)							1					
Vascular lesions affecting central nervous system (330-334)	23	2	28		27	1	17		20		11	
Nonmeningococcal meningitis (340)	1						1		1			
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)			3		1		1				1	
Arteriosclerotic and degenerative heart disease (420-422)	62	5	56		69		72	1	36		38	
Other diseases of heart (430-434)	5				4		4		4		4	
Hypertension with heart disease (440-443)	17	3	4		6		7		2		2	1
Hypertension w/o mention of heart (444-447)	1		1		1		2		3		1	
Other diseases of circulatory system (450-468)	6	2	5	1	13		2		3		5	
Influenza (480-483)	1		4		2		1					
Lobar pneumonia 4 weeks (490)	1				2		1		2			
Bronchopneumonia 4 weeks (491)	1		3		2		3		1		4	1
Pneumonia, other forms 4 weeks (492-493)	4		3		5						1	
Bronchitis (500-502)	2						1				1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)									1			
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	1	1	1						1		1	
Other diseases of digestive system (530-587 excl. above)	6		6		2		4		3		3	
Nephritis and nephrosis (590-594)	4	2	1				1		3		1	
Complications of pregnancy and puerperium (640-652; 660-689)					1							
Congenital malformations (750-759)	4	1	5		1		8		2			
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2						4				1	
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)	1											
Other diseases of early infancy (under 4 weeks) (769-776)	2		3				12	1				
Senility, ill defined and unknown causes (780-795)			1		3		1		1		2	
All other diseases (residual)	11	2	6	1	6		12		6		7	
Motor vehicle accidents (810-835)	5	1	1		7		12		2		1	
All other accidents (800-802; 840-962)	5	2	1		2		5		2		3	
Suicide and self-inflicted injury (970-979)	5		1		3		1		1		1	
Homicide (980-985)							4					

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Randolph		Ray		Reynolds		Ripley		St. Charles		St. Clair	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	22,014		16,075		5,161		9,096		52,970		8,421	
TOTAL LIVE BIRTHS	381	26	271	4	85		168		1,735	25	117	
Attended by M.D.	274	21	269	4	75		142		1,561	15	83	
Attended by D.O.	105	4			6		24		174	9	34	
Attended by midwives	1				3		2					
Others or unspecified	1	1	2		1					1		
TOTAL STILLBIRTHS	6		5				1		16	1	1	
Attended by M.D.	5		3						16	1	1	
Attended by D.O.	1		2				1					
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	329	18	201	7	50		138		346	4	120	
Under one year of age	8	1	4				2		30		2	
Neonatal deaths	6	1	2				2		25		2	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					2		2			1		
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)				1								
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)	1											
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1		2		1					
Malignant neoplasms (140-205)	53	5	28	2	2		16		52		20	
Benign and unspecified neoplasms (210-239)	2		1									
Diabetes mellitus (260)	7		3		1		2		5		3	
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	42	4	32		8		25		45		31	
Nonmeningococcal meningitis (340)			1									
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	2		2				1		8		1	
Arteriosclerotic and degenerative heart disease (420-422)	123	3	67	1	22		57		91	1	33	
Other diseases of heart (430-434)	1		1						1		1	
Hypertension with heart disease (440-443)	15	2	1				2		8	1	4	
Hypertension w/o mention of heart (444-447)	5								3		1	
Other diseases of circulatory system (450-468)	17	1	15	2			3		11		4	
Influenza (480-483)	1				3				2		1	
Lobar pneumonia 4 weeks (490)	1				1				4		1	
Bronchopneumonia 4 weeks (491)	5		4	1	1		2		10		1	
Pneumonia, other forms 4 weeks (492-493)	1		2				1		7		1	
Bronchitis (500-502)	1								1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1					
Gastro Enteritis and colitis, 2 years (571.1)									1			
Cirrhosis of liver (581)	2	1	2				1		3			
Other diseases of digestive system (530-587 exci. above)	12		5		1		4		11		2	
Nephritis and nephrosis (590-594)	1		1				3		2		1	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	5	1	1				2		6		2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	1						1		9			
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)									1			
Other diseases of early infancy (under 4 weeks) (769-776)	3		2						11		1	
Senility, ill defined and unknown causes (780-795)	4	1			3		4		14	1	1	
All other diseases (residual)	10		17		2		3		11		4	
Motor vehicle accidents (810-835)	7		5		1		4		11		2	
All other accidents (800-802; 840-962)	4		8		1		3		14		3	
Suicide and self-inflicted injury (970-979)	2		2						4		2	
Homicide (980-985)	1											

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	St. Francois		Ste. Genevieve		St. Louis		Saline		Schuyler		Scotland	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	36,516		12,116		703,532		25,148		5,052		6,484	
TOTAL LIVE BIRTHS	703	4	310	3	15,844	559	422	25	78		118	
Attended by M.D.	588	2	287	3	15,136	557	391	25	18		66	
Attended by D.O.	111	2	23		707		30		60		52	
Attended by midwives	4				1							
Others or unspecified					3	2	1					
TOTAL STILLBIRTHS	8		4		221	6	7		2		1	
Attended by M.D.	7		4		212	6	6					
Attended by D.O.	1				8		1		2		1	
Attended by midwives					1							
Others or unspecified												
TOTAL DEATHS	415	1	103	2	4,827	201	311	24	72		94	
Under one year of age	16		7	1	270	21	14	1	2		1	
Neonatal deaths	14		6		216	14	12		2		1	
Maternal deaths					3		1					
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	3		2		20	1						
Tuberculosis, other forms (010-019)					1	1						
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)					5	1		1				
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)					1							
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)					1							
Measles (085)												
Infectious hepatitis (092)					1		1					
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)					6				2			
Malignant neoplasms (140-205)	59		11		903	32	41	6	13		10	
Benign and unspecified neoplasms (210-239)	1				12	1	1					
Diabetes mellitus (260)	13		4		106	4	1				1	
Anemias (290-293)			1		6	1	1					
Vascular lesions affecting central nervous system (330-334)	55		10		481	23	52	4	15		19	
Nonmeningococcal meningitis (340)					1		1					
Rheumatic fever (400-402)					4							
Chronic rheumatic heart disease (410-416)	2		1		58		3				1	
Arteriosclerotic and degenerative heart disease (420-422)	134		41		1639	21	114	8	22		37	
Other diseases of heart (430-434)	3		2		45	3	5		1			
Hypertension with heart disease (440-443)	16		4		143	20	14				3	
Hypertension w/o mention of heart (444-447)	2		2		41	4	2		1			
Other diseases of circulatory system (450-468)	22		6		157	8	11		4		1	
Influenza (480-483)	6		2	1	6		3	1			2	
Lobar pneumonia 4 weeks (490)	5		1		13	2	3					
Bronchopneumonia 4 weeks (491)	6		1		65	6	6	1			1	
Pneumonia, other forms 4 weeks (492-493)	2		1		36	1	3				1	
Bronchitis (500-502)	2				3	1						
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)					4	1						
Gastro Enteritis and colitis, 2 years (571.1)					3							
Cirrhosis of liver (581)	4		1		67	2	1		2		1	
Other diseases of digestive system (530-587 excl. above)	9				111	6	6	1	1		3	
Nephritis and nephrosis (590-594)	5				22	3	2		2		1	
Complications of pregnancy and puerperium (640-652; 660-689)					3		1					
Congenital malformations (750-759)	5		2		70	4	4					
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		2		101	9	5		1		1	
Pneumonia of newborn (under 4 weeks) (763)					6							
Diarrhea of newborn (under 4 weeks) (764)	1				1							
Other infections of newborn (under 4 weeks) (765-768)					2							
Other diseases of early infancy (under 4 weeks) (769-776)	7		2		61	6	3		1			
Senility, ill defined and unknown causes (780-795)	16				159	20	3		1		1	
All other diseases (residual)	13		3		209	10	12		5		7	
Motor vehicle accidents (810-835)	12	1	2	1	91	4	6	1	1		2	
All other accidents (800-802; 840-962)	7		2		101	3	2	1			1	
Suicide and self-inflicted injury (970-979)	3		1		50		4				1	
Homicide (980-985)					12	3						

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Scott		Shannon		Shelby		Stoddard		Stone		Sullivan	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	32,748		7,087		9,063		29,490		8,176		8,783	
TOTAL LIVE BIRTHS	714	115	144		152	3	553	79	151		131	
Attended by M.D.	584	38	106		82		311	12	145		47	
Attended by D.O.	126	5	30		70	3	236	41	6		84	
Attended by midwives	4	72	7				6	21				
Others or unspecified			1				5					
TOTAL STILLBIRTHS	5		3		7		3	1	1		1	
Attended by M.D.	4		3		5		2		1			
Attended by D.O.	1				2		1	1			1	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	295	54	70		157	3	276	16	72		130	
Under one year of age	14	11	3		2		15	4	3		5	
Neonatal deaths	8	3	1		1		11	3	2		4	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1		1		1		2		1			
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)		1										
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)											1	
Measles (085)												
Infectious hepatitis (092)	1											
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)					1							
Malignant neoplasms (140-205)	48	2	7		25	1	45	2	11		20	
Benign and unspecified neoplasms (210-239)							1	1				
Diabetes mellitus (260)	3	2	4		6		7		1			
Anemias (290-293)					1							
Vascular lesions affecting central nervous system (330-334)	43	9	10		30	2	45	2	8		18	
Nonmeningococcal meningitis (340)			1									
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	4		1		3						1	
Arteriosclerotic and degenerative heart disease (420-422)	92	9	28		32		75	3	20		40	
Other diseases of heart (430-434)	1		1		4		7	1	3		1	
Hypertension with heart disease (440-443)	12	2	1		11		4	1	2		3	
Hypertension w/o mention of heart (444-447)	2				7		1		2		2	
Other diseases of circulatory system (450-468)	8		2		8		10		3		5	
Influenza (480-483)	6		1		2		1	1	2		2	
Lobar pneumonia 4 weeks (490)	3	2	2		2				1		1	
Bronchopneumonia 4 weeks (491)	4	2	1		1		1		2		3	
Pneumonia, other forms 4 weeks (492-493)	3	8					3					
Bronchitis (500-502)	1						1		1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)		3					1					
Gastro Enteritis and colitis, 2 years (571.1)												
Cirrhosis of liver (581)	2		1		5		5		1		2	
Other diseases of digestive system (530-587 exci. above)	8	2			5		8		4		2	
Nephritis and nephrosis (590-594)					2		2		1		2	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	6		2				3				2	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2	3					5	1	2		1	
Pneumonia of newborn (under 4 weeks) (763)							2					
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	4						3	1			1	
Senility, ill defined and unknown causes (780-795)	3		2		2		16	1			4	
All other diseases (residual)	16	3	1		9		12	2	4		4	
Motor vehicle accidents (810-835)	7	1	2		1		7		1		3	
All other accidents (800-802; 840-962)	7	3			3		7		2		5	
Suicide and self-inflicted injury (970-979)	5						2				5	
Homicide (980-985)	1	2	1								2	

Births, Stillbirths and Specified Causes of Death by Residence - 19 60

	Taney		Texas		Vernon		Warren		Washington		Wayne	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	10,238		17,758		20,540		8,750		14,346		8,638	
TOTAL LIVE BIRTHS	181		351		280		142	9	347	5	140	
Attended by M.D.	156		271		270		105	5	200	2	109	
Attended by D.O.	25		78		10		37	4	93	1	26	
Attended by midwives			2						44	2	3	
Others or unspecified									10		2	
TOTAL STILLBIRTHS	4		6		3		5		3		1	
Attended by M.D.	2		5		3		4		1		1	
Attended by D.O.	2		1				1		1			
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	87		236		277		92	3	164	1	107	
Under one year of age	4		7		8		6	1	7		2	
Neonatal deaths	4		4		4		2	1	3		2	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)					1				3			
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)			1									
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amoebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)							1					
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)					1						1	
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							1					
Malignant neoplasms (140-205)	14		22		36		17	1	19		12	
Benign and unspecified neoplasms (210-239)					1		1					
Diabetes mellitus (260)	3		3		5		4				2	
Anemias (290-293)									1			
Vascular lesions affecting central nervous system (330-334)	12		31		34		8		24		24	
Nonmeningococcal meningitis (340)					1							
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	2		1				1		1			
Arteriosclerotic and degenerative heart disease (420-422)	31		81		93		30		50	1	36	
Other diseases of heart (430-434)			4		4		1		2		1	
Hypertension with heart disease (440-443)	1		12		24		6		7		2	
Hypertension w/o mention of heart (444-447)			3		3			1				
Other diseases of circulatory system (450-468)	5		6		9		4		6		5	
Influenza (480-483)			1		6				7			
Lobar pneumonia 4 weeks (490)	1		4		1				1		2	
Bronchopneumonia 4 weeks (491)			3		6		1		5		1	
Pneumonia, other forms 4 weeks (492-493)			2		6		1		1			
Bronchitis (500-502)					1							
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)							1		1			
Gastro Enteritis and colitis, 2 years (571.1)			1						1			
Cirrhosis of liver (581)	1		1		1							
Other diseases of digestive system (530-587 excl. above)	1		5		5				4		1	
Nephritis and nephrosis (590-594)			1		2		1		1			
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)			2				2		2		1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2		4		1		1		1		2	
Pneumonia of newborn (under 4 weeks) (763)								1				
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	2				4				2			
Senility, ill defined and unknown causes (780-795)	1		4		5				4		4	
All other diseases (residual)	3		7		7		6		8		2	
Motor vehicle accidents (810-835)	5		17		3		1		5		5	
All other accidents (800-802; 840-962)			8		14				7		5	
Suicide and self-inflicted injury (970-979)	3		1		2		3		1		1	
Homicide (980-985)			2		1							

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Webster		Worth		Wright				St. Louis City		
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	Total	White	Nonwhite
Total Estimated Population, July 1, 19 60	13,753		3,936		14,183				750,026		
TOTAL LIVE BIRTHS	293		56		281	3			19,342	11,955	7,387
Attended by M.D.	214		48		174	1			19,068	11,685	7,383
Attended by D.O.	79		8		105	2			264	264	
Attended by midwives					1				3	1	2
Others or unspecified					1				7	5	2
TOTAL STILLBIRTHS	2		4		5				382	180	202
Attended by M.D.			3		5				348	167	179
Attended by D.O.	2				3				5	5	
Attended by midwives											
Others or unspecified											
TOTAL DEATHS	163		60		181	2			29	6	23
Under one year of age	5		2		6	2			10,388	7,928	2,460
Neonatal deaths	3		2		3				625	284	341
Maternal deaths					1				460	213	247
CAUSES OF DEATH									12	2	10
Tuberculosis of respiratory system (001-008)	3								73	53	20
Tuberculosis, other forms (010-019)									7	3	4
Syphilis, under 1 year (020-029)											
Syphilis, age 1 year and over (020-029)									34	22	12
Typhoid fever (040)											
Paratyphoid fever (041)											
Undulant fever (044)											
Bacillary dysentery (045)									1		1
Amebic dysentery (046)											
Other and unspecified dysentery (047-048)											
Scarlet fever and streptococcal sore throat (050-051)											
Diphtheria (055)											
Whooping cough (056)											
Meningococcal infections (057)									2	2	
Tularemia (059)											
Tetanus (061)											
Acute poliomyelitis (080)											
Acute infectious encephalitis (082)									1	1	
Measles (085)											
Infectious hepatitis (092)									7	6	1
Rabies (094)											
Rocky mountain spotted fever (104)											
Typhus and other rickettsial diseases (100-103; 105-108)											
Malaria (110-117)											
Other infectious and parasitic diseases (030-138, exc. above)	2								16	9	7
Malignant neoplasms (140-205)	22		7		28				1745	1351	394
Benign and unspecified neoplasms (210-239)					1				18	13	5
Diabetes mellitus (260)	1				2				213	172	41
Anemias (290-293)									13	11	2
Vascular lesions affecting central nervous system (330-334)	28		14		32				1074	787	287
Nonmeningococcal meningitis (340)									25	17	8
Rheumatic fever (400-402)									6	4	2
Chronic rheumatic heart disease (410-416)	1				1				105	86	19
Arteriosclerotic and degenerative heart disease (420-422)	46		18		49				3331	2912	419
Other diseases of heart (430-434)	3				6				126	76	50
Hypertension with heart disease (440-443)	14				6	2			431	284	137
Hypertension w/o mention of heart (444-447)	1				2				99	64	35
Other diseases of circulatory system (450-468)	11		4		9				350	275	75
Influenza (480-483)	1		5		4				18	14	4
Lobar pneumonia 4 weeks (490)	1				1				119	63	56
Bronchopneumonia 4 weeks (491)					5				247	170	77
Pneumonia, other forms 4 weeks (492-493)	1				2				73	60	13
Bronchitis (500-502)	1								21	17	4
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)									11	2	9
Gastro Enteritis and colitis, 2 years (571.1)									4	4	
Cirrhosis of liver (581)									186	153	33
Other diseases of digestive system (530-587 excl. above)	6				5				248	193	55
Nephritis and nephrosis (590-594)	1		1		1				107	63	44
Complications of pregnancy and puerperium (640-652; 660-689)					1				12	2	10
Congenital malformations (750-759)									92	63	29
Birth injuries, asphyxia, (under 4 weeks) (760-762)	2				1				220	114	106
Pneumonia of newborn (under 4 weeks) (763)			1						20	9	11
Diarrhea of newborn (under 4 weeks) (764)									1		1
Other infections of newborn (under 4 weeks) (765-768)									5	3	2
Other diseases of early infancy (under 4 weeks) (769-776)	2		1		3				180	55	125
Sentlity, ill defined and unknown causes (780-795)	1				3				47	37	10
All other diseases (residual)	5		3		7				437	313	124
Motor vehicle accidents (810-835)			1		5				142	104	38
All other accidents (800-802; 840-962)	4		3		5				375	242	133
Suicide and self-inflicted injury (970-979)	3		1		1				91	82	9
Homicide (980-985)	1				1				65	17	48

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Cape Girardeau		Carthage		Clayton		Columbia		Ferguson		Fulton	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	24,947		11,264		15,245		36,650		22,149		11,131	
TOTAL LIVE BIRTHS	502	28	226	6	220	2	832	99	490	3	113	29
Attended by M.D.	477	23	221	6	220	2	826	99	450	3	109	28
Attended by D.O.	25	4	5				6		40		4	1
Attended by midwives		1										
Others or unspecified												
TOTAL STILLBIRTHS	5	2	4		1		6	2	8		3	1
Attended by M.D.	5	1	4		1		6	2	7		3	1
Attended by D.O.									1			
Attended by midwives		1										
Others or unspecified												
TOTAL DEATHS	218	19	190	6	151	3	192	43	134		95	23
Under one year of age	17	2	7		5		7	3	9		1	3
Neonatal deaths	11	1	5		5		3	3	9		1	3
Maternal deaths	1						1					
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	2		4		1		3					
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	2											
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)			1									
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)												
Malignant neoplasms (140-205)	33	2	33	3	28	1	34	7	31		14	2
Benign and unspecified neoplasms (210-239)		1							1			1
Diabetes mellitus (260)	5	1	2		2		4	1	1		2	2
Anemias (290-293)												
Vascular lesions affecting central nervous system (330-334)	28	1	23		20		27	5	13		10	4
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)								1				
Chronic rheumatic heart disease (410-416)	2		2		1							
Arteriosclerotic and degenerative heart disease (420-422)	73	5	63	2	57		61	16	50		35	4
Other diseases of heart (430-434)	5		4		1		3		1		2	
Hypertension with heart disease (440-443)	10	2	6		4		3	1	6		4	1
Hypertension w/o mention of heart (444-447)			2		5		1		1			
Other diseases of circulatory system (450-468)	11		9		2		2		1		5	
Influenza (480-483)							1		1			
Lobar pneumonia 4 weeks (490)	1		1			1					1	
Bronchopneumonia 4 weeks (491)	5		1		2		7	2	1		3	
Pneumonia, other forms 4 weeks (492-493)	1						3		1		1	1
Bronchitis (500-502)	1		1									
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)		1										
Gastro Enteritis and colitis, 2 years (571.1)	1		1								1	
Cirrhosis of liver (581)					4		2	2	1			
Other diseases of digestive system (530-587 excl. above)	2		6		5		8	3	2		1	1
Nephritis and nephrosis (590-594)	2	1	4		1		1				3	
Complications of pregnancy and puerperium (640-652; 660-689)	1						1					
Congenital malformations (750-759)	3		5		5		1	1	2			
Birth injuries, asphyxia, (under 4 weeks) (760-762)							1	1	4			1
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	10	1	2		2		1	1	1		1	2
Senility, ill defined and unknown causes (780-795)	2		1		3		4		1		2	2
All other diseases (residual)	6	2	3	1	2		4	1	8		7	
Motor vehicle accidents (810-835)	4		4		2		8		2		1	2
All other accidents (800-802; 840-962)	8	2	9		3	1	7	1	2		2	
Suicide and self-inflicted injury (970-979)			4		1		3		2			
Homicide (980-985)			2						1			

Births, Stillbirths and Specified Causes of Death by Residence - 19 60

	Hannibal		Independence		Jefferson City		Jennings		Joplin		White	Nonwhite
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	20,028		62,328		28,228		19,965		38,958			
TOTAL LIVE BIRTHS	383	27	1,840	20	514	23	300		808	24		
Attended by M.D.	377	26	1,593	16	435	8	273		682	22		
Attended by D.O.	6	1	247	4	79	15	27		126	2		
Attended by midwives												
Others or unspecified												
TOTAL STILLBIRTHS	3	2	34		7	2	3	1	11			
Attended by M.D.	3	2	31		6	2	1	1	11			
Attended by D.O.			3		1		2					
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	298	41	559	15	259	17	174		563	19		
Under one year of age	13	3	43	1	12	1	6		16	1		
Neonatal deaths	12	3	35		10	1	5		12			
Maternal deaths			1				1		1			
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1		3		1		1		6	1		
Tuberculosis, other forms (010-019)			1									
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	1		2						2			
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)			1				1		3			
Malignant neoplasms (140-205)	41	5	78	4	41	7	54		88	4		
Benign and unspecified neoplasms (210-239)		2	2						3			
Diabetes mellitus (260)	6		8		4	1	5		6	2		
Anemias (290-293)	2		3									
Vascular lesions affecting central nervous system (330-334)	50	11	50	1	42	2	11		59	2		
Nonmeningococcal meningitis (340)									2			
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	5		10		4		1		5			
Arteriosclerotic and degenerative heart disease (420-422)	103	6	207	7	85	3	51		220	5		
Other diseases of heart (430-434)	4		5	1	3		2		4			
Hypertension with heart disease (440-443)	8	4	15		7		7		22	1		
Hypertension w/o mention of heart (444-447)	5		2		1		1		5			
Other diseases of circulatory system (450-468)	16		21		10		5		12	1		
Influenza (480-483)	1	1	1	1	2		1		2			
Lobar pneumonia 4 weeks (490)	1								5			
Bronchopneumonia 4 weeks (491)	2		8	1	2		1		11			
Pneumonia, other forms 4 weeks (492-493)	1	1	4		4				9			
Bronchitis (500-502)	2		3				1			1		
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)												
Gastro Enteritis and colitis, 2 years (571.1)			1			1			1			
Cirrhosis of liver (581)	2	1	6		3		2		1			
Other diseases of digestive system (530-587 excl. above)	8	2	9		4		2		11			
Nephritis and nephrosis (590-594)	1		5		1		2		5			
Complications of pregnancy and puerperium (640-652; 660-689)			1				1		1			
Congenital malformations (750-759)	4		10		4		1		5	1		
Birth injuries, asphyxia, (under 4 weeks) (760-762)	9	2	9		4		3		4			
Pneumonia of newborn (under 4 weeks) (763)		1	1		1		1					
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	2		19		2	1	1		5			
Senility, ill defined and unknown causes (780-795)	1		1		4	1	11		3			
All other diseases (residual)	7	5	28		16		1		26			
Motor vehicle accidents (810-835)	3		14		3				13	1		
All other accidents (800-802; 840-962)	11		15		10	1	3		17			
Suicide and self-inflicted injury (970-979)			13		1		3		7			
Homicide (980-985)	1		3				1					

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Kansas City			Kansas City Jackson County		Kansas City Clay County					
	Total	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 1960	475,539			440,371		35,168					
TOTAL LIVE BIRTHS	12,284	9,171	3,113	8,014	3,112	1,157	1				
Attended by M.D.	11,028	7,956	3,072	6,912	3,071	1,044	1				
Attended by D.O.	1,251	1,211	40	1,098	40	113					
Attended by midwives	2	2	1	2	1						
Others or unspecified	3	2	1	2	1						
TOTAL STILLBIRTHS	155	104	51	93	51	11					
Attended by M.D.	138	87	51	77	51	10					
Attended by D.O.	17	17		16		1					
Attended by midwives											
Others or unspecified											
TOTAL DEATHS	5,815	4,844	971	4,712	970	132	1				
Under one year of age	325	205	120	189	120	16					
Neonatal deaths	235	151	84	138	84	13					
Maternal deaths	4	4		4							
CAUSES OF DEATH											
Tuberculosis of respiratory system (001-008)	59	45	14	45	14						
Tuberculosis, other forms (010-019)	2		2		2						
Syphilis, under 1 year (020-029)											
Syphilis, age 1 year and over (020-029)	14	8	6	8	6						
Typhoid fever (040)											
Paratyphoid fever (041)											
Undulant fever (044)											
Bacillary dysentery (045)											
Amebic dysentery (046)											
Other and unspecified dysentery (047-048)											
Scarlet fever and streptococcal sore throat (050-051)											
Diphtheria (055)											
Whooping cough (056)											
Meningococcal infections (057)											
Typhoid fever (059)											
Tetanus (061)											
Acute poliomyelitis (080)	2	2		2							
Acute infectious encephalitis (082)	3	3		3							
Measles (085)											
Infectious hepatitis (092)	2	2		2							
Rabies (094)											
Rocky mountain spotted fever (104)											
Typhus and other rickettsial diseases (100-103, 105-108)											
Malaria (110-117)											
Other infectious and parasitic diseases (030-138, exc. above)	10	8	2	8	2						
Malignant neoplasms (140-205)	935	803	132	778	132	25					
Benign and unspecified neoplasms (210-239)	15	11	4	11	4						
Diabetes mellitus (260)	82	62	20	61	20	1					
Anemia (290-293)	6	6		6							
Vascular lesions affecting central nervous system (330-334)	646	549	97	538	96	11	1				
Nonmeningococcal meningitis (340)	11	6	5	5	5	1					
Rheumatic fever (400-402)											
Chronic rheumatic heart disease (410-416)	63	51	12	49	12	2					
Arteriosclerotic and degenerative heart disease (420-422)	1865	1659	206	1619	206	40					
Other diseases of heart (430-434)	73	61	12	61	12						
Hypertension with heart disease (440-443)	188	130	58	126	58	4					
Hypertension w/o mention of heart (444-447)	41	29	12	28	12	1					
Other diseases of circulatory system (450-468)	228	181	47	177	47	4					
Influenza (480-483)	22	18	4	18	4						
Lobar pneumonia 4 weeks (490)	42	34	8	33	8	1					
Bronchopneumonia 4 weeks (491)	221	170	51	166	51	4					
Pneumonia, other forms 4 weeks (492-493)	40	30	10	30	10						
Bronchitis (500-502)	10	7	3	7	3						
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	7	5	2	5	2						
Gastro Enteritis and colitis, 2 years (571.1)	8	7	1	7	1						
Cirrhosis of liver (581)	74	69	5	68	5	1					
Other diseases of digestive system (530-587 excl. above)	158	135	23	133	23	2					
Nephritis and nephrosis (590-594)	48	31	17	30	17	1					
Complications of pregnancy and puerperium (640-652; 660-689)	4	4		4							
Congenital malformations (750-759)	70	56	14	50	14	6					
Birth injuries, asphyxia, (under 4 weeks) (760-762)	66	48	18	41	18	7					
Pneumonia of newborn (under 4 weeks) (763)	14	11	3	11	3						
Diarrhea of newborn (under 4 weeks) (764)	1	1		1							
Other infections of newborn (under 4 weeks) (765-768)											
Other diseases of early infancy (under 4 weeks) (769-776)	121	62	59	59	59	3					
Senility, ill defined and unknown causes (780-795)	45	38	7	37	7	1					
All other diseases (residual)	241	196	45	192	45	4					
Motor vehicle accidents (810-835)	112	100	12	96	12	4					
All other accidents (800-802; 840-962)	164	139	25	131	25	8					
Suicide and self-inflicted injury (970-979)	57	48	9	48	9						
Homicide (980-985)	45	19	26	18	26	1					

Births, Stillbirths and Specified Causes of Death by Residence - 19 60

	Kirksville		Kirkwood		Maplewood		Mexico		Moberly		Overland	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	13,123		29,421		12,552		12,889		13,170		22,763	
TOTAL LIVE BIRTHS	317	1	545	64	252	3	250	40	237	16	709	3
Attended by M.D.	106		537	64	249	3	204	37	177	14	635	3
Attended by D.O.	211	1	8		3		46	3	58	1	73	
Attended by midwives									1		1	
Others or unspecified									1	1		
TOTAL STILLBIRTHS			13	1	7		3		5		7	
Attended by M.D.			13	1	7		2		5		6	
Attended by D.O.							1				1	
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	174		229	19	135		120	20	198	16	169	2
Under one year of age	8		13	2	5		3	3	5	1	6	
Neonatal deaths	5		12	2	5		3	3	4	1	4	
Maternal deaths												
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)			1		1							
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)											2	
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)									1			
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1										1	
Malignant neoplasms (140-205)	16		41	2	19		21	3	35	4	37	
Benign and unspecified neoplasms (210-239)			1						1			
Diabetes mellitus (260)	2		3	1	4		1		3		6	
Anemias (290-293)			2	1							1	
Vascular lesions affecting central nervous system (330-334)	23		32	2	10		16	2	28	3	17	1
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)											1	
Chronic rheumatic heart disease (410-416)	1		3		4		1				3	
Arteriosclerotic and degenerative heart disease (420-422)	69		76	1	49		29	1	68	3	45	1
Other diseases of heart (430-434)	3		1				7				5	
Hypertension with heart disease (440-443)	3		7	4	7		6	1	10	2	4	
Hypertension w/o mention of heart (444-447)	2		2	1			2		3		2	
Other diseases of circulatory system (450-468)	8		5	1	6		5	1	11	1	5	
Influenza (480-483)	1		1						1			
Lobar pneumonia 4 weeks (490)	1		1				3					
Bronchopneumonia 4 weeks (491)	5		4		3				3		3	
Pneumonia, other forms 4 weeks (492-493)	3		2		1		1		1		1	
Bronchitis (500-502)	1								1			
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)											1	
Gastro Enteritis and colitis, 2 years (571.1)	1											
Cirrhosis of liver (581)	2		3		3		4		2	1	3	
Other diseases of digestive system (530-587 excl. above)	7		6	1	4		3		7		5	
Nephritis and nephrosis (590-594)	2		2				3		1		1	
Complications of pregnancy and puerperium (640-652; 660-689)												
Congenital malformations (750-759)	1		1						2	1	1	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	3		11	1	2		1	1	1		1	
Pneumonia of newborn (under 4 weeks) (763)							1					
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)							1					
Other diseases of early infancy (under 4 weeks) (769-776)	2		1	1	3			1	2		3	
Senility, ill defined and unknown causes (780-795)			6	2	6			1	2	1	4	
All other diseases (residual)	9		3	1	7		8		4		6	
Motor vehicle accidents (810-835)	3		5		2		3	7	5		5	
All other accidents (800-802; 840-962)	6		2		3		2	1	3		2	
Suicide and self-inflicted injury (970-979)	2		5		1		2		2		4	
Homicide (980-985)			2					1	1			

Births, Stillbirths and Specified Causes of Death by Residence - 19 60.

	Poplar Bluff		Richmond Heights		St. Charles		St. Joseph		Sedalia		Sikeston	
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	15,926		15,622		21,189		79,673		23,874		13,765	
TOTAL LIVE BIRTHS	313	27	302	24	844	11	1,685	67	509	43	290	58
Attended by M.D.	294	21	301	24	818	11	1,575	66	418	43	256	21
Attended by midwives	15	2	1		26		110	1	91		33	
Others or unspecified	4	4									1	37
TOTAL STILLBIRTHS	1	1	3		7	1	26	3	10		3	
Attended by M.D.	1	1	3		7	1	23	3	6		3	
Attended by D.O.							2		4			
Attended by midwives												
Others or unspecified							1					
TOTAL DEATHS	217	20	144	13	186	2	968	48	304	30	112	41
Under one year of age	16	1	9	4	21		37	5	13	2	8	7
Neonatal deaths	11		8	1	17		26	4	11	2	5	2
Maternal deaths		1					1		1			
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	1					1	2	1	1		1	
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)							4					
Typhoid fever (040)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)							1		1			
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)												
Acute infectious encephalitis (082)												
Measles (085)												
Infectious hepatitis (092)												
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)							1		1			
Malignant neoplasms (140-205)	34	1	27		33		155	3	34	3	19	1
Benign and unspecified neoplasms (210-239)	1						3					
Diabetes mellitus (260)	2		1		1		6	3	4	2	1	2
Anemias (290-293)							2		1			
Vascular lesions affecting central nervous system (330-334)	29	5	12	2	26		133	4	43	1	15	6
Nonmeningococcal meningitis (340)												
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	1		4		5		10	1	2		4	
Arteriosclerotic and degenerative heart disease (420-422)	68	6	60	1	42		292	16	105	11	34	7
Other diseases of heart (430-434)	4						13		1			
Hypertension with heart disease (440-443)	13	2	4	1	8		45	5	13	6	2	2
Hypertension w/o mention of heart (444-447)	1		1	1	1		12		1			
Other diseases of circulatory system (450-468)	6		4	2	4		29	1	16	1	1	
Influenza (480-483)	2		1		1		5		7		1	
Lobar pneumonia 4 weeks (490)	1	1			2		2		1		1	2
Bronchopneumonia 4 weeks (491)		1	1		7		15		6	1	3	2
Pneumonia, other forms 4 weeks (492-493)	1		2		6		2	2	1		2	6
Bronchitis (500-502)							5		1		1	
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1			1			1					2
Gastro Enteritis and colitis, 2 years (571.1)							1					
Cirrhosis of liver (581)	3		2		1		10	1	4		1	
Other diseases of digestive system (530-587 excl. above)	5	1	3		5		27		5		2	2
Nephritis and nephrosis (590-594)	9				2		5		5	1		
Complications of pregnancy and puerperium (640-652; 660-689)		1					1		1			
Congenital malformations (750-759)	6	1	4		4		12		4		4	
Birth injuries, asphyxia, (under 4 weeks) (760-762)	5		3	1	6		10	2	7	2	1	2
Pneumonia of newborn (under 4 weeks) (763)	1						3		1			
Diarrhea of newborn (under 4 weeks) (764)							1					
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	3		2	1	9		7	2	3		3	
Senility, ill defined and unknown causes (780-795)	1		5	1	4	1	52	4	1		1	
All other diseases (residual)	7	1	4	1	6		44	1	16	1	5	2
Motor vehicle accidents (810-835)	3		1		5		16		3		5	1
All other accidents (800-802; 840-962)	7		3	1	6		25	2	12		2	2
Suicide and self-inflicted injury (970-979)					2		9		5		3	
Homicide (980-985)	2						7		2	1		2

Births, Stillbirths and Specified Causes of Death by Residence - 1960

	Springfield		University City		Webster Groves							
	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
Total Estimated Population, July 1, 19 60	95,865		51,249		28,990							
TOTAL LIVE BIRTHS	2,028	52	678	1	377	43						
Attended by M.D.	1,981	52	658	1	374	43						
Attended by D.O.	47		20		3							
Attended by midwives												
Others or unspecified												
TOTAL STILLBIRTHS	29	1	13		4							
Attended by M.D.	29	1	13		4							
Attended by D.O.												
Attended by midwives												
Others or unspecified												
TOTAL DEATHS	1,061	43	543	3	248	13						
Under one year of age	43	4	12	1	5	1						
Neonatal deaths	34		10	1	3	1						
Maternal deaths	1											
CAUSES OF DEATH												
Tuberculosis of respiratory system (001-008)	4		2		1							
Tuberculosis, other forms (010-019)												
Syphilis, under 1 year (020-029)												
Syphilis, age 1 year and over (020-029)	2		1									
Typhoid fever (080)												
Paratyphoid fever (041)												
Undulant fever (044)												
Bacillary dysentery (045)												
Amebic dysentery (046)												
Other and unspecified dysentery (047-048)												
Scarlet fever and streptococcal sore throat (050-051)												
Diphtheria (055)												
Whooping cough (056)												
Meningococcal infections (057)												
Tularemia (059)												
Tetanus (061)												
Acute poliomyelitis (080)	1											
Acute infectious encephalitis (082)												
Mumps (085)												
Infectious hepatitis (092)	1											
Rabies (094)												
Rocky mountain spotted fever (104)												
Typhus and other rickettsial diseases (100-103; 105-108)												
Malaria (110-117)												
Other infectious and parasitic diseases (030-138, exc. above)	1		1									
Malignant neoplasms (140-205)	177	6	113		44	4						
Benign and unspecified neoplasms (210-239)	2		1		2							
Diabetes mellitus (260)	6	1	12		6							
Anemias (290-293)	2											
Vascular lesions affecting central nervous system (330-334)	149	6	52		26	1						
Nonmeningococcal meningitis (340)	2											
Rheumatic fever (400-402)												
Chronic rheumatic heart disease (410-416)	11		7									
Arteriosclerotic and degenerative heart disease (420-422)	340	12	208		107	3						
Other diseases of heart (430-434)	17	1	3		1							
Hypertension with heart disease (440-443)	64	4	15		4	1						
Hypertension w/o mention of heart (444-447)	7		9									
Other diseases of circulatory system (450-458)	42	1	22		10							
Influenza (480-483)	5											
Lobar pneumonia 4 weeks (490)	7		2									
Bronchopneumonia 4 weeks (491)	14		7		2	1						
Pneumonia, other forms 4 weeks (492-493)	8	1	4		4							
Bronchitis (500-502)	2											
Gastro Enteritis and colitis, 4 weeks - 2 years (571.0)	1	1										
Gastro Enteritis and colitis, 2 years (571.1)	2	1	2									
Cirrhosis of liver (581)	5	1	6		4	1						
Other diseases of digestive system (530-587 excl. above)	22		12	1	5							
Nephritis and nephrosis (590-594)	6	1										
Complications of pregnancy and puerperium (640-652; 660-689)	1											
Congenital malformations (750-759)	16	1	3		2							
Birth injuries, asphyxia, (under 4 weeks) (760-762)	14		5	1	2							
Pneumonia of newborn (under 4 weeks) (763)												
Diarrhea of newborn (under 4 weeks) (764)												
Other infections of newborn (under 4 weeks) (765-768)												
Other diseases of early infancy (under 4 weeks) (769-776)	10		4			1						
Senility, ill defined and unknown causes (780-795)	9		18	1	6	1						
All other diseases (residual)	40	5	17		14							
Motor vehicle accidents (810-835)	28		7									
All other accidents (800-802; 840-962)	22	1	7		6							
Suicide and self-inflicted injury (970-979)	20		2		2							
Homicide (980-985)	1		1									

FORM NO.
VS 800

FEDERAL SECURITY AGENCY
NATIONAL OFFICE OF VITAL STATISTICS

MISSOURI DIVISION OF HEALTH CERTIFICATE OF DIVORCE

Case No. _____

County _____

HUSBAND

1. FULL NAME _____
2. RESIDENCE: CITY _____

Physician or Hospital Record
Send Certificate to Proper Local Registrar within 3 days.
Use only BLACK ink or ribbon on certificate;
colors frequently fade.

1. PLACE OF BIRTH:
a) County _____
b) City or Town _____
c) Name of Hospital (if not, give _____)

2. RESIDENCE OF MOTHER 6 mon
a) State _____
b) County _____
c) City or Town _____
d) Resided inside? Yes _____
e) On a farm? Yes _____
f) Street Address or RFD _____

3. FULL NAME OF CHILD (Give exact)
a) _____
b) _____
c) _____

4. Sex _____
5a. Order of birth if multiple: 1st _____
5b. Order of birth if multiple: 2nd _____
6. DATE OF BIRTH (Complete item 7 only if to child's father)

7. Full name _____
8. Color or Race _____
9. Age at time of this birth _____
10. Birthplace _____
11a. Usual Occupation _____
11b. Kind of Business _____

12. Full Maiden Name _____
13. Color or Race _____
14. Age at time of this birth _____
15. Birthplace _____
16. Previous children:
a) Born alive, now living _____
b) Born alive, now dead _____
c) Stillborn, any gestation _____

22. Causes:
1) Direct _____
2) Antecedent _____
3) Other _____

Date this certificate sent to local registrar: _____

Dept. Health,
Educ., & Welfare
U. S. Public
Health Service

A child born dead after 20 weeks gestation will be reported on this form.
Fetuses unclaimed or used for medical purposes shall be reported to the State Anatomical Board, Columbia, Missouri, in addition to filing this report with the local registrar.
Person responsible for caring for remains must file this report within 3 days after delivery and receive local registrar's permit for disposition.

WRITE PLAINLY - UNFADING BLACK INK - MAKE A PERMANENT RECORD

DEPT. OF HEALTH OF MISSOURI
PUBLIC

STANDARD CERTIFICATE

MAKING A PERMANENT RECORD

1. NAME OF FATHER _____

2. NAME OF MOTHER _____

3. NAME OF CHILD _____

4. SEX _____

5. AGE (At time of delivery) _____

6. BIRTHPLACE (State, county, city or town) _____

7. LENGTH OF PREGNANCY (In weeks) _____

8. CAUSE OF FETAL DEATH _____

9. OTHER SIGNIFICANT CONDITIONS of fetus or mother which may have contributed to fetal death, but, in no way as is known, were not related to direct cause of fetal death _____

10. DATE OF DELIVERY _____

11. TIME OF DELIVERY _____

12. WEIGHT OF FETUS (In pounds and ounces) _____

13. LENGTH OF FETUS (In inches) _____

14. CIRCUMFERENCE OF HEAD (In inches) _____

15. CIRCUMFERENCE OF CHEST (In inches) _____

16. CIRCUMFERENCE OF WAIST (In inches) _____

17. CIRCUMFERENCE OF ARM (In inches) _____

18. CIRCUMFERENCE OF LEG (In inches) _____

19. LEGITIMATE _____

20. DATE OF DELIVERY _____

21. TIME OF DELIVERY _____

22. WEIGHT OF FETUS (In pounds and ounces) _____

23. LENGTH OF FETUS (In inches) _____

24. CIRCUMFERENCE OF HEAD (In inches) _____

25. CIRCUMFERENCE OF CHEST (In inches) _____

26. CIRCUMFERENCE OF WAIST (In inches) _____

27. CIRCUMFERENCE OF ARM (In inches) _____

28. CIRCUMFERENCE OF LEG (In inches) _____

29. LEGITIMATE _____

30. DATE OF DELIVERY _____

31. TIME OF DELIVERY _____

32. WEIGHT OF FETUS (In pounds and ounces) _____

33. LENGTH OF FETUS (In inches) _____

34. CIRCUMFERENCE OF HEAD (In inches) _____

35. CIRCUMFERENCE OF CHEST (In inches) _____

36. CIRCUMFERENCE OF WAIST (In inches) _____

37. CIRCUMFERENCE OF ARM (In inches) _____

38. CIRCUMFERENCE OF LEG (In inches) _____

39. LEGITIMATE _____

40. DATE OF DELIVERY _____

41. TIME OF DELIVERY _____

42. WEIGHT OF FETUS (In pounds and ounces) _____

43. LENGTH OF FETUS (In inches) _____

44. CIRCUMFERENCE OF HEAD (In inches) _____

45. CIRCUMFERENCE OF CHEST (In inches) _____

46. CIRCUMFERENCE OF WAIST (In inches) _____

47. CIRCUMFERENCE OF ARM (In inches) _____

48. CIRCUMFERENCE OF LEG (In inches) _____

49. LEGITIMATE _____

50. DATE OF DELIVERY _____

51. TIME OF DELIVERY _____

52. WEIGHT OF FETUS (In pounds and ounces) _____

53. LENGTH OF FETUS (In inches) _____

54. CIRCUMFERENCE OF HEAD (In inches) _____

55. CIRCUMFERENCE OF CHEST (In inches) _____

56. CIRCUMFERENCE OF WAIST (In inches) _____

57. CIRCUMFERENCE OF ARM (In inches) _____

58. CIRCUMFERENCE OF LEG (In inches) _____

59. LEGITIMATE _____

60. DATE OF DELIVERY _____

61. TIME OF DELIVERY _____

62. WEIGHT OF FETUS (In pounds and ounces) _____

63. LENGTH OF FETUS (In inches) _____

64. CIRCUMFERENCE OF HEAD (In inches) _____

65. CIRCUMFERENCE OF CHEST (In inches) _____

66. CIRCUMFERENCE OF WAIST (In inches) _____

67. CIRCUMFERENCE OF ARM (In inches) _____

68. CIRCUMFERENCE OF LEG (In inches) _____

69. LEGITIMATE _____

70. DATE OF DELIVERY _____

71. TIME OF DELIVERY _____

72. WEIGHT OF FETUS (In pounds and ounces) _____

73. LENGTH OF FETUS (In inches) _____

74. CIRCUMFERENCE OF HEAD (In inches) _____

75. CIRCUMFERENCE OF CHEST (In inches) _____

76. CIRCUMFERENCE OF WAIST (In inches) _____

77. CIRCUMFERENCE OF ARM (In inches) _____

78. CIRCUMFERENCE OF LEG (In inches) _____

79. LEGITIMATE _____

80. DATE OF DELIVERY _____

81. TIME OF DELIVERY _____

82. WEIGHT OF FETUS (In pounds and ounces) _____

83. LENGTH OF FETUS (In inches) _____

84. CIRCUMFERENCE OF HEAD (In inches) _____

85. CIRCUMFERENCE OF CHEST (In inches) _____

86. CIRCUMFERENCE OF WAIST (In inches) _____

87. CIRCUMFERENCE OF ARM (In inches) _____

88. CIRCUMFERENCE OF LEG (In inches) _____

89. LEGITIMATE _____

90. DATE OF DELIVERY _____

91. TIME OF DELIVERY _____

92. WEIGHT OF FETUS (In pounds and ounces) _____

93. LENGTH OF FETUS (In inches) _____

94. CIRCUMFERENCE OF HEAD (In inches) _____

95. CIRCUMFERENCE OF CHEST (In inches) _____

96. CIRCUMFERENCE OF WAIST (In inches) _____

97. CIRCUMFERENCE OF ARM (In inches) _____

98. CIRCUMFERENCE OF LEG (In inches) _____

99. LEGITIMATE _____

100. DATE OF DELIVERY _____

101. TIME OF DELIVERY _____

102. WEIGHT OF FETUS (In pounds and ounces) _____

103. LENGTH OF FETUS (In inches) _____

104. CIRCUMFERENCE OF HEAD (In inches) _____

105. CIRCUMFERENCE OF CHEST (In inches) _____

106. CIRCUMFERENCE OF WAIST (In inches) _____

107. CIRCUMFERENCE OF ARM (In inches) _____

108. CIRCUMFERENCE OF LEG (In inches) _____

109. LEGITIMATE _____

110. DATE OF DELIVERY _____

111. TIME OF DELIVERY _____

112. WEIGHT OF FETUS (In pounds and ounces) _____

113. LENGTH OF FETUS (In inches) _____

114. CIRCUMFERENCE OF HEAD (In inches) _____

115. CIRCUMFERENCE OF CHEST (In inches) _____

116. CIRCUMFERENCE OF WAIST (In inches) _____

117. CIRCUMFERENCE OF ARM (In inches) _____

118. CIRCUMFERENCE OF LEG (In inches) _____

119. LEGITIMATE _____

120. DATE OF DELIVERY _____

121. TIME OF DELIVERY _____

122. WEIGHT OF FETUS (In pounds and ounces) _____

123. LENGTH OF FETUS (In inches) _____

124. CIRCUMFERENCE OF HEAD (In inches) _____

125. CIRCUMFERENCE OF CHEST (In inches) _____

126. CIRCUMFERENCE OF WAIST (In inches) _____

127. CIRCUMFERENCE OF ARM (In inches) _____

128. CIRCUMFERENCE OF LEG (In inches) _____

129. LEGITIMATE _____

130. DATE OF DELIVERY _____

131. TIME OF DELIVERY _____

132. WEIGHT OF FETUS (In pounds and ounces) _____

133. LENGTH OF FETUS (In inches) _____

134. CIRCUMFERENCE OF HEAD (In inches) _____

135. CIRCUMFERENCE OF CHEST (In inches) _____

136. CIRCUMFERENCE OF WAIST (In inches) _____

137. CIRCUMFERENCE OF ARM (In inches) _____

138. CIRCUMFERENCE OF LEG (In inches) _____

139. LEGITIMATE _____

140. DATE OF DELIVERY _____

141. TIME OF DELIVERY _____

142. WEIGHT OF FETUS (In pounds and ounces) _____

143. LENGTH OF FETUS (In inches) _____

144. CIRCUMFERENCE OF HEAD (In inches) _____

145. CIRCUMFERENCE OF CHEST (In inches) _____

146. CIRCUMFERENCE OF WAIST (In inches) _____

147. CIRCUMFERENCE OF ARM (In inches) _____

148. CIRCUMFERENCE OF LEG (In inches) _____

149. LEGITIMATE _____

150. DATE OF DELIVERY _____

151. TIME OF DELIVERY _____

152. WEIGHT OF FETUS (In pounds and ounces) _____

153. LENGTH OF FETUS (In inches) _____

154. CIRCUMFERENCE OF HEAD (In inches) _____

155. CIRCUMFERENCE OF CHEST (In inches) _____

156. CIRCUMFERENCE OF WAIST (In inches) _____

157. CIRCUMFERENCE OF ARM (In inches) _____

158. CIRCUMFERENCE OF LEG (In inches) _____

159. LEGITIMATE _____

160. DATE OF DELIVERY _____

161. TIME OF DELIVERY _____

162. WEIGHT OF FETUS (In pounds and ounces) _____

163. LENGTH OF FETUS (In inches) _____

164. CIRCUMFERENCE OF HEAD (In inches) _____

165. CIRCUMFERENCE OF CHEST (In inches) _____

166. CIRCUMFERENCE OF WAIST (In inches) _____

167. CIRCUMFERENCE OF ARM (In inches) _____

168. CIRCUMFERENCE OF LEG (In inches) _____

169. LEGITIMATE _____

170. DATE OF DELIVERY _____

171. TIME OF DELIVERY _____

172. WEIGHT OF FETUS (In pounds and ounces) _____

173. LENGTH OF FETUS (In inches) _____

174. CIRCUMFERENCE OF HEAD (In inches) _____

175. CIRCUMFERENCE OF CHEST (In inches) _____

176. CIRCUMFERENCE OF WAIST (In inches) _____

177. CIRCUMFERENCE OF ARM (In inches) _____

178. CIRCUMFERENCE OF LEG (In inches) _____

179. LEGITIMATE _____

180. DATE OF DELIVERY _____

181. TIME OF DELIVERY _____

182. WEIGHT OF FETUS (In pounds and ounces) _____

183. LENGTH OF FETUS (In inches) _____

184. CIRCUMFERENCE OF HEAD (In inches) _____

185. CIRCUMFERENCE OF CHEST (In inches) _____

186. CIRCUMFERENCE OF WAIST (In inches) _____

187. CIRCUMFERENCE OF ARM (In inches) _____

188. CIRCUMFERENCE OF LEG (In inches) _____

189. LEGITIMATE _____

190. DATE OF DELIVERY _____

191. TIME OF DELIVERY _____

192. WEIGHT OF FETUS (In pounds and ounces) _____

193. LENGTH OF FETUS (In inches) _____

194. CIRCUMFERENCE OF HEAD (In inches) _____

195. CIRCUMFERENCE OF CHEST (In inches) _____

196. CIRCUMFERENCE OF WAIST (In inches) _____

197. CIRCUMFERENCE OF ARM (In inches) _____

198. CIRCUMFERENCE OF LEG (In inches) _____

199. LEGITIMATE _____

200. DATE OF DELIVERY _____

201. TIME OF DELIVERY _____

202. WEIGHT OF FETUS (In pounds and ounces) _____

203. LENGTH OF FETUS (In inches) _____

204. CIRCUMFERENCE OF HEAD (In inches) _____

205. CIRCUMFERENCE OF CHEST (In inches) _____

206. CIRCUMFERENCE OF WAIST (In inches) _____

207. CIRCUMFERENCE OF ARM (In inches) _____

208. CIRCUMFERENCE OF LEG (In inches) _____

209. LEGITIMATE _____

210. DATE OF DELIVERY _____

211. TIME OF DELIVERY _____

212. WEIGHT OF FETUS (In pounds and ounces) _____

213. LENGTH OF FETUS (In inches) _____

214. CIRCUMFERENCE OF HEAD (In inches) _____

215. CIRCUMFERENCE OF CHEST (In inches) _____

216. CIRCUMFERENCE OF WAIST (In inches) _____

217. CIRCUMFERENCE OF ARM (In inches) _____

218. CIRCUMFERENCE OF LEG (In inches) _____

219. LEGITIMATE _____

220. DATE OF DELIVERY _____

221. TIME OF DELIVERY _____

222. WEIGHT OF FETUS (In pounds and ounces) _____

223. LENGTH OF FETUS (In inches) _____

224. CIRCUMFERENCE OF HEAD (In inches) _____

225. CIRCUMFERENCE OF CHEST (In inches) _____

226. CIRCUMFERENCE OF WAIST (In inches) _____

227. CIRCUMFERENCE OF ARM (In inches) _____

228. CIRCUMFERENCE OF LEG (In inches) _____

229. LEGITIMATE _____

230. DATE OF DELIVERY _____

231. TIME OF DELIVERY _____

232. WEIGHT OF FETUS (In pounds and ounces) _____

233. LENGTH OF FETUS (In inches) _____

234. CIRCUMFERENCE OF HEAD (In inches) _____

235. CIRCUMFERENCE OF CHEST (In inches) _____

236. CIRCUMFERENCE OF WAIST (In inches) _____

237. CIRCUMFERENCE OF ARM (In inches) _____